



SMARTLINK
AUDIO GUIDE

Table of Contents

1. Introduction

How to use this manual.....	1-2
Safety information.....	1-3
Trademarks.....	1-4
Legal disclaimer.....	1-5
Licences	1-6

2. Plug-in Hybrid EV System overview

System features	2-2
-----------------------	-----

3. Getting started

Control buttons and touch screen display.....	3-2
Starting system.....	3-6
Basic operation.....	3-7
System settings.....	3-10

4. Unique Plug-in Hybrid EV functions

EV menu screen.....	4-2
Displaying charging station information.....	4-2
Energy usage information display	4-4
Timer function operation.....	4-4
Unique Plug-in Hybrid EV function settings	4-10

5. Audio system

Audio operation precautions	5-2
Audio operations	5-8
Audio settings	5-19
Sound settings	5-20
Fader balance setting.....	5-22
USB memory device care and cleaning.....	5-22

6. Hands-Free Phone

Bluetooth® Hands-Free Phone system.....	6-2
---	-----

7. Applications

Apps/Info menu.....	7-2
MITSUBISHI CONNECT	7-4
Apple CarPlay®.....	7-12
Android Auto™.....	7-15
Siri® eyes free.....	7-17

8. Navigation

Safety information.....	8-2
Navigation settings.....	8-2
Map operation	8-3
Setting destination.....	8-10
Route guidance.....	8-13
Viewing traffic information	8-20
Storing a location/route	8-22

Navigation settings.....	8-30
General information for navigation system	8-31

9. Voice recognition

Voice recognition	9-2
-------------------------	-----

10. Troubleshooting guide

System unit.....	10-2
Unique Plug-in Hybrid EV functions ...	10-3
Wi-Fi connection.....	10-8
Audio system.....	10-10
Bluetooth® Hands-Free Phone System.....	10-16
MITSUBISHI CONNECT	10-19
Apple CarPlay®	10-21
Android Auto.....	10-23
Siri® Eyes Free	10-24
Navigation.....	10-25
Voice recognition	10-32

1. Introduction

How to use this manual.....	1-2
Basic information	1-2
For safe operation	1-2
Reference symbols	1-2
Illustrations.....	1-2
Terms displayed on screen.....	1-2
Safety information.....	1-3
Trademarks.....	1-4
Legal disclaimer	1-5
Licences	1-6
Software licences.....	1-6
Telematics control unit	1-6

1. Introduction

How to use this manual

Basic information

This manual uses special words, symbols, icons and illustrations organised by function.

Please refer to the following items and familiarize yourself with them.

For safe operation

WARNING

This is used to indicate the presence of a hazard that could cause death or serious personal injury. To avoid or reduce the risk, the procedures must be followed precisely.

CAUTION

This is used to indicate the presence of a hazard that could cause minor or moderate personal injury or damage to your vehicle. To avoid or reduce the risk, the procedures must be followed carefully.

NOTE

Indicates items that help you understand and maximize the performance of your vehicle. If ignored, they may lead to a malfunction or poor performance.

Reference symbols

INFO

This indicates information that is necessary for efficient use of your vehicle or accessories.



Reference page:

This indicates the title and page that you should refer to.

<>:

This indicates a control button or a button on the steering wheel.

[]:

This indicates a key/item displayed on the screen.

Illustrations

- The illustrations in this manual are representatives of various models and may not be identical with the design and specifications of your vehicle.
- Icons and menu items displayed on the screen may be abbreviated or omitted from the screen illustrations when appropriate.

Terms displayed on screen

In this manual, some menu items may be spelled or termed differently from those displayed on your screen depending on models, markets or software versions.

Safety information

This system is primarily designed to help you support pleasant driving as outlined in this manual. However, you, the driver, must use the system safely and properly. Information and the availability of services may not always be up to date. The system is not a substitute for safe, proper and legal driving.

Before using the system, please read the following safety information. Always use the system as outlined in this manual.

WARNING

- To operate the system, first park the vehicle in a safe location and set the parking brake. Operating the system while driving can distract the driver and may result in a serious accident.
- Exercise extreme caution at all times so full attention may be given to vehicle operation. If the system does not respond immediately, please be patient and keep your eyes on the road. Inattentive driving may lead to a crash resulting in serious injuries or death.
- Do not rely on route guidance alone. Always be sure that all driving manoeuvres are legal and safe in order to avoid accidents.

WARNING

- Do not disassemble or modify this system. If you do, it may result in accidents, fire or electrical shock.
- If you notice any foreign objects in the system hardware, spill liquid on the system or notice smoke or a smell coming from it, stop using the system immediately and it is recommended you contact a MITSUBISHI MOTORS Authorised Service Point. Ignoring such conditions may lead to accidents, fire or electrical shock.

CAUTION

- Some jurisdictions may have laws limiting the use of video screens while driving. Use this system only where it is legal to do so.
- Extreme temperature conditions [below -20°C and above 70°C] could affect the performance of the system.
- The display screen may break if it is hit with a hard or sharp object. If the display screen breaks, do not touch it. Doing so could result in an injury.

NOTE

Do not keep the system running with the Plug-in Hybrid EV System not activated.

Doing so may discharge the vehicle battery (12V battery). When you use the system, always keep the Plug-in Hybrid EV System activating.

MITSUBISHI CONNECT may not be available in some regions. Completing the MITSUBISHI CONNECT registration is necessary to use MITSUBISHI CONNECT related functions.

1. Introduction

Trademarks



Apple, iPhone®, iPod®, and iPod touch® are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay® is a trademark of Apple Inc. Use of the Apple CarPlay® logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone® or iPod® may affect wireless performance.



Bluetooth® is a trademark owned by Bluetooth SIG, Inc. and licenced to Robert Bosch GmbH and Clarion Co., Ltd.



Music recognition technology and related data are provided by Gracenote®. Gracenote is the industry standard in music recognition technology and related content delivery. For more information, visit www.gracenote.com. Music related data from Gracenote, Inc., copyright © 2000 to present Gracenote. Gracenote Software, copyright © 2000 to present Gracenote.

One or more patents owned by Gracenote apply to this product and service. See the Gracenote website for a non-exhaustive list of applicable Gracenote patents.

Gracenote, the Gracenote logo and logotype are either a registered trademark or a trademark of Gracenote, Inc. in the United States and/or other countries.

App Store

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Siri®

Siri® is a trademark of Apple Inc., registered in the U.S. and other countries.

Google/Android/Google Play/Android Auto

Google, Android, Google Play, Android Auto, and other marks are trademarks of Google LLC.

Legal disclaimer

Feature availability is dependent on vehicle model, trim level, packaging and options. Trial included with vehicle purchase. Compatible connected device may be required and feature availability may be dependent on device's capability. Refer to connected device's owner's manual for details. Late availability for some features. Driving is serious business and requires your full attention. Only use features and connected devices when safe and legal to do so. Some features, including automatic crash notification and SOS, are dependent upon the telematics device being in operative condition, its ability to connect to a wireless network, compatible wireless network availability, navigation map data and GPS satellite signal receptions, the absence of which can limit or prevent the ability to reach Customer Care or receive support. GPS mapping may not be detailed in all areas or reflect current road status. Never program GPS while driving. Only use Remote Engine Start and Remote Horn features in accordance with any laws, rules or ordinances in effect in your vehicle's location.

Some services and features are provided by and dependent on third party service providers and not Mitsubishi Motors. Should such service

providers terminate or restrict service or features, service or features may be suspended or terminated without notice or with no liability to Mitsubishi Motors or its partners or agents. Services and features may require compatible cellular network provided by independent companies not within Mitsubishi Motors or its partners' or agents' control. Cellular network signal strength may vary and may not be available in all areas or at all times. Services and features may not function if cellular network is unavailable, restricted, or terminated. Mitsubishi Motors and its partners or agents are not responsible for associated costs or other third party changes that may be required for continued operation due to cellular network unavailability, restriction, or termination (including equipment replacements/upgrades, if available, or roaming charges on alternative networks). Technology is evolving, and changes by independent companies are not within Mitsubishi Motors or its partners' or agents' control.

Enrollment, owner consent, personal identification number (PIN), and subscription agreement may be required to receive full suite of features and services. Trial periods (if applicable) begin on the date of vehicle purchase or lease of a new Mitsubishi Motors. Trial periods and feature availability may be subject to change at any time and may be

subject to early termination without notice. Required subscriptions may be sold separately for each available feature or service after trial period ends, and may continue until you call service provider to cancel. Installation costs, onetime activation fee, other fees and taxes may apply. Fees and programming subject to change. Feature may be subject to age restrictions in some areas. Subscriptions governed by service provider's subscription agreement, terms and conditions and privacy statements available at service provider's website. Text rates or data usage may apply. MITSUBISHI CONNECT terms and conditions of subscriber agreement apply. If your Vehicle is outside the scope of the initial roadside assistance plan included with the purchase of your Vehicle, you will be responsible to the Service Provider for any additional charges incurred by receiving services through that roadside assistance Service Provider. The Mitsubishi Motors names, logos and slogans are trademarks owned by or licenced to MITSUBISHI MOTORS CORPORATION or its European subsidiaries. Other trademarks and trade names are those of their respective owners. For important safety information, system limitations, and additional operating and feature information, see dealer, owner's manual, or <https://www.mitsubishi-motors.com/en/products/connect/>.

Licences

Software licences

- Open Source Software Licences
<https://oss.bosch-cm.com/mitsubishi.html>
- This product is protected by certain intellectual property rights of Microsoft. Use or distribution of such technology outside of this product is prohibited without a licence from Microsoft.

Telematics control unit

Boost C++ Libraries - boost

Boost Software License 1.0

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the “Software”) to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative

works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JsonCpp

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ASN.1 Compiler

BSD-3-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING

IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MQTT

EPL/EDL

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name,

1. Introduction

or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in

Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient’s responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its

Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient’s receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they

Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such

claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT

1. Introduction

LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable.

However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether

expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice
“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses. If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice. You may add additional accurate notices of copyright ownership.

1. Introduction

MEMO

2. Plug-in Hybrid EV System overview

System features	2-2
Unique Plug-in Hybrid EV functions	2-2
Telematics service	2-3

2. Plug-in Hybrid EV System overview

System features

Functions unique to Plug-in Hybrid EV are introduced here.

Unique Plug-in Hybrid EV functions

In addition to the conventional navigation functions, the Smartphone-Link Display Audio also offers specific support for driving a Plug-in Hybrid vehicle.

Menus specific to Plug-in Hybrid EV can be accessed from the EV menu screen.

 “EV menu screen” (page 4-2)


CAUTION

Charging station information may not be detailed in all areas or reflect current charging station locations. For up-to-date information about charging stations, such as business hours or charging equipment, Mitsubishi Motors recommends that you directly access the information on your own. Additionally, always check the remaining amount of drive battery charge and set a reasonable driving schedule.

Charging station information

NOTE

Charging stations that have been searched for using this function are not necessarily equipped with devices that can be used to charge a Plug-in Hybrid EV. Be sure to confirm this in advance before setting a charging station as the destination.



Example

Icons for charging stations can be displayed on the map.

 “Displaying charging station icons on map” (page 4-2)

You can also search for charging stations near the current location, set a charging station as a destination or waypoint, and check detailed information about charging stations.

INFO


Charging station information on map can be updated by updating the map data.

 “How to update map data” (page 8-37)

Models with Smartphone-Link Display Audio:

This vehicle is equipped with a TCU (Telematics Control Unit), a communication device that enables communication with the Mitsubishi Motors Data Centre for various telematics services.

Energy usage information display



Example

Estimated driving range and energy usage are displayed.

 “Viewing energy usage information” (page 4-4)

Timer functions

 Changing Schedule

Charge only at Home		☒	
1	12:00AM - 12:00AM M T W T F S S	☒	
2	12:00AM - 12:00AM M T W T F S S	☒	
3	12:00AM - 12:00AM M T W T F S S	☒	

Example

Charging of the drive battery will automatically start at a scheduled time according to the start time, end time and day of the week set. The timer charge function allows three different timer settings. Each timer charge can be set to activate on a different day of the week. If no timer is set, the charge will start immediately after connecting the charge connector.

 “Setting timer charge” (page 4-4)

 Climate Ctrl. Timer

Temperature ☒ 23.0°C ☒

1	Departure 12:00AM M T W T F S S	☒	
2	Departure 12:00AM M T W T F S S	☒	
3	Departure 12:00AM M T W T F S S	☒	

The timer function pre cools or heats the passenger compartment before starting to drive.

Electric power consumption from the drive battery resulting from heater and air conditioner operation can be reduced because the temperature in the passenger compartment is adjusted before starting to drive.

 “Setting Climate Control Timer” (page 4-6)

Telematics service

Refer to MITSUBISHI CONNECT app for available services.

2. Plug-in Hybrid EV System overview

MEMO

3. Getting started

Control buttons and touch screen display	3-2
Touch screen display	3-2
Control buttons	3-2
Switches on steering wheel	3-4
USB (Universal Serial Bus) connection ports	3-5
Starting system	3-6
Basic information	3-6
Log-in screen	3-6
Basic operation	3-7
Basic information	3-7
Displaying EV menu screen	3-7
How to view and operate home menu screen	3-7
Swiping display to vehicle information display	3-8
Functions disabled while driving	3-8
System settings	3-10
Settings menu	3-10
Quick settings	3-13
Connections settings	3-13
Software update	3-18

3. Getting started

Control buttons and touch screen display

Touch screen display

Basic information

The touch screen display is located at the centre of the instrument panel. Various information and operation menus are displayed on the touch screen display. Touch keys and icons on the screen for operation.

Liquid crystal display

The touch screen display on this unit is a liquid crystal display and should be handled with care.

WARNING

Never disassemble the display. Some parts utilize extremely high voltage. Touching them may result in serious personal injury.

Characteristics of liquid crystal display:

- If the temperature inside the vehicle is especially low, the display will stay relatively dim or the movement of the images may be slow. These conditions are normal. The display will function normally when the interior of the vehicle has warmed up.

- Some pixels in the display are darker or brighter than others. This condition is an inherent characteristic of liquid crystal displays, and it is not a malfunction.
- A remnant of the previous display image may remain on the screen. This screen burn is inherent in liquid crystal displays, and it is not a malfunction.
- The screen may become distorted by strong magnetic fields.
- Depending on the condition, brightness may be adjusted automatically to prevent the display from screen burning.

Maintenance of display:

To clean the display screen, use a dry, soft cloth. If additional cleaning is necessary, use a small amount of neutral detergent with a soft cloth. Never spray the screen with water or detergent. Dampen the cloth first, then wipe the screen.

CAUTION

- Clean the display with the electric motor switch in the OFF position. If the display is cleaned while the electric motor switch is placed in the ON position, unintentional operation may occur.

CAUTION

- To clean the display, never use a rough cloth, alcohol, benzine, thinner or any kind of solvent or paper towel with a chemical cleaning agent. They will scratch or deteriorate the panel.
- Do not splash any liquid, such as water or car fragrance, on the display. Contact with liquid will cause the system to malfunction.

Control buttons

The control buttons are located around the touch screen display. Available functions, designs, locations, etc. may differ depending on the specifications, control button types and software versions.

Button	Function
<  /VOL>	Push to turn the power of the audio system on/off. Turn to adjust the volume.
<  >/ <  >	Use the buttons for audio operations.  “Audio operations” (page 5-8)
<  >	Push to switch between the day screen (bright) and the night screen (dark), and to adjust the level of the screen brightness. Push and hold the button to turn off the display. Push the button again to turn on the display.

INFO

For <CAMERA> operation, refer to the vehicle Owner's Manual.

3. Getting started

Switches on steering wheel

Switches on the steering wheel can be used to control Smartphone-Link Display Audio. Available functions and designs may differ depending on the specifications, switch types and software versions.

Switch	Function
<  >	Push the + or - side of the switch to adjust the volume.
<   >	Push to return to the previous screen while operating the Voice recognition.  “Voice recognition” (page 9-2)
<OK> (Scroll dial)	Scroll to select a voice command while operating the Voice recognition. Push to confirm the selected voice command while operating the Voice recognition.  “Voice recognition” (page 9-2)
<  >/<  >	This switch can be used for audio operations.  “Audio operations” (page 5-8)
<  > (TALK)	Push to use the Voice recognition. Push and hold to end the voice recognition session.  “Giving voice commands” (page 9-2) If your iPhone® is connected to the in-vehicle system via Bluetooth®, Siri® Eyes Free can be activated by pushing and holding this switch without having to activate Apple CarPlay®.  “Siri® eyes free” (page 7-17) When Apple CarPlay® or Android Auto is active, pushing and holding this switch will start a Siri® or Google Assistant session.  “Siri® operation” (page 7-14)  “Google Assistant™ operation” (page 7-16)
<  >	Push to answer a received call, to end an active call or to read a received text message. Push and hold to reject an incoming call or to ignore a received text message. When no phone call is received or when there is no active call, pushing this switch will display the phone screen.  “6. Hands-Free Phone”

INFO

Steering wheel switches are mainly for the vehicle information display control and may not be able to operate the touch screen display depending on the conditions. For details of the vehicle information display, refer to the vehicle Owner's Manual.

USB (Universal Serial Bus) connection ports

WARNING

Do not connect, disconnect or operate the USB device while driving. Doing so can be a distraction. If distracted you could lose control of your vehicle and cause an accident or serious injury.

CAUTION


- Do not force the USB device into the USB connection port. Depending on the USB connection port, inserting the USB device tilted may damage the port. Make sure that the USB device is connected correctly into the USB connection port.

CAUTION

- Do not grab the USB connection port cover (if so equipped) when pulling the USB device out of the port. This could damage the port and the cover.
- Do not leave the USB cable in a place where it can be pulled unintentionally. Pulling the cable may damage the port.

The vehicle is equipped with USB connection ports. The in-vehicle audio system can play audio contents from the compatible connected device.

The USB connection ports are located in the front lower part of the centre console.



- ① USB connection ports:

Connect a compatible device to play media such as an iPod® or a USB memory device.

Connect an iPhone® or an Android phone with USB cable to use Apple CarPlay® or Android Auto.

INFO

- Refer to your USB device manufacturer's owner information regarding the proper use and care of the device.
- Cables made by Apple Inc. should be used to connect electronic devices marketed by Apple Inc.

3. Getting started

Starting system

Basic information

The system starts when the electric motor switch is in the Auto ACC or ON position.

! NOTE

Do not keep the system running with the EV system stopped. Doing so may discharge the vehicle battery (12V battery). When you use the system, always keep the EV system running.

Log-in screen

Several profiled users can be recognised by the vehicle, with personal settings linked to the Keyless Operation key assigned to each user. Register the user information when the Keyless Operation key is used for the first time as necessary. When [Welcome Message] setting is turned on, a welcome message screen is displayed with the detected user's name each time the system starts.

 “Settings menu” (page 3-10)

1. The system starts when the electric motor switch is placed in the ON position. A welcome message screen is displayed.
2. Check the message that is displayed on the screen. If the name shown in the welcome

message is incorrect, touch the name of the correct user. The user can also be changed by touching [User Profiles].

 “Settings menu” (page 3-10)

INFO

When [Sync Profile with Keyless operation key] is turned off, the users will be logged in as guests.

 “Settings menu” (page 3-10)


Basic operation

Basic information

The system can be operated with the touch screen display as well as the control buttons and the switches on the steering wheel.

This manual mainly describes the touch screen operation.

Displaying EV menu screen



Example


Touch [] on the Launch Bar and touch [EV] to display the menu screen where several useful functions for Plug-in Hybrid vehicle driving can be set. Select a preferred menu and touch an item to be set.

 “EV menu screen” (page 4-2)

How to view and operate home menu screen

Basic information

Touch [] on the Launch Bar to display the home menu screen.



3. Getting started

① Launch Bar:

Touch the item on the Launch Bar to display the corresponding screen.

- [] (Notifications)

 “Confirming notifications” (page 7-4)

- [] (Home menu)

Touch to display the home menu screen.

- [] (Map)

 “Displaying navigation screen” (page 8-2)

- [] (Audio)

 “Audio operations” (page 5-8)

- [] (Phone)

 “Phone” (page 6-4)

- [] (Application)

Touch to display the apps menu.

 “Apps/Info menu” (page 7-2)

② []:

Touch to display the settings screen.

③ Widgets:

Useful information can be displayed as widgets. Depending on the contents of the widget, keys may be available for operation of the function.

The widgets displayed on the home menu screen can be customised.


 “Customizing home menu screen” (page 3-8)

INFO

- [] will be replaced by [] when Apple CarPlay® is active, and it will be replaced by [] when Android Auto is active.
- [] is displayed on various screens. Items that can be set vary accordingly.
- Touch [+] on the last page of the home menu screen to add your preferred widget.

Customizing home menu screen

The home menu screen can be personalized by selecting which widgets are to be displayed and where to place them on the screen.



1. Touch and hold any of the widgets. The home menu customization screen will be displayed.
2. Customise the home menu screen.

- Touch [Add] and select the widget to add to the home menu screen.
- Touch [Auto Arrange] to align the widgets.
- Touch [Help] to display how to edit widgets.
- Touch [x] to delete the widget.
- Touch and hold the widget and then drag to change the order.

3. Touch [Save].

Swiping display to vehicle information display

By swiping the touch screen display towards the vehicle information display with two fingers, some of the information on the touch screen display (such as current vehicle location map, current audio playback screen, etc.) can be displayed on the vehicle information display. For details of the vehicle information display, refer to the vehicle Owner's Manual.

Functions disabled while driving

Basic information

To ensure safe driving, some functions cannot be operated or have limited operation while the vehicle is in motion.

The on-screen text and keys for these restricted functions will be “greyed-out” or muted and

cannot be selected while driving. In some cases, a screen message will appear indicating a restricted function.

Restricted functions while driving include:

- Character (letter and number) input screen
- Scrolling and viewing of certain list screens
- Displaying detailed information and selecting items on some information screens
- Adding/editing home location, address book entries and current route
- Connecting Bluetooth® devices for the first time
- Placing a call by dialing a number or selecting a phonebook entry
- Adjusting settings for phone, MITSUBISHI CONNECT, Bluetooth® functions, and other various functions

These functions will become available again when the vehicle is not in motion.

Some of the destination setting functions that become unavailable while driving can be operated by the Voice recognition. Available voice commands may differ depending on the language setting.

Enabling operations by front seat passenger



This feature is intended for front seat passenger use only while the vehicle is moving. Do not use this feature if you are the driver while the vehicle is moving. Doing so while driving can lead to a serious or fatal accident.

When the vehicle detects a person on the front passenger seat with a seat belt fastened, some of the functions can be unlocked by touching [Accept] on the message screen which appears when available.

3. Getting started

System settings

Settings menu

The system settings can be changed for personal convenience.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch a setting item you wish to adjust.

Available setting items may vary depending on models, specifications and software versions.

Available setting items

Setting item		Result
[Connections]		Displays the Bluetooth [®] , Apple CarPlay [®] , Android Auto, Wi-Fi, etc. setting screen.  “Connections settings” (page 3-13)
[Phone]		Displays the phone and text message settings screen.  “Phone and text message settings” (page 6-9)
[Navigation]		Displays the navigation settings screen.  “Navigation settings” (page 8-2)
[Sound and Tones]	[Sound]	Displays the sound settings screen.  “Audio settings” (page 5-19)
	[Volume & Beeps]	Various volume settings can be adjusted. The guidance voice or button beeps can be turned on/off.
	[System Voice]	Displays the Voice recognition settings screen.  “System Voice settings” (page 9-4)
[System Update]	[Version Information]	Displays the version information.
	[Software Update]	Displays the software update screen.  “Software update” (page 3-18)
	[Map Update]	Displays the map update screen.  “How to update map data” (page 8-37)

Setting item		Result
[Clock]		Displays the clock settings screen.
[Customise Menus]	[Customise Home Menu]	Home menu screen can be customised.  “Customizing home menu screen” (page 3-8)
	[Customise Audio Sources]	Audio source bar can be customised.  “Customizing audio source bar” (page 5-9)
	[Customise Lower Menu Bar]	Lower Menu Bar can be customised.  “Using Lower Menu Bar” (page 8-5)
	[Customise Favourite]	Favourite can be customised.  “Customizing favourite:” (page 6-11)
	[Customise Destination Menu]	Destination menu can be customised.  “Customizing destination setting menu” (page 8-13)
[System Settings]	[Display]	Changes the display settings.
	[Language]	Changes the language settings.
	[Units]	Changes the units settings.
	[Keyboard Type]	Selects the keyboard type.
	[Return All Settings to Default]	This resets all settings to default.
[MITSUBISHI CONNECT]		Displays the MITSUBISHI CONNECT settings screen.  “MITSUBISHI CONNECT settings” (page 7-11)
[Camera]		Displays the camera settings screen. See the vehicle Owner’s Manual for details.
[Parking]		Displays the parking settings screen. See the vehicle Owner’s Manual for details.
[Seat]		Turns on/off the pop-up of the seat guidance screen that appears upon the driver’s or passenger’s side seat adjustment. See the vehicle Owner’s Manual for power seat adjustment.
[Climate]		Displays the climate settings screen. See the vehicle Owner’s Manual for details.

3. Getting started

Setting item	Result
[Edit User]	Settings for profiled users can be registered for each Keyless Operation key. Each time the electric motor switch is placed in the OFF position, the personal settings such as navigation, audio, etc. at that point will be memorized. When the system is turned on, the system recognises the user according to the Keyless Operation key used, and the memorized settings for the user will be applied.  “Log-in screen” (page 3-6)
	[User Profiles] Registers/edits user information and copies/deletes user settings.
	[Sync Profile with Keyless Operation key] Turns on/off the function that synchronizes the registered profile with the Keyless Operation key. When this item is turned off, the user will be logged in as a guest.
	[Welcome Message] Sets the welcome message on/off.
[Apps/Info]	[Smartphone Projection] Displays the Connections screen. The helpful tips for Apple CarPlay® or Android Auto operation can also be checked.  “Connections settings” (page 3-13)  “Apple CarPlay®” (page 7-12)  “Android Auto™” (page 7-15)
	[Notifications] Displays the notification setting screen.  “Notifications settings” (page 7-4)
[EV]	Displays the EV settings screen.  “Unique Plug-in Hybrid EV function settings” (page 4-10)”



INFO

This settings menu can also be displayed when touching [All Settings] displayed on various setting screens.

Quick settings

Swipe down on the touch screen display to display the quick settings screen.

Available setting items may vary depending on models, specifications and software versions.

Setting item	Action
[Brightness]	Adjusts the brightness of the display.
[Bass]	Adjusts the sound quality by touching [-]/[+].
[Mid]	
[Treble]	
[Guidance Voice]	Turns the voice guidance on/off.

INFO


Adjusts the sound balance by touching [<] / [^] / [>] / [v] of the passenger compartment image displayed on the screen. Touch [Reset] to initialize the position setting.

Connections settings

Basic information

Changing the settings and viewing information of the Bluetooth®, Apple CarPlay®, Android Auto, Wi-Fi, vehicle hotspot and USB are available on the Connections screen.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Connections]. The Connections screen is displayed.



- ① Connection Bar:
Touch to display the corresponding connections screen.
Touch [>] to display the next item.
- ② []:
Touch to activate/deactivate the connected device to be used for the Bluetooth® Hands-Free Phone System.
- ③ []:
Touch to activate/deactivate the connected device to be used for Apple CarPlay®.

3. Getting started

④ []:

Touch to activate/deactivate the connected device to be used for Bluetooth® audio.

⑤ []:

Touch to allow connection with the personal area network.

⑥ []:

Touch to view the device information and to change the device settings.



“Setting Bluetooth®” (page 3-14)



“Setting Apple CarPlay®” (page 3-15)



“Setting Android Auto” (page 3-16)



“Setting Wi-Fi” (page 3-16)



“Displaying USB device information” (page 3-18)

⑦ []:

Touch to view the device information and to change the device settings.

 INFO

When [Dual Hands-free Mode] is turned ON, two Bluetooth® devices can be connected at the same time. The [] by the phone device name is numbered according to its priority.



“Setting Bluetooth®” (page 3-14)

Setting Bluetooth®

Settings of the devices connected via Bluetooth®, such as smartphones used for Hands-Free Phone, Apple CarPlay®, etc., can be changed.

The information of the devices can also be confirmed.



“Apple CarPlay®” (page 7-12)



“USB memory device, iPod® and Bluetooth® audio operation” (page 5-16)



“Bluetooth® Hands-Free Phone system” (page 6-2)

Connecting Bluetooth® devices:

To use the Bluetooth® device with the invehicle system for the first time, the device connecting operation is required.

1. Touch [Bluetooth] on the Connections screen and then touch [Add Device]. A message is displayed. Operate as guided by the system.

 INFO

If no Bluetooth® device is connected and Apple CarPlay® or Android Auto is not active, the same screen can be displayed by

pushing and holding <  > on the steering wheel.

2. The paired device will be added to the list on the Bluetooth® screen.

 NOTE

Some cellular phones or other devices may cause interference or a buzzing noise to come from the audio system speakers. Storing the device in a different location may reduce or eliminate the noise.

 INFO

- Touching name of the other device on the list will switch the connected device.
- If a maximum number of devices are already registered, a new device cannot be registered until one of the registered devices is deleted.
- The pairing procedure varies according to the device. See the device Owner's Manual for the details.
- Consult a MITSUBISHI MOTORS Authorised Service Point for information regarding Bluetooth® device connection to your vehicle.

Setting favourite device:

If the Bluetooth® device is within the range with Bluetooth® turned on, the device registered

as favourite will automatically be connected to the in-vehicle system with priority upon the system activation.

1. Touch [Bluetooth] on the Connections screen and then touch [Set Favourite].
2. Touch an icon by the phone device name you want to set as a favourite. The “★” mark will be displayed.

Bluetooth® settings:

The Bluetooth® settings can be changed according to your preference.

Touch [Bluetooth] on the Connections screen and then touch [].

Available setting items may vary depending on models, specifications and software versions.

Available setting items

Setting item	Action
[Bluetooth]	Turns the Bluetooth® connection on/off.
[Dual Hands-free Mode]	When turned on, up to 2 Bluetooth® devices can be connected as hands-free phones to the invehicle system simultaneously.
[Dual Hands-free Mode Help]	The dual hands-free mode operation guide is displayed.

[Set Favourite]	A Bluetooth® device can be set as a favourite device.
[Device Name]	The device name that appears on the screen can be changed.
[PIN]	The PIN code can be changed.

Device information:

You can display the information of the devices connected to the vehicle.

1. Touch [Bluetooth] on the Connections screen.
2. Touch [] by the device name. The information and the setting options of the device will be displayed.

Available items may vary depending on models, specifications and software versions.

Available items

Setting item	Action
[Delete]	Paired devices can be deleted.
[Hands-free Calling]	Activates/deactivates the hands-free phone.
[Bluetooth Audio]	Activates/deactivates the Bluetooth® audio.
[Apple CarPlay]	Activates/deactivates the Apple CarPlay®.
[Android Auto]	Activates/deactivates the Android Auto.
[Start-up Options]	Selects the activation options of the Apple CarPlay® or Android Auto when the device is connected to the in-vehicle system.
[Vehicle's Help for Apple CarPlay]	Displays helpful tips for Apple CarPlay® operation.
[Vehicle's Help for Android Auto]	Displays helpful tips for Android Auto operation.

Setting Apple CarPlay®

Touch [Apple CarPlay] on the Connections screen.

- Touch [] to activate/deactivate Apple CarPlay®.

3. Getting started

- Touch [ⓘ] to view the device information and to change the device settings. Available items may vary depending on models, specifications and software versions.

Setting item	Action
[Delete]	Paired devices can be deleted.
[Hands-free Calling]	Activates/deactivates the hands-free phone.
[Bluetooth Audio]	Activates/deactivates the Bluetooth® audio.
[Apple CarPlay]	Activates/deactivates the Apple CarPlay®.
[Start-up Options]	Selects the activation options of the Apple CarPlay® when the device is connected to the in-vehicle system.
[Vehicle's Help for Apple CarPlay]	Displays helpful tips for Apple CarPlay® operation.

Setting Android Auto

Touch [Android Auto] on the Connections screen.

- Touch [▲] to activate/deactivate Android Auto.
- Touch [ⓘ] to view the device information and to change the device settings. Available items may vary depending on models, specifications and software versions.

Setting item	Action
[Delete]	Paired devices can be deleted.
[Hands-free Calling]	Activates/deactivates the hands-free phone.
[Bluetooth Audio]	Activates/deactivates the Bluetooth® audio.
[Android Auto]	Activates/deactivates the Android Auto.
[Start-up Options]	Selects the activation options of the Android Auto when the device is connected to the in-vehicle system.
[Vehicle's Help for Android Auto]	Displays helpful tips for Android Auto operation.

Setting Wi-Fi

A Wi-Fi connection can be made by using an available Wi-Fi network near the vehicle or tethering function of smartphone, etc. Wi-Fi connectivity is useful for updating map data and system software, or Premium Traffic, etc.



“Software update” (page 3-18)



“How to update map data” (page 8-37)

Connecting to a Wi-Fi network:

To use the Wi-Fi connection for the first time, the following connecting procedures are required.

1. Touch [Wi-Fi] on the Connections screen.
2. Turn on [Wi-Fi].
3. Touch the name of the device you wish to connect.

	Indicates that a password is set.
	Indicates the strength of the signal the Wi-Fi device is receiving.

4. Enter the network password and touch [OK]. The device will be connected.

If a listed device is in a status capable of making Wi-Fi connection, touching the device name on the list will start the connection.

**INFO**

- Enter the password correctly, including capitalization.
- Enabling the Wi-Fi hotspot functionality of your smartphone may incur additional charges from your cellular provider. Consult your cellular provider contract regarding the communication fee.
- The system can connect to only WPA2 security network (not connect WEP, WPA1 network).
- Wi-Fi networks that require a web browser cannot be accessed through this unit.
- The Wi-Fi setting can also be turned on/off by touching [] on the Connections screen and then touching [Wi-Fi].

Wi-Fi network information:

You can display the information of the Wi-Fi network.

1. Touch [Wi-Fi] on the Connections screen.
2. Touching [] by the Wi-Fi network name will display the information of the Wi-Fi network such as status and signal strength.

The following Wi-Fi network settings are available.

Available setting items may vary depending on models, specifications and software versions.

Available items

Setting item	Action
[Forget this Network]	The stored Wi-Fi network can be deleted from the list.
[Auto Connect]	Turning the system on will automatically connect the system to the network if the network is available.

Setting vehicle hotspot

The vehicle hotspot function enables devices such as a laptop computer or a tablet computer to connect to the vehicle.

You can access the Internet using TCU (Telematics Control Unit) installed in your vehicle when a service provider's subscription is active.

**INFO**

To use the Internet, a subscription with the service provider is required in advance. Consult your cellular provider for details.

1. Touch [Vehicle Hotspot] on the Connections screen.
2. Touch to turn on [Vehicle Hotspot].
The vehicle hotspot function is activated and then Network Name (SSID) and password will be displayed.
3. Select the in-vehicle Network Name (SSID) on your device.

4. Enter the network password on the device to connect to the in-vehicle Wi-Fi network.

**INFO**

- The vehicle hotspot function can also be used by scanning the QR code.
- Enabling the vehicle hotspot functionality of your device may incur additional charges from your cellular provider. Consult your cellular provider contract regarding the communication fee.
- The data transfer may be limited depending on the contents.
- Accessibility may be disabled depending on radio wave reception.
- When the automatic connection is active on your device and the Network Name (SSID) is already registered, turning [Vehicle Hotspot] on will automatically connect the device to the vehicle.
- The vehicle hotspot function cannot be used while wireless Apple CarPlay® is in use.
- The other wireless communication may cause interference with the vehicle hotspot function and a delay in data transmission may occur.
- When operating the device in the vehicle, always obey the legal requirements in the state or province where you are driving.

3. Getting started

Vehicle hotspot settings:

The vehicle hotspot settings can be changed according to your preference.

1. Touch [Vehicle Hotspot] on the Connections screen.
2. Touch [].
3. Touch a preferred item.

Available setting items

Setting item	Action
[Vehicle Hotspot]	Turns the vehicle hotspot on/off.
[Network Name (SSID)]	Changes the Network Name (SSID).
[Password]	Changes the network password.

Displaying USB device information

The information of the connected USB device can be viewed.

Touch [USB] on the Connections screen.

You can display the name and type of the connected USB device by touching [].

Software update

Basic information

Vehicle software (not only the audio or navigation system but also the vehicle software such as the vehicle information display, etc.) can be updated.

It is necessary to use TCU (Telematics Control Unit) or Wi-Fi network for the software update.

Software Update screen

1. Touch [] on the Launch Bar.
2. Touch [].
3. Touch [System Update] and then touch [Software Update]. Software update screen will be displayed.

Available items may vary depending on models, specifications and software versions.

Available items

Menu item	Action
[Start Software Update]	Connects to the MITSUBISHI CONNECT Data Centre to confirm if there are any updates. If there are available updates, data can be downloaded.

Menu item	Action
[Update Method]	The methods for preparing the software update can be selected. Select from [Auto] or [Manual]. When setting to [Auto], the update will be confirmed and downloaded automatically.  “Automatic software update” (page 3-18)
[Software Update History]	Displays the update history. Touch an item on the list to display the detailed update information.
[Module Version Information]	Displays the module version information.
[Schedule Installation]	Changes the software update schedule.  “Setting and changing update schedule” (page 3-19)

Automatic software update

When the [Update Method] is set to [Auto], the in-vehicle system confirms and downloads the updates automatically.

The system downloads the update when the remaining Li-ion battery level is sufficient, and installs the downloaded data when the electric motor switch is placed in the OFF position.

❗ NOTE

The vehicle cannot be used while updating the software because the electric motor switch cannot be placed in the ON position. Upon completing the update, electric motor switch can be placed in the ON position. In addition, some functions cannot be used.

If you do not want to start the software update immediately, select [Ask Later] on the confirmation screen or set the update schedule.

 “Setting and changing update schedule” (page 3-19)

Checking update information:

When the electric motor switch is placed in the ON position, the in-vehicle system will automatically connect to the MITSUBISHI CONNECT Data Centre and check the latest updates.

Downloading update data:

When there is available update, the system automatically starts downloading.

The system will stop downloading if the remaining Li-ion battery power is low. You can use the vehicle during download.

ℹ INFO

When the update data is already downloaded and is ready to be installed, “” is displayed.

Installing update:

When the electric motor switch is placed in the OFF position after downloading the update, the confirmation screen will appear. The update contents and the required time for update can be checked on the screen.

You can select the following options from the confirmation screen.

Item	Action
[Now]	The software update starts immediately.
[Schedule]	Sets the update start schedule.  “Setting and changing update schedule” (page 3-19)
[Ask Later]	The confirmation screen will be displayed again at the next time the electric motor switch is placed in the OFF position.

ℹ INFO

- When the update starts, you can leave the vehicle without waiting for the update to

complete because the system installs the update automatically.

- If the update starts during the normal charging, the charging will stop temporarily. The charging will resume after the update is complete.

Setting and changing update schedule

If you touch [Schedule] on the confirmation screen, the schedule screen will be displayed and you can set the update schedule.

The update start time can be set up to 24 hours later. The set update start time can be changed from [Schedule Installation].

 “Software Update screen” (page 3-18)

ℹ INFO

When the update schedule is set, “” will be displayed on the screen.

Software update will start automatically at the scheduled time. If the update start conditions are not met at the set start time, the update will not be performed and the update will be canceled.

Update start conditions:

In order to start update safely, make sure to keep the following conditions. If the conditions are not met, the update may not start.

3. Getting started

- The vehicle is parked in a safe place.
- The electric motor switch is placed in the OFF position.
- The remaining Li-ion battery level is sufficient.
- The electric parts such as hazard warning flashers are turned off.
- The quick charging is not being performed.

4. Unique Plug-in Hybrid EV functions

EV menu screen.....	4-2
Displaying charging station information	4-2
Displaying charging station icons on map	4-2
Charging station icons	4-3
Energy usage information display	4-4
Viewing energy usage information	4-4
Timer function operation	4-4
Setting timer charge	4-4
Setting Climate Control Timer	4-6
Remote climate control (models with MITSUBISHI CONNECT)	4-8
Unique Plug-in Hybrid EV function settings	4-10

4. Unique Plug-in Hybrid EV functions

EV menu screen

Touch [] on the Launch Bar and touch [EV] to display the menu that includes useful functions for Plug-in Hybrid vehicle driving.
Available setting items may vary depending on models, specifications and software versions.

Setting items	Action
[Energy Usage]	Energy usage information is displayed on the screen.  “Energy usage information display” (page 4-4)
[Charging Stations]	A list of charging stations is displayed. Touch [Filter] or [Options] to narrow down, sort or refresh the list. Touching a charging station from the list can set as a destination.
[Charging Schedule]	The timer charge function can be set.  “Setting timer charge” (page 4-4)
[Climate Ctrl. Timer]	The Climate Control Timer function can be set.  “Setting Climate Control Timer” (page 4-6)

Displaying charging station information

The charging station information are displayed on the map screen.

CAUTION

Charging station information may not be detailed in all areas or reflect current charging station locations. For up-to-date information about charging stations, such as business hours or charging equipment, Mitsubishi Motors recommends that you directly access the information on your own. Additionally, always check the remaining amount of drive battery available charge and set a reasonable driving schedule.

Displaying charging station icons on map

The charging station icons, as well as the other landmark icons, can be displayed on the map.

 “Map settings” (page 8-8)

Charging station icons

Charging station locations are displayed with icons below on the map.



: Normal charging station



: Quick charging station

- If the MITSUBISHI CONNECT (if so equipped) is available, availability of charging stations can be displayed in colour coded icons.

- Charging stations that are registered as open 24 hours are displayed in icons with “24” marked by the charging station icon.



: 24 hours open normal charging station



: 24 hours open quick charging station

- Display setting of the icons of charging stations that are currently not open can be turned on/off.




“Unique Plug-in Hybrid EV function settings” (page 4-10)



INFO

- Placing the cross pointer on the charging station icons will display the information in a pop-up window.



Example

- Touching [Go Here] on the pop-up window, the destination can be set the selected location. Touching [Info] will display the place information screen. On the place information screen, touch [Call] to call the selected place if the key is available.

- Touch [<] or [>] to scroll to the next or previous page.

- Map icons do not appear if the map is zoomed out above a certain level.
- Settings of the charging station icons registered in the Favourite cannot be changed with this procedure.



“Editing stored information” (page 8-24)

4. Unique Plug-in Hybrid EV functions


Energy usage information display

Energy usage information can be displayed.

Viewing energy usage information

Estimated driving range and energy usage status of various systems, perform the following procedure.

1. Push <MENU>.
2. Touch [] on the Launch Bar and then touch [EV].
3. Touch [Energy Usage].



Example

- ① Driving Range:
The possible driving distance based on the current charging status is displayed.

- ② Combined Power:
The motor power or the combined power with the engine according to the driving conditions is displayed. And charging power generated by the motor is displayed when regenerative brake is applied.

INFO

Depending on the vehicle speed and the drive battery status (remaining battery amount, temperature, etc.), the Electric Motor value displayed on this screen may be lower than the energy usage indicator displayed on the multi-information display.

Timer function operation

This function enables the drive battery to be charged and the climate control to be turned on automatically at a regular time and day of the week.

Setting timer charge

Use charging timer to schedule when the drive battery charges. You can save three timer settings that include the charging start time and end time. One of the timer settings can be applied to each day of the week. The vehicle automatically begins charging at the scheduled times when the charge connector is connected to the vehicle. The timers do not need to be reset each time the drive battery needs to be charged.

Available setting items may vary depending on models, specifications and software versions.

Changing Schedule			
	Charge only at Home	☐	
1	12:00AM - 12:00AM M T W T F S S	☐	/
2	12:00AM - 12:00AM M T W T F S S	☐	/
3	12:00AM - 12:00AM M T W T F S S	☐	/

1. Touch [] on the Launch Bar.
2. Touch [EV].
3. Touch [Charging Schedule]. Charging Timer screen is displayed.

Available actions:


- [Charge only at Home] (if so equipped):
When this item turns on, charging timer works only at home.
- Timer settings:
Touch to turn on/off the timer. The indicator lamp will turn on when the timer setting is turned on.
- []:
Touch to display the timer charge settings screen. Set preferred time and day of the week for vehicle charging.

 “Timer charge setting screen”
(page 4-5)

4. After completing the settings, place the electric motor switch in the OFF position, and then connect the charge connector to the vehicle.

Timer charge setting screen

Three different timer setting can be registered.



- ① Touch to change the start time.
- ② Touch to change the end time.
- ③ Touch to change the weekly schedule.
- ④ Touch to save the settings.

Operating tips for timer charge

- Charging timer is performed according to the current time setting on the bottom left of the display. When setting the charging timer function, be sure to check that the current time displayed is correct.
- The drive battery may not be fully charged if the charging timer start time and end time are set such that there is not enough time to charge the drive battery.
- When either the charge start time or charge end time is set, the charging timer function is activated.

- When only the charging timer end time is set, the system automatically determines when to begin charging based on the drive battery charge level. The drive battery may not be fully charged if the charging timer end time is set such that there is not enough time to charge the drive battery.
- When only the charging timer end time is set, the system automatically starts charging so that the drive battery will be fully charged by the set end time. Charging may stop before the scheduled end time but this is not a malfunction.
- To turn off the charging timer function, touch [ON] on the timer charge setting screen until the indicator lamps are turned off. Touch [Save] to apply the setting. If the settings shown on the screen are correct, touch [OK]. After this operation has been performed, the charging timer function is turned off. The start and stop time settings are not deleted, even if the charging timer function is turned off.
- If the day of the week is not selected on the timer charge setting screen, the charging timer will not operate on that day. The system will wait until the next set charging time to perform charging.

4. Unique Plug-in Hybrid EV functions

- The timer setting can be changed while timer charge is in operation. When the setting is changed while timer charge is in operation, the new settings are applied immediately and charge operation stops once. After this, if the power position is switched to OFF, charge operation starts or enters waiting mode depending on the new timer settings.
- The Climate Control Timer will operate when the remaining drive battery power displayed in the metre is 1 segment or higher. When in the remote climate control, the timer may operate even if the remaining drive battery power displayed in the metre is 0 segment.
- The drive battery will not charge when the charge connector is connected to the vehicle until the next scheduled charge start time when the charge timer is active. If necessary, use immediate charge to charge the drive battery.
- Some charging stations used to perform normal charge are equipped with timer functions. If the charger timer function and the vehicle timer are both set, and the two timers are not set to operate at the same time, it is

possible that the charger will not start or that the drive battery will not be fully charged.

- The drive battery may not be fully charged when the drive battery cooling system (if so equipped) operates while charging using the Charging Timer.

Setting Climate Control Timer

This function pre-heats or pre-cools the passenger compartment of the vehicle to the set temperature before driving.



“Unique Plug-in Hybrid EV function settings”
(page 4-10)

The Climate Control Timer operates the air conditioner using power from the drive battery.

The Climate Control Timer function allows three different timer settings. Each timer Climate function can be set to activate on a different day of the week.


Once the Climate Control Timer is set, it will complete air conditioner by the time that is set.

It is not necessary to set the Climate Control Timer everyday.

WARNING

Even if the Climate Control Timer is set, the temperature in the passenger compartment may become high if the system automatically stops. Do not leave children or adults who would normally require the support of others alone in your vehicle. Pets should not be left alone either. On hot, sunny days, temperatures in a closed vehicle could quickly become high enough to cause severe or possibly fatal injuries to people or animals.

Timer settings



1. Touch [] on the Launch Bar.
2. Touch [EV].
3. Touch [Climate Ctrl. Timer]. Climate Control Timer screen is displayed.

Available actions:

- [Temperature]:
Touch [-]/[+] to adjust the temperature.
- Timer settings:

Touch to turn on/off the timer. The indicator lamp will turn on when the timer setting is turned on.

- [/]:

Touch to display the Climate Control Timer setting screen. Set preferred time and day of the week for Climate Control Timer activation.


 “Climate Control Timer setting screen” (page 4-7)

4. After completing the settings, place the electric motor switch in the OFF position.

INFO

Climate Control system will be activated in order that the vehicle compartment will be cooled/heated to the set temperature and turn off itself by the departure time.

Climate Control Timer setting screen



- ① Touch to set the departure time.

- ② Touch to set the days of the week you wish to activate the Climate Control Timer.
- ③ Touch to save the settings.

Operating tips for using Climate Control Timer

- The Climate Control Timer will only start when the electric motor switch is in the OFF position. Always place the electric motor switch in the OFF position after the Climate Control Timer is set.
- To turn off the Climate Control Timer function, touch [ON] until the indicator lamp turns off. The start and stop time settings will not be deleted even if the Climate Control Timer function is turned off.
- If the Climate Control Timer starts operating while the vehicle is being charged, the time required for charging will be longer.
- Operating the Climate Control Timer or remote climate control (if so equipped) may decrease the rate of driving battery charge.
- When the difference in temperature between the air conditioner setting temperature and the temperature outside the vehicle is large, the temperature inside the vehicle may not be maintained at the setting temperature.

INFO

- The temperature in the passenger compartment may not be comfortable if entering the vehicle too soon before or too long after the scheduled time of departure.
- Air conditioner is limited to the capacity of the electric power. Therefore, the temperature may not reach the set temperature due to limitations in air conditioner performance, if ambient temperature is excessively high or low.
- When the outside temperature is low or when snowing, heating may not work well and the temperature inside the vehicle may not reach the set temperature.
- When the outside temperature drops to near -15°C, the heat pump stops and heating does not work.
- The Climate Control Timer operates the climate control function so that a comfortable temperature is provided in the passenger compartment at the scheduled time of departure. The climate control is set to stop at the scheduled time of departure.

4. Unique Plug-in Hybrid EV functions

Charging related remote function (models with MITSUBISHI CONNECT)

This vehicle incorporates a communication device that is called a TCU (Telematics Control Unit). The communication connection between this unit and the MITSUBISHI CONNECT Data Centre allows for various remote function services.

Drive battery status check

The charging status of the drive battery can be checked using the smartphone app even if you are not in the vehicle.

Remote charge, Remote climate control

The function of starting the drive battery charging or starting the heater and air conditioning is available using the smartphone app.

Charge status

Notifications can be sent to your smartphone to inform you when the charging is completed.

NOTE

- Establishing the MITSUBISHI CONNECT (if so equipped) is necessary before using this service.

MITSUBISHI CONNECT website:

<https://www.mitsubishi-connect.eu/>

- To check the drive battery charging status using the smartphone app, the following conditions must be met:
 - The vehicle must be located in a smartphone coverage area.
 - The smartphone must be located in an area with mobile phone coverage.
 - Some smartphones are not compatible and cannot be used to check the drive battery charging status. Please confirm beforehand.
- Certain remote functions require a compatible smartphone that is not supplied with vehicle.
- Smartphone-Link Display Audio features are included through a subscription service which requires owner consent to activate. The subscription must be active to use these features.
- MITSUBISHI CONNECT (if so equipped) may be received at a verified e-mail address or by SMS/text messaging-enabled smartphone.
- Standard text message rates and/or data usage fees may apply depending on your carrier.

Remote climate control (models with MITSUBISHI CONNECT)

This vehicle incorporates a communication device that is called a TCU (Telematics Control Unit). The communication connection between this unit and MITSUBISHI CONNECT Data Centre allows for various remote function services.

Even when away from the vehicle, climate control can be started by using the smartphone app.

When operation is started, the MITSUBISHI CONNECT Data Centre accesses the vehicle. When the vehicle receives a command for remote operation, the climate control immediately turns ON and operates for the specified period of time. Confirmation of the ON/OFF of the climate control operation can be checked by using the smartphone app.

Completing registration for the MITSUBISHI CONNECT app is necessary before using the service.

WARNING

- Radio waves could adversely affect electric medical equipment. For additional information, refer to your electric medical equipment manufacturer for the possible effect on pacemakers before using the remote climate control.
- Even if the remote climate control is set, the temperature in the passenger room may become high if the system automatically stops. Do not leave children or adults who would normally require the support of others alone in your vehicle. Pets should not be left alone either. On hot, sunny days, temperatures in a closed vehicle could quickly become high enough to cause severe or possibly fatal injuries to people or animals.

NOTE

- To check the drive battery charging status using the smartphone app;
 - The vehicle must be located in a smartphone coverage area.
 - The smartphone must be located in an area with smartphone coverage.
- Some smartphones are not compatible with this system and cannot be used to check the drive battery charging status. Confirm this beforehand.

Operating tips

- Remote climate control operates using drive battery power.
- Remote climate control can be operated for a maximum of 30 minutes.
- The remote climate control will only start to operate when the electric motor switch is in the OFF position. Be sure to check that the electric motor switch is in the OFF position.
- Remote climate control operation is not available when the vehicle is outside the area of cellular communication range.
- Communication becomes unavailable when the vehicle is not used for two weeks or more. When the electric motor switch is placed in the ON position, communication with the MITSUBISHI CONNECT Data Centre can be restored.
- Air conditioning is limited to the capacity of the drive battery. Therefore, the temperature may not reach a comfortable level due to performance of the air conditioning being limited, if the outside temperature is excessively high or low.
- When the outside temperature is low or when snowing, heating may not work well and the temperature inside the vehicle may not reach the set temperature.

When the outside temperature drops to near 5°F (-15°C), the heat pump stops and heating does not work.

- If the electric motor switch is in the ON position, while the remote climate control is being operated, remote climate control operation is automatically stopped.

4. Unique Plug-in Hybrid EV functions

Unique Plug-in Hybrid EV function settings

Plug-in Hybrid EV unique function settings can be changed.

An active MITSUBISHI CONNECT (if so equipped) subscription is needed to remotely check charging status and drive battery status, use remote charging, and remotely start heating and cooling.

1. Touch [] on the Launch Bar.
2. Touch [].
3. Touch [EV].
4. Touch the item you wish to set.

Available setting items may vary depending on models, specifications and software versions.

Setting items		Action
[Charging Messages]	[Saved Locations for Unplugged Messages]	Sets a regularly used charging station to receive unplugged charging connector notification messages.
	[Delay for unplugged messages]	This confirms the charge connector status at the set checking time. If the charge connector is then disconnected, a notification is sent to the preset e-mail address. Checking time can be selected from [5 min], [10 min], [15 min], [30 min] and [1 hour].
	[Charge reminder]	With this item turned on, the system recognizes that the charge connector is not connected to the vehicle even though the charge timer function is set, the system transmits this information to the MITSUBISHI CONNECT [®] Services Data Center. When the MITSUBISHI CONNECT [®] Services Data Center receives the information, it will send an e-mail to the specified address to inform you of the charge connector status.
	[Reset All Notifications to Default]	Saved locations for charging messages will be deleted and charging messages settings will set to the factory default settings.
[Show Charging Stations on Map]		Displays charging station icons on the map screen.  “Displaying charging station icons on map” (page 4-2)
[Filter for Map Icons]		Turns on/off the display of the charging station icons for open 24 hours and out of business hours.

4. Unique Plug-in Hybrid EV functions

Setting items	Action
[Autosave New Charging Stations]	If charging station information you have used is not stored in the system, the location will be automatically registered in the Favourite. Turn this setting off if you do not want the charging location to be stored automatically. You can set charging stations that are automatically registered by type. Select from [Quick], [Standard] and [Trickle].
[Favourite Charging Locations]	Charging stations can be stored in the Favourite and reused to set destinations. The registration procedure is the same as the one for [Favourite].  “Storing location” (page 8-22)

4. Unique Plug-in Hybrid EV functions

MEMO

5. Audio system

Audio operation precautions	5-2
Basic information	5-2
Radio	5-2
USB (Universal Serial Bus) connection port	5-3
Compressed audio/video files	5-5
Bluetooth® audio	5-8
Audio operations	5-8
Audio main operation	5-8
Radio	5-9
USB memory device, iPod® and Bluetooth® audio player	5-14
Smartphone audio	5-18
Audio settings	5-19
Sound settings	5-20
Fader balance setting	5-22
USB memory device care and cleaning	5-22
USB memory device	5-22

Audio operation precautions

Basic information

CAUTION

- Operate the audio system only when the Plug-in Hybrid EV System is running. Operating the audio system for extended periods of time with the Plug-in Hybrid EV System turned off can discharge the vehicle battery (12V battery).
- Do not allow the system to get wet. Excessive moisture such as spilled liquids may cause the system to malfunction.
- Park the vehicle in a safe location and apply the parking brake to view movies on the touch screen display.

Radio

Basic information

If you listen to the radio with the Plug-in Hybrid EV System not running, the electric motor switch should be in the Auto ACC position.

Radio reception is affected by station signal strength, distance from radio transmitter, buildings, bridges, mountains and other external influences. Intermittent changes in reception

quality normally are caused by these external influences.

Using a cellular phone in or near the vehicle may influence radio reception quality.

Radio reception


Your radio system is equipped with state-of-the-art electronic circuits to enhance radio reception. These circuits are designed to extend reception range, and to enhance the quality of that reception.

However there are some general characteristics of both FM and AM radio signals that can affect radio reception quality in a moving vehicle, even when the finest equipment is used. These characteristics are completely normal in a given reception area, and do not indicate any malfunction in your radio system.

Reception conditions will constantly change because of vehicle movement. Buildings, terrain, signal distance and interference from other vehicles can work against ideal reception. Described below are some of the factors that can affect your radio reception.

Some cellular phones or other devices may cause interference or a buzzing noise to come from the audio system speakers. Storing the device in a different location may reduce or eliminate the noise.

FM radio reception



Range: FM range is normally limited to 25 to 30 miles (40 to 48 km), with monaural (single station) FM having slightly more range than stereo FM. External influences may sometimes interfere with FM station reception even if the FM station is within 25 miles (40 km). The strength of the FM signal is directly related to the distance between the transmitter and receiver. FM signals follow a line-of-sight path, exhibiting many of the same characteristics as lamp. For example they will reflect off objects.

Fade and drift: As your vehicle moves away from a station transmitter, the signals will tend to fade and/or drift.

Static and flutter: During signal interference from buildings, large hills or due to antenna position, usually in conjunction with an increased distance from the station transmitter,

static or flutter can be heard. This can be reduced by lowering the treble setting to reduce the treble response.

Multipath reception: Because of the reflective characteristics of FM signals, direct and reflected signals reach the receiver at the same time. The signals may cancel each other, resulting in momentary flutter or loss of sound.

AM radio reception

AM signals, because of their low frequency, can bend around objects and skip along the ground. In addition, the signals can bounce off the ionosphere and be bent back to earth. Because of these characteristics, AM signals are also subject to interference as they travel from transmitter to receiver.

Fading: Occurs while the vehicle is passing through motorway underpasses or in areas with many tall buildings. It can also occur for several seconds during ionospheric turbulence even in areas where no obstacles exist.

Static: Caused by thunderstorms, electrical power lines, electric signs and even traffic lights.

Digital Audio Broadcast (DAB)

The supported standards for this system are DAB and DAB+.

USB (Universal Serial Bus) connection port

WARNING

Do not connect, disconnect or operate the USB device while driving. Doing so can be a distraction. If distracted you could lose control of your vehicle and cause an accident or serious injury.

CAUTION

- **Do not force the USB device into the USB connection port. Depending on the USB connection port, inserting the USB device tilted may damage the port. Make sure that the USB device is connected correctly into the USB connection port.**
- **Do not grab the USB connection port cover (if so equipped) when pulling the USB device out of the port. This could damage the port and the cover.**
- **Do not leave the USB cable in a place where it can be pulled unintentionally. Pulling the cable may damage the port.**

The vehicle is not equipped with a USB device. USB devices should be purchased separately as necessary.

This system cannot be used to format USB devices. To format a USB device, use a personal computer.

This system supports various USB memory devices, USB hard drives and iPod® players. Some USB devices may not be supported by this system.

- Partitioned USB devices may not be played correctly.
- Some characters which are different from the system language may not be displayed properly.

General notes for USB use:

Refer to your device manufacturer's owner information regarding the proper care of the device.

Notes for iPod® use:

iPod® is a trademark of Apple Inc., registered in the U.S. and other countries.

- Improperly plugging in the iPod® may cause a checkmark to be displayed on and off (flashing). Always make sure that the iPod® is connected properly.
- Audiobooks may not play in the same order as they appear on an iPod®.

5. Audio system

Compatibility:

Made for

- iPhone® 14 Pro Max
- iPhone® 14 Pro
- iPhone® 14 Plus
- iPhone® 14
- iPhone® 13 Pro Max
- iPhone® 13 Pro
- iPhone® 13 mini
- iPhone® 13
- iPhone® 12 Pro Max
- iPhone® 12 Pro
- iPhone® 12 mini
- iPhone® 12
- iPhone® 11 Pro Max
- iPhone® 11 Pro
- iPhone® 11
- iPhone® XR
- iPhone® XS Max
- iPhone® XS
- iPhone® X
- iPhone® 8 Plus
- iPhone® 8
- iPhone® 7 Plus

- iPhone® 7
- iPhone® 6s Plus
- iPhone® 6s
- iPhone® SE (2nd generation)
- iPhone® SE (1st generation)
- iPod touch® (7th generation)



INFO

- Make sure that iOS is updated.
- Refer to your device manufacturer's owner information regarding the proper use and care of the device.

Compressed audio/video files

Explanation of terms

- **MP3** — MP3 is short for Moving Pictures Experts Group Audio Layer 3. MP3 is the most well-known compressed digital audio file format. This format allows for near “CD quality” sound, but at a fraction of the size of normal audio files. MP3 conversion of an audio track can reduce the file size by approximately a 10:1 ratio (Sampling: 44.1 kHz, Bit rate: 128 kbps) with virtually no perceptible loss in quality. The compression reduces certain parts of sound that seem inaudible to most people.
- **WMA** — Windows Media Audio (WMA) is a compressed audio format created by Microsoft as an alternative to MP3. The WMA codec offers greater file compression than the MP3 codec, enabling storage of more digital audio tracks in the same amount of space when compared to MP3s at the same level of quality. This product is protected by certain intellectual property rights of Microsoft Corporation and third parties. Use or distribution of such technology outside of this product is prohibited without a licence from Microsoft or an

authorised Microsoft subsidiary and third parties.

- **WMV** — Windows Media Video (WMV) is a compressed video format for several proprietary codecs developed by Microsoft. The original video format, known as WMV, was originally designed for Internet streaming applications. This product is protected by certain intellectual property rights of Microsoft. Use or distribution of such technology outside of this product is prohibited without a licence from Microsoft.
- **Bit rate** — Bit rate denotes the number of bits per second used by a digital music file. The size and quality of a compressed digital audio file is determined by the bit rate used when encoding the file.
- **Sampling frequency** — Sampling frequency is the rate at which the samples of a signal are converted from analogue to digital (A/D conversion) per second.
- **Multisession** — Multisession is one of the methods for writing data to media. Writing data once to the media is called a single session, and writing more than once is called a multisession.
- **ID3/WMA tag** — The ID3/WMA tag is the part of the encoded MP3 or WMA file that contains information about the digital music


file such as song title, artist, album title, encoding bit rate, track time duration, etc. ID3 tag information is displayed on the Album/Artist/Track title line on the display.

- **AAC** — Advanced Audio Coding (AAC) is a compressed audio format. AAC offers greater file compression than MP3 and enables music file creation and storage at the same quality as MP3.
- **MPEG4 AVC(H.264)** — This product is licenced under the AVC patent portfolio licence for the personal use of a consumer or other uses in which it does not receive remuneration to
 - (i) encode video in compliance with the AVC Standard (“AVC Video”) and/or
 - (ii) decode AVC Video that was encoded by a consumer engaged in a personal activity and/or was obtained from a video provider licenced to provide AVC Video.
 No licence is granted or shall be implied for any other use. Additional information may be obtained from MPEG LA, L.L.C. See <http://www.mpegla.com>.

*: Windows® and Windows Media® are registered trademarks or trademarks of Microsoft Corporation in the United States of America and/or other countries.

5. Audio system

Playback order



- Names of folders not containing compressed audio files are not shown on the display.
- The playback order is the order in which the files were written by the writing software, so the files might not play in the desired order.
- Music playback order of compressed audio files is as illustrated.

Specification chart for USB

Video files:

Video Codec	Supported extension
MPEG-2	.mpg, .mpeg, .mp4
MPEG-4	.mp4, .m4v, .3gp
H.264	.mp4, .m4v
WMV9/VC-1	.wmv, .avi

Music files:

Supported media	USB2.0
Supported file systems	FAT16, FAT32
Folder levels	Folder levels: 8, Files via folder: 255, Folders: 512 (including root folder), Files: 8000
Tag information (Song title, Artist name and Album name)	ID3 tag VER1.0, VER1.1, VER2.2, VER2.3, VER2.4 (MP3 only)
	WMA tag (WMA only)
	AAC tag (AAC only)

Format			Sampling frequency	Supported bitrate
MP3 *1	MPEG1	Layer-3	32, 44.1, 48 kHz	32-320 kbps
	MPEG2		16, 22.05, 24 kHz	8-160 kbps
WMA *2			8, 11.025, 16, 22.05, 32, 44.1, 48 kHz	12-192 kbps
AAC (MPEG4) *3 (Extension “m4a” only)			11.025, 16, 22.05, 32, 44.1, 48 kHz	8-320 kbps
FLAC			8-192 kHz	128-12,288 kbps
WAV			8-192 kHz	128-12,288 kbps

*1 MPEG2.5 is not supported.

*2 WMA7, WMA8, WMA9, WMA9.1, WMA9.2 are supported. (WMA9 Professional, Lossless, Voice are not supported.)

*3 Only AAC files encoded by iTunes are supported. HE-AAC (High-Efficiency) is not supported.

5. Audio system

Bluetooth® audio

- Some Bluetooth® audio devices may not be recognised by the in-vehicle audio system.
- It is necessary to set up the wireless connection between a compatible Bluetooth® audio device and the in-vehicle Bluetooth® module before using the Bluetooth® audio.
- The Bluetooth® audio may stop playing when
 - receiving a hands-free call.
 - checking the connection to the hands-free phone.
 - connecting the hands-free phone or the audio device.
 - downloading the phonebook memory from the connected cellular phone.
- Do not place a Bluetooth® audio device in an area surrounded by metal or far away from the in-vehicle Bluetooth® module to prevent tone quality degradation and wireless connection disruption.
- While an audio device is connected through a Bluetooth® wireless connection, the battery of the device may discharge quicker than usual.

- This system supports the Bluetooth® Advanced Audio Distribution Profile (A2DP) and Audio/Video Remote Control Profile (AVRCP).
- Wireless LAN (Wi-Fi) and the Bluetooth® functions share the same frequency band (2.4 GHz). Using the Bluetooth® and the wireless LAN functions at the same time may slow down or disconnect the communication and cause undesired noise. It is recommended that you turn off the wireless LAN (Wi-Fi) when using the Bluetooth® functions.

Audio operations

Audio main operation

Turning audio system on/off

The electric motor switch must be in the Auto ACC or ON position to turn on the audio system. Push <  /VOL> or touch [] on the Launch Bar to turn on the last audio source that was playing immediately before the system was turned off. To turn off the audio system, push <  /VOL> again.

INFO

The audio system can also be turned on by turning <  /VOL> when the system is turned off.

Selecting audio source


Selecting from audio sources screen:

1. Touch [] on the Launch Bar and then touch [Source].
2. Select an audio source you prefer to play.

INFO

- Audio sources screen can also be accessed from [] on the Launch Bar when the audio screen is displayed.
- The audio source can also be changed by operating the vehicle information display. Refer to the vehicle Owner's Manual for details of the vehicle information display.

Selecting from audio source bar:




Audio source can be selected by touching the audio source bar displayed on the top of the audio screen.

INFO

Touch [$\lt$]/[$\gt$] to show or hide the audio source bar.

Customizing audio source bar

The source icons displayed on the audio source bar can be customised.



1. Touch [] on the Launch Bar.
2. Touch and hold the audio source bar.
3. Drag the preferred source icon to the audio sources bar.
4. Touch [Save] to confirm the setting.

INFO

The audio source bar can also be customised by touching and holding the source icon on the audio sources screen.

Radio

Radio activation and band selection

To listen to the radio, turn on the audio system and select a preferred radio band.


“Selecting audio source” (page 5-8)

INFO

When the stereo broadcast signal is weak, the radio will automatically change from stereo to monaural reception.

5. Audio system

AM/FM/DAB radio operation



General operations of AM/FM/DAB radio are as follows.
Available functions and buttons/switches may vary depending on the models, specifications, software versions and conditions.

Function	Operation
Manual tuning (AM/FM) Selecting service component (DAB)	● Touch screen display — Touch [<]/[>].
Fast tuning	● Control button — Push up/down and hold < <<< / >>> >. ● Touch screen display — Touch and hold [<<<]/[>>>].

Function	Operation
Seek tuning	● Control button — Push up/down <   >. ● Steering wheel switch — Push and hold <  >/<  >. ● Touch screen display — Touch []/[].
Presetting stations	● Touch screen display Up to 6 for AM, 12 for FM stations can be registered in the preset list. 1. Select a radio band (AM/FM). 2. Tune to the station you wish to store. 3. Touch and hold one of the preset numbers in the preset list on the radio screen. The information such as frequency etc. will be displayed on the preset list.
Selecting preset stations	● Steering wheel switch — Push <  >/<  >. ● Touch screen display — Briefly touch a preferred station on the preset list on the radio screen.
Direct tuning	● Touch screen display 1. Touch []. 2. Manually enter the frequency using the keypad.
Scan tuning	● Touch screen display — Touch [SCAN]. The stations will be tuned from low to high frequencies and stop at each broadcasting station for several seconds. Touching [SCAN] again during this period of several seconds will stop scan tuning and the radio will remain tuned to that station.

5. Audio system

List screen:

Touch [], [] and [] on each radio screen to display the corresponding menu screen.

Available menu items may vary depending on models, specifications and software versions.

[AM Menu]/[FM Menu]:

Menu	Action
[SCAN]	Touch to scan tune the stations. The stations will be tuned from low to high frequencies and stop at each broadcasting station for several seconds. Touching [SCAN] again during this period of several seconds will stop scan tuning and the radio will remain tuned to that station.
[Radio Text]	Displays the radio text information.
[Refresh]	Touch to update the station list displayed on the right side of the AM or FM menu screen.

[DAB Menu]:

[TA]*	When this item is turned on, received TA (Traffic Announcement) will interrupt the audio source that is playing.
[Radio Text]	Touch to display the radio text information.
[Refresh]	Touch to update the station list displayed on the right side of the DAB menu screen.
[DAB-FM]	When this item is turned on, the system searches for and tunes to FM stations when DAB reception is poor.
Station List	Displays the station list on the right side of the DAB menu screen.

*: Depending on the models, specifications and software versions, [TA] may be displayed on the main operation screens for some audio sources.

AM/FM radio settings:

Touch [] on the AM/FM radio operation screen.

Available setting items may vary depending on models, specifications, software versions and conditions.

Setting items	Action
[Audio Settings]	Touch to display the audio settings screen.  “Audio settings” (page 5-19)

5. Audio system

USB memory device, iPod® and Bluetooth® audio player

Basic information

WARNING

Do not connect, disconnect or operate the USB device while driving. Doing so can be a distraction. If distracted you could lose control of your vehicle and cause an accident or serious injury.

CAUTION

- Do not force the USB device into the USB connection port. Depending on the USB connection port, inserting the USB device tilted may damage the port. Make sure that the USB device is connected correctly into the USB connection port.
- Do not grab the USB connection port cover (if so equipped) when pulling the USB device out of the port. This could damage the port and the cover.
- Do not leave the USB cable in a place where it can be pulled unintentionally. Pulling the cable may damage the port.

Connection and activation

USB memory device:

Connection

Connect a compatible USB memory device into the port.

 “USB (Universal Serial Bus) connection ports” (page 3-5)

Refer to your device manufacturer’s owner information regarding the proper use and care of the device.

Activation

USB memory device can be played by selecting the source on the audio sources screen or audio source bar.

 “Selecting audio source” (page 5-8)

To play a USB video, touch [Browse] on the USB audio operation screen and then touch [Videos] to select the video file.

INFO

Park the vehicle in a safe location and apply the parking brake to view images on the USB video screen.

iPod®:

Connection

Connect a compatible iPod® to the USB connection port via a USB cable.

 “USB (Universal Serial Bus) connection ports” (page 3-5)

The battery of the iPod® will be charged while the device is connected to the vehicle if the iPod® supports charging via a USB connection.

When the iPod® is connected to the vehicle, the iPod® music library can only be operated by the vehicle audio controls.

Activation

The iPod® can be played by selecting the source on the audio sources screen or audio source bar.

 “Selecting audio source” (page 5-8)

Bluetooth® audio:

Your vehicle is equipped with Bluetooth® Audio. If you have a compatible Bluetooth® device with streaming audio capability (A2DP profile), you can set up a wireless connection between your Bluetooth® device and the in-vehicle audio system. This connection allows you to listen to the audio from the Bluetooth® device using your vehicle speakers. It also may

allow basic control of the device for playing and skipping audio files using the AVRCP Bluetooth® profile. Not all Bluetooth® devices have the same level of controls for AVRCP. Please consult the manual for your Bluetooth® device for more details.

Connection

Connect a compatible streaming audio capable Bluetooth® device (A2DP profile) to set up a wireless connection between the Bluetooth® device and the in-vehicle system. Bluetooth® connection can be set up from the Connections screen.

 “Connections settings” (page 3-13)

INFO

- Depending on the Bluetooth® audio device that is connected, it may not be possible to perform audio operations or a delay may occur before music is played back.
- Not all Bluetooth® devices have the same level of controls for AVRCP. Consult the manual for your Bluetooth® device for more details.
- Wireless LAN (Wi-Fi) and the Bluetooth® functions share the same frequency band (2.4 GHz). Using the Bluetooth® and the wireless LAN functions at the same time may slow down or disconnect the communication and cause undesired noise.

It is recommended that you turn off the wireless LAN (Wi-Fi) when using the Bluetooth® functions.


Activation

A Bluetooth® audio device can be played by selecting the source on the audio sources screen or audio source bar.

 “Selecting audio source” (page 5-8)

5. Audio system

USB memory device, iPod® and Bluetooth® audio operation



General operations of USB memory device, iPod® and Bluetooth® audio are as follows.

Depending on the connected device, swiping the operation screen to the next page will display the track/video list.

Available functions and buttons/switches may vary depending on the models, specifications, software versions and conditions.

Function	Operation	Applicable source
Play	● Touch screen display — Touch [▶].	USB, iPod®, Bluetooth® audio
Pause	● Touch screen display — Touch [].	USB, iPod®, Bluetooth® audio
Skipping tracks/videos	● Control button — Push up/down < ⏮ / ⏭ >. ● Steering wheel switch — Push < ⏮ > / < ⏭ >. ● Touch screen display — Touch [⏮] / [⏭].	USB, iPod®, Bluetooth® audio

Function	Operation	Applicable source
Rewinding/fast-forwarding	● Control button — Push up/down and hold <  /  >. ● Steering wheel switch — Push and hold <  > / <  >. ● Touch screen display — Touch and hold []/[].	USB, iPod [®] , Bluetooth [®] audio
Changing play mode	● Touch screen display — Touch [] to change the repeat mode. — Touch [] to change the random mode.	USB, iPod [®] , Bluetooth [®] audio
Connecting/changing device	● Touch screen display — Touch [Connections] or [].	Bluetooth [®] audio
Selecting playback speed	● Touch screen display — Touch [Speed] to select the playback speed.	USB (video files only)



INFO

- For USB and iPod[®], the playback position can be changed by operating the progress bar displayed below the playback time.
- When playing the USB video, touch the display to show the operation keys.

5. Audio system

Browse screen

By touching [Browse] or [] displayed on the operation screen, you can search for songs or videos by genre, word, alphabet, etc.

- Touching [] can search for tracks/videos by word.
- Touching [**A-Z**] can search for tracks/videos by alphabet.

INFO

[] and [**A-Z**] may not be displayed depending on the audio source and software versions.

Smartphone audio

Basic information

You can also listen to music from your compatible smartphone using Apple CarPlay® or Android Auto.

 “Apple CarPlay®” (page 7-12)

 “Android Auto™” (page 7-15)

Connecting smartphone

Connect the iPhone® or Android phone to the USB connection port.

 “USB (Universal Serial Bus) connection ports” (page 3-5)

Depending on the models, specifications and software versions, iPhone® can also be connected wirelessly for Apple CarPlay®.

 “Connecting iPhone® wirelessly” (page 7-13)

Smartphone audio operation

1. Connect the iPhone® or Android phone and activate Apple CarPlay® or Android Auto.
2. Touch [] on the Launch Bar when the audio screen is displayed.
3. Touch [Apple CarPlay] or [Android Auto] in the audio sources screen, and the smartphone audio starts activating.

 “Selecting audio source” (page 5-8)

Audio settings

Audio settings can be adjusted or audio related functions can be turned on/off with the following procedures.

When the AM, FM or DAB Audio operation screen is displayed :

1. Touch [].
2. Touch [Audio Settings].

When the USB, iPod® or Bluetooth® audio operation screen is displayed:

Touch [].

Available setting items may vary depending on models, specifications, software versions and conditions.

Setting items		Action
[Connections]		Displays the Connections settings screen.  “Connections settings” (page 3-13)
[Video Options]	[Display Settings]	Adjust the display brightness, contrast and black level.
	[Aspect Ratio]	Touch to select a display mode from actual size, full screen and optimize.
[Sound]		Displays the Sound settings screen.  “Sound settings” (page 5-20)
[Speed Compensated Volume]		Automatically adjusts the volume depending on the vehicle speed. Touch [-]/[+] to change the sensitivity level.
[Audio Volume]		Adjust the volume level by touching [-]/[+].
[Customise Audio Sources]		Displays the editing screen for audio source bar.  “Customizing audio source bar” (page 5-9)



INFO

- Audio volume can also be adjusted by the following actions:
 - Turn the <  /VOL > dial to adjust the volume.
 - Touch [-] or [+] on the volume setting screen to adjust the audio volume.
 - Touch [-] or [+] of the volume bar that appears when the <  /VOL > dial is rotated to adjust the audio volume.

5. Audio system

Sound settings

1. Touch [] on the Launch Bar and then touch [].

2. Touch [Sound].

Select the setting item.


Available setting items may vary depending on models, specifications, software versions and conditions.

Setting items	Action	Default
[Treble]	Adjust the Treble level by touching [-]/[+].	±0
[Mid]	Adjust the Middle level by touching [-]/[+].	±0
[Bass]	Adjust the Bass level by touching [-]/[+].	±0
[Bass Enhancer]	Controls the ON/OFF setting of the bass enhancer. *: When this item is turned on, the system enhances bass sound.	ON
[Bose Centerpoint]	Adjust the Fader balance.  “Fader balance setting” (page 5-22)	Centre
[Subwoofer Level]	Touch [-] / [+] to adjust the volume of the subwoofer from 0 to 6.	3
[Sound Type]	Can be chosen from [Signature] [Lively] [Powerful] [Relaxing].	Lively
[Listening Position]	Touch [All] [Driver] [Passenger] [Front] [Rear] to listen to the optimal acoustics for your seat.	Driver
[Surround]	Touch [OFF] [Low] [High] to adjust the surround.	OFF
[Speed Compensated Volume]	Touch [-] / [+] to change the sensitivity level. *: This function automatically adjusts the volume so that the noise that increases with the vehicle speed does not drown out the music.	2
[Rain Compensated Volume]	Touch [-] / [+] to change the sensitivity level. *: This function automatically adjusts the volume so that the noise that increases with the rainfall does not drown out the music. It is activated only when the wiper operation is high (short interval).	OFF
[A/C Compensated Volume]	Controls the ON/OFF setting of the A/C Compensated Volume. *: This function automatically adjusts the volume so that the noise that increases with the air volume of the air conditioner does not drown out the music.	OFF

Sound type

Sound Type	Goal	Recommend Scene
Signature	● Natural tone of the instrument ● Balanced luster of the vocals ● Sound that reproduces the artist's thoughts	Soak in Music. Reproduce the delicate tone of musical instruments and the resonance of vocals.
Lively	● Articulated bass ● Energetic and varied vocals	Feel bouncing beats and an exhilarating time.
Powerful	● Powerful and heavy bass ● Energetic and powerful sound	Change the mood. Energetic sound let be strong and relieved from daily stress.
Relaxing	● Calm balance that doesn't tiring ● Unobtrusive in conversation and thinking	Enjoy the outside scenery and conversation with friends. As a comfortable BGM.

Fader balance setting



Adjusts the fader balance by touching [△]/[▽]/[◀]/[▶] of the passenger compartment image displayed on the screen.

Touch [Reset] to initialise the position setting.

USB memory device care and cleaning

USB memory device

- Never touch the terminal portion of the USB memory device.
- Do not place heavy objects on the USB memory device.
- Do not store the USB memory device in highly humid locations.
- Do not expose the USB memory device to direct sunlight.
- Do not spill any liquids on the USB memory device.

Refer to the USB memory device Owner's Manual for the details.

6. Hands-Free Phone

Bluetooth® Hands-Free Phone system.....	6-2
Basic information	6-2
Phone screen.....	6-3
Indicators.....	6-3
Phone.....	6-4
Hands-free text messaging assistant	6-6
Phone and text message settings	6-9

6. Hands-Free Phone

Bluetooth® Hands-Free Phone system

Basic information

WARNING

- Use a phone after stopping your vehicle in a safe location. If you have to use a phone while driving, exercise extreme caution at all times so full attention may be given to vehicle operation.
- If you find yourself unable to devote full attention to vehicle operation while talking on the phone, pull off the road to a safe location and stop your vehicle before doing so.

CAUTION

To avoid draining the vehicle battery (12V battery), use a phone only after the READY to drive indicator lamp is illuminated.

Your vehicle is equipped with Bluetooth® Hands-Free Phone System. If you are an owner of a compatible Bluetooth® enabled cellular phone, you can set up the wireless connection between your cellular phone and the in-vehicle

phone module. With Bluetooth® wireless technology, you can make or receive a phone call with your cellular phone in your pocket.

Once a cellular phone is connected to the in-vehicle phone module, the procedure for connecting the phone does not need to be performed again. Your phone is automatically selected with the in-vehicle phone module when the electric motor switch is in the Auto ACC or ON position with the selected cellular phone turned on and carried in the vehicle.

The Voice recognition supports phone commands, so dialing a phone number using your voice is possible.

 “Voice recognition” (page 9-2)

Before using the Bluetooth® Hands-Free Phone System, refer to the following notes.

- Wireless LAN (Wi-Fi) and the Bluetooth® functions share the same frequency band (2.4 GHz). Using the Bluetooth® and the wireless LAN functions at the same time may slow down or disconnect the communication and cause undesired noise. It is recommended that you turn off the wireless LAN (Wi-Fi) when using the Bluetooth® functions.
- Set up the wireless connection between a compatible cellular phone and the in-vehicle

phone module before using the Bluetooth® Hands-Free Phone System.

- Some Bluetooth® enabled cellular phones may not be recognised by the in-vehicle phone module. If the system seems to be malfunctioning or not connecting to the phone, contact a MITSUBISHI MOTORS Authorised Service Point or visit the website below for a recommended phone list and troubleshooting help.
<https://www.mitsubishi-motors.com/en/products/SDA/>
- You will not be able to use a hands-free phone under the following conditions:
 - Your vehicle is outside of the phone service area.
 - Your vehicle is in an area where it is difficult to receive radio waves; such as in a tunnel, in an underground parking garage, behind a tall building or in a mountainous area.
 - Your cellular phone is locked in order to prevent dialing.
- When the radio wave condition is not ideal or ambient sound is too loud, it may be difficult to hear the other person's voice during a call.
- Immediately after the electric motor switch is placed in the Auto ACC or ON position, it

may be impossible to receive a call for a short period of time.

- Do not place the cellular phone in an area surrounded by metal or far away from the in-vehicle phone module to prevent tone quality degradation and wireless connection disruption.
- While a cellular phone is connected through the Bluetooth® wireless connection, the battery power of the cellular phone may discharge quicker than usual.
- Some cellular phones or other devices may cause interference or a buzzing noise to come from the audio system speakers. Storing the device in a different location may reduce or eliminate the noise.
- Refer to the cellular phone Owner’s Manual regarding the phone pairing procedure specific to your phone, battery charging, cellular phone antenna, etc.
- The antenna display on the screen may not coincide with the antenna display of some cellular phones.
- The battery display on the screen may not coincide with the battery display of some cellular phones.
- The microphone is located near the map lamp.

- To improve call quality, the microphone is optimized to recognise the driver’s voice. Speech from vehicle passengers may not be captured by the Bluetooth® Hands-Free Phone System.
- Keep the interior of the vehicle as quiet as possible to hear the caller’s voice clearly as well as to minimize echo.
Reduce background noise as much as possible by closing windows and pointing heater and air conditioner vents away from the ceiling.


Phone screen

When a cellular phone is connected through the Bluetooth® wireless connection, touch [] on the launch bar to display the phone screen.

 INFO

- The phone screen can also be displayed by pushing <  > on the steering wheel.
- Depending on the connected device, some functions cannot be used.

Indicators



When a cellular phone is connected through the Bluetooth® wireless connection, indicators ① for the phone and text messaging are displayed. Available indicators may vary depending on connected devices, specifications and software versions.

	Indicates the number of unread received messages.
	Indicates the strength of the signal the Bluetooth® device is receiving.
	Indicates the amount of remaining Bluetooth® device battery.

6. Hands-Free Phone

Phone

Connecting Bluetooth® Hands-Free Phone

A cellular phone device must be connected to the Bluetooth® Hands-Free Phone System before operation.

 “Connections settings” (page 3-13)

Phone selection

The connected cellular phone for use with the Bluetooth® Hands-Free Phone System can be selected from the Connections screen.

 “Connections settings” (page 3-13)



INFO

To select a phone, the Bluetooth® of the cellular phone needs to be turned on.

Making a call

1. Touch [] on the Launch Bar.
2. Select one of the following icons (methods) displayed on the top of the screen.

[] (Favourite)	Select a telephone number registered as a favourite number.  “Favourite” (page 6-11)
[] (Call History)	Select a telephone number from recent incoming, outgoing or missed calls.
[] (Phonebook)	Select a person and the phone number you wish to call from the phonebook. Depending on the device, the phonebook will be downloaded from the cellular phone automatically when it is connected. If the automatic download does not take place, the telephone number must be transferred to the Bluetooth® Hands-Free Phone System from the cellular phone prior to using this method.  “Phone and text message settings” (page 6-9)
[] (Dial Number)	Enter the phone number manually using the keypad displayed on the screen.
[] (Text Message)	Displaying received message list.  “Displaying received message list” (page 6-7)

 INFO

If [Dual Hands-free Mode] is turned on, two hands-free phone devices can be connected at the same time. To select a phone to make a call, touch [] beside the phone name.

 “Bluetooth® settings.” (page 3-15)

Receiving a call

When you receive a phone call, the display switches to the incoming call screen and the ringtone is played through the vehicle’s audio system.

Taking a call:

To answer the call, take one of the following actions.

- Push <  > on the steering wheel.
- Touch [Answer].

Rejecting a call:

To reject the call, take one of the following actions.

- Push and hold <  > on the steering wheel.
- Touch [Decline].

Holding a call:

To hold the call, touch [Hold Call].

During a call

The call-in-progress screen will appear during a call.

Hanging up a call:

To hang up the phone, take one of the following actions.

- Push <  > on the steering wheel.
- Touch [Hang up].

Operations during a call:

There are some options available other than hanging up a call.

Touch one of the following displayed keys on the screen to take action.

Available item	Action
[Mute]	When muted, your voice will not be heard by the person on the other end of the line.
[Use Handset]	Transfer the call to the cellular phone.
[Dial Number]	Using the touch tone, send digits to the connected party for using services such as voicemail.
[Switch Call]*	Answer another incoming call. The person you are talking to will be placed on hold. Touch once more to speak to the person on hold again.

*: Available when a call is received while on the line with another person. The availability of this function depends on the cellular phone.

 INFO

To adjust the person’s voice to be louder or quieter, push <  > on the steering wheel or turn <  /VOL> while talking on the phone.

6. Hands-Free Phone

Call from a second person:

When another phone call is received during a call, the call waiting screen will appear.

To answer the call from the second person and place the first caller on hold, take one of the following actions.

- Push <  > on the steering wheel.
- Touch [Answer].

To reject a call from the second person and continue the conversation with the first caller, touch [Decline].

During a call with a second person:

To hang up the phone and return to the conversation with the first caller, touch [Hang up].

To switch between two calls on line, touch [Switch Call].

Hands-free text messaging assistant

Basic information

WARNING

- Use the text messaging feature after parking your vehicle in a safe location. If you have to use the feature while driving, exercise extreme caution at all times so full attention may be given to vehicle operation.
- Laws in some jurisdictions may restrict the use of “Text-to-Speech.” Check local regulations before using this feature.
- Laws in some jurisdictions may restrict the use of some of the applications and features, such as social networking and texting. Check local regulations for any requirements.
- If you are unable to devote full attention to vehicle operation while using the text messaging feature, pull off the road to a safe location and stop your vehicle.

CAUTION

- This feature is disabled if the connected device does not support it. Refer to the cellular phone Owner’s Manual for details and instructions.

The system allows for the sending and receiving of text messages through the vehicle interface.

The availability of the text message function may vary depending on the cellular phone.

Receiving a message

When the cellular phone connected to the vehicle receives a text message, a notification will appear on the touch screen display with a tone. (Depending on the models, the notification will also appear on the vehicle information display.)

To check the message, touch [Read].

Touch [Ignore] to save the message to be checked later.


If you want to respond using a predefined message, touch the message for auto reply.

The text message for auto reply can be edited.

 “Phone and text message settings” (page 6-9)

**INFO**

- Replying to text messages may not be supported by all phones. Please check your phone's owner's manual for details.
- Depending on the cellular phone, the notification display setting may need to be activated on the cellular phone.
- Whether to read or ignore the message can be selected by operating the switch on the steering wheel. Push < > to read the message. Push and hold the switch to ignore the message.

Displaying received message list


1. Touch [] on the Launch Bar.
2. Touch [] (Text Message).
3. Touch an item on the list to read or reply to the message.

**INFO**

- Up to 100 messages can be stored in the message list.
- Either of the connected phone devices can be selected for text message viewing operation when [Dual Hands-free Mode] is turned on.



“Bluetooth® settings.” (page 3-15)

Received message screen

Touching [Read] on the new message notification screen or selecting a message from the message list will show the details of the received message on the display.

Available keys may vary depending on the situations and models.

Available actions:

- [Prev.]:
Touch to read the previous message.
- [Next]:
Touch to read the next message.
- [Play]/[Stop]:

Touch [Play] to have “Text-to-Speech” function read out the received message. Touch [Stop] to stop reading.

- [Reply]:
Touch to reply to the message.
- [Call]:

If the sender of the message is registered in the phonebook, touch this icon to make a call to the sender.

**INFO**

- If the sender's name and phone number are registered in the phonebook, the name of the sender is displayed when a message is received.
- To adjust the message reading voice volume, push < > on the steering wheel or turn < /VOL>.

Sending a text message

This function may not be supported depending on the cellular phone.

1. Touch [] on the Launch Bar.
2. Touch [] (Text Message).
3. Touch [Create Message].

6. Hands-Free Phone

INFO

Either of the connected phone devices can be selected for text message sending operation when [Dual Hands-free Mode] is turned on.

 “Bluetooth® settings:” (page 3-15)

The following items are available.

Available item		Action
[To]	[Favourite]	Select a recipient from the Favourite list.
	[Phonebook]	Select a recipient from the phonebook.
	[Call History]	Select a recipient/phone number from call history.
	[Enter Number with Keypad]	Enter the phone number of the recipient using the keypad. Touch [OK] to confirm.
[Select Text]	[Fixed]	Select a text from the fixed text message list.
	[Customised]	Select a text from the customised text message list. Customised text can be created or edited from the setting menu.  “Phone and text message settings” (page 6-9)
[Send]		Touch to send the message.

Phone and text message settings

Basic information

Bluetooth® Hands-Free Phone System settings can be changed according to the user’s preference.

Touch [] on the Launch Bar and then touch [].

Available setting items may vary depending on models, specifications and software versions.


Available setting items

Setting item	Action
[Connections]	Displays the Connections screen. Phone connection, selection, deletion and other features are available.  “Connections settings” (page 3-13)

6. Hands-Free Phone

Setting item			Action
[Phone]	[Favourite]	[Edit]	Entries in the Favourite can be edited or deleted. Touch [+] to register a new entry.
		[Delete All]	Deletes all of the phone numbers in the Favourite.
	[Phonebook]	[Download Entire Phonebook]	All of the phone numbers that are stored in a phonebook of a cellular phone that is connected to the vehicle are downloaded at once.
		[Auto Download]	Turns on/off automatic downloading of the phonebook from the connected cellular phone.
		[Sort Phonebook by]	Changes the sorted order of contacts in the phonebook.
	[Text Message]	[Text Message]	Turns the text messaging function on/off.
		[Text Message Ringtone]	Turns the incoming message ringtone on/off.
		[Signature]	Turns the signature setting for the outgoing text message on/off.
		[Auto Reply]	Turns the automatic text message reply function on/off.
		[Auto Reply Text Message]	Selects the text message to be used for the automatic reply function.
		[Edit Custom Text]	Creates or edits a customised text message.
	[Notifications]	[Driver Only]	When this item is turned on, incoming call notification is displayed only on the vehicle information display.
		[Vehicle Ringtone]	Turns the vehicle ringtone on/off.
	[Automatic Hold]		When this item is turned on, an incoming phone call will be put on hold automatically.
[Ringtone]		Adjusts the volume level of the ringtone of incoming calls.	
[Outgoing Volume]		Adjusts the volume level of the outgoing calls.	

Favourite



Favourite entries can be used to quickly make a call or send text messages.

Registration:

1. Touch [] on the Launch Bar.
2. Touch [] (Favourite).
3. Touch [+] to register a phone number to the Favourite list.
4. Select a method for registration.

Available methods:

- [Copy from Call History]:
A phone number can be selected from [All], [Incoming], [Outgoing], or [Missed] call history lists.
- [Copy from Phonebook]:
A phone number can be selected from the phonebook.
- [Enter Number with Keypad]:
A phone number can be entered manually using keypad.

INFO

Available methods may vary depending on cellular phone support.

5. When a phone number has been selected, the registration screen is displayed. Enter the phone number and edit the entry information as necessary.
6. Touch [Save] to save the entry.

INFO

When [Dual Hands-free Mode] is turned on, Favourite can be registered for each of the connected phones.

“Bluetooth® settings.” (page 3-15)

Voice Tag:

A voice tag can be recorded for each of the registered Favourite numbers and can be used to dial the number by speaking it.

On the Favourite registration screen, select [Relationship / Voice Tag].

- Select a preferred relationship from the list.
- Touch [Customise] and touch [Record] to register your original voice tag.

INFO

- Touch [Play] to play the recorded voice tag.
- Touch [Delete] to delete the voice tag.

Customizing favourite:

You can customise the Favourite registered items.

1. Touch [] on the Launch Bar.
2. Touch [] (Favourite).
3. Touch and hold any of the registered Favourite items. Customise Favourite screen will be displayed.
4. Customise the Favourite screen.
 - Touch [Add] to add a contact.
 - Touch [x] to delete the contact.
 - Touch and hold the Favourite item and then drag to change the order.

6. Hands-Free Phone

MEMO

7. Applications

Apps/Info menu.....	7-2
Basic information	7-2
Confirming notifications.....	7-4
MITSUBISHI CONNECT	7-4
Subscription to MITSUBISHI CONNECT	7-4
Important information regarding access to MITSUBISHI CONNECT	7-4
MITSUBISHI CONNECT features.....	7-5
MITSUBISHI CONNECT menus	7-9
MITSUBISHI CONNECT settings	7-11
Apple CarPlay®	7-12
Basic information	7-12
Compatibility	7-12
Connecting iPhone®	7-12
Apple CarPlay® operation	7-14
Apple CarPlay® settings	7-14
Apple CarPlay® system limitations	7-14
Android Auto™.....	7-15
Basic information	7-15
Compatibility	7-15
Initial Android Auto settings.....	7-15
Android Auto operation	7-15
Android Auto settings.....	7-16
Android Auto system limitations	7-16
Siri® eyes free.....	7-17
General information	7-17
Requirements	7-17
Siri® eyes free activation	7-17
Operating Siri® eyes free	7-17

7. Applications

Apps/Info menu

Basic information

The various applications can be set or viewed from the apps menu.

Touch [] on the Launch Bar to display the apps menu.

Available items may vary depending on models, specifications and software versions.

Menu item		Action
[Notifications]		Displays the notifications screen.  “Confirming notifications” (page 7-4)
[MITSUBISHI CONNECT]		Displays the MITSUBISHI CONNECT menu screen.  “MITSUBISHI CONNECT” (page 7-4)
[MITSUBISHI CONNECT App]		Displays the QR code for downloading the MITSUBISHI CONNECT app.
[Smartphone Projection]	[Apple CarPlay]	Displays the Apple CarPlay® screen.  “Apple CarPlay®” (page 7-12)
	[Android Auto]	Displays the Android Auto screen.  “Android Auto™” (page 7-15)
[Traffic Information]		Displays the traffic event list.
[Premium Traffic]		 “Viewing traffic events from list” (page 8-20)

Menu item		Action
[Weather]		To view weather information, turn on [Tom Tom Weather] from Tom Tom settings screen. Current, hourly or 5-day weather information is displayed. Weather information for nearby location, near the destination and your preferred city set as a Favourite City can be confirmed. Displayed weather information can be selected by touching [Current], [Hourly] or [5-Day]. Nearby location, near the destination and your preferred city can be selected by touching [Nearby], [Near Dest.] or [Favourite City]. Favourite city can be changed by touching [] on the weather screen and then touching [Favourite City for Weather]. The weather information to be used can be changed by touching [] on the weather screen and then touching [Vehicle Information Display].
[EV]		Displays the EV screen.  “EV menu screen” (page 4-2)
[Where Am I?]		The name and distance of the next/previous street, and other information that indicates the current vehicle location are displayed.
[GPS Position]		Displays GPS (Global Positioning System) information, such as number of satellites, latitude/longitude, and approximate altitude, etc.
[System Information]	[Version Information]	Displays the version information.
	[Licence Information]	Displays the Open Source Software licences.



INFO

- Touch [] when the apps menu is displayed. The vehicle data transmission setting will turn on/off each time [Vehicle Data Transmission] is touched.

7. Applications

Confirming notifications

Basic information

By touching [] on the Launch Bar, a list of notifications (such as missed calls and received text messages) can be displayed. Touch an item on the list to see details.

INFO

- When there are unconfirmed notifications, the number of the unconfirmed items will be displayed on [].
- Touch [Delete All] to delete all items.

Notifications settings

Notifications settings can be turned on/off with the following procedure.

1. Touch [] on the Launch Bar.
2. Touch [].
3. Touch the preferred item and change the setting.

MITSUBISHI CONNECT

Subscription to MITSUBISHI CONNECT

Subscription is required to use the MITSUBISHI CONNECT. For the details about the subscription, visit or contact a MITSUBISHI MOTORS Authorised Service Point.

MITSUBISHI CONNECT are offered in accordance with the terms and conditions and the privacy policies outlined in a Subscription Agreement.

Important information regarding access to MITSUBISHI CONNECT

Feature availability is dependent on vehicle model, trim level, packaging and options. Trial included with vehicle purchase. Compatible connected device may be required and feature availability may be dependent on device's capability. Refer to connected device's owner's manual for details. Late availability for some features.

Driving is serious business and requires your full attention. Only use features and connected devices when safe and legal to do so. Some

features, including automatic crash notification and SOS, are dependent upon the telematics device being in operative condition, its ability to connect to a wireless network, compatible wireless network availability, navigation map data and GPS satellite signal receptions, the absence of which can limit or prevent the ability to reach Customer Care or receive support. GPS mapping may not be detailed in all areas or reflect current road status. Never program GPS while driving. Only use Remote Engine Start and Remote Horn features in accordance with any laws, rules or ordinances in effect in your vehicle's location.

Some services and features are provided by and dependent on third party service providers and not Mitsubishi Motors. Should such service providers terminate or restrict service or features, service or features may be suspended or terminated without notice or with no liability to Mitsubishi Motors or its partners or agents. Services and features may require compatible cellular network provided by independent companies not within Mitsubishi Motors or its partners' or agents' control. Cellular network signal strength may vary and may not be available in all areas or at all times. Services and features may not function if cellular network is unavailable, restricted, or terminated. Mitsubishi Motors and

its partners or agents are not responsible for associated costs or other third party changes that may be required for continued operation due to cellular network unavailability, restriction, or termination (including equipment replacements/upgrades, if available, or roaming charges on alternative networks). Technology is evolving, and changes by independent companies are not within Mitsubishi Motors or its partners' or agents' control.

Enrollment, owner consent, personal identification number (PIN), and subscription agreement may be required to receive full suite of features and services. Trial periods (if applicable) begin on the date of vehicle purchase or lease of a new Mitsubishi Motors. Trial periods and feature availability may be subject to change at any time and may be subject to early termination without notice. Required subscriptions may be sold separately for each available feature or service after trial period ends, and may continue until you call service provider to cancel. Installation costs, onetime activation fee, other fees and taxes may apply. Fees and programming subject to change. Feature may be subject to age restrictions in some areas. Subscriptions governed by service provider's subscription agreement, terms and conditions and privacy statements available at

service provider's website. Text rates or data usage may apply. MITSUBISHI CONNECT terms and conditions of subscriber agreement apply. If your Vehicle is outside the scope of the initial roadside assistance plan included with the purchase of your Vehicle, you will be responsible to the Service Provider for any additional charges incurred by receiving services through that roadside assistance Service Provider.

The Mitsubishi Motors names, logos and slogans are trademarks owned by or licenced to MITSUBISHI MOTORS CORPORATION or its European subsidiaries. Other trademarks and trade names are those of their respective owners. For important safety information, system limitations, and additional operating and feature information, see dealer, owner's manual, or <https://www.mitsubishi-motors.com/en/products/connect/>.

MITSUBISHI CONNECT features

Basic information

MITSUBISHI CONNECT provides various types of information and services by connecting your vehicle to the MITSUBISHI CONNECT Data Centre using the TCU (Telematics Control Unit) installed in your vehicle.

If equipped, your vehicle may include MITSUBISHI CONNECT connected features and services such as emergency SOS calling, Automatic Collision Notification, Remote Services, Navigation, Bluetooth® and more. For complete information about your MITSUBISHI CONNECT features and services, please visit <https://www.mitsubishi-motors.com/en/products/connect>.

WARNING

- Please note that the Automatic Collision Notification service (if so equipped) and Emergency Call function (if so equipped) cannot be used in the following conditions:
 - Emergency functions and services will not be available without a paid subscription to MITSUBISHI CONNECT.

7. Applications

WARNING

- The MITSUBISHI CONNECT network system is disabled.
- The vehicle moves outside the service area where the TCU (Telematics Control Unit) is connected to the system.
- The vehicle is outside the area where the cellular network service is receivable.
- The vehicle is in a location with poor signal reception such as tunnels, underground parking garages, behind buildings or in mountainous areas.
- The line is busy.
- The TCU (Telematics Control Unit) or other systems of your vehicle are not working properly.
- It may not be possible to make an emergency call depending on the severity of a collision and/or emergency.

WARNING

- Radio waves could adversely affect electric medical equipment. Individuals who use a pacemaker should contact the device manufacturer regarding any possible effects before using the system.
- The TCU (Telematics Control Unit) antenna is installed inside the upper central part of the instrument panel. An occupant should not get any closer to the antenna than specified by the pacemaker manufacturer. The radio waves from the TCU antenna may adversely affect the operation of the pacemaker while using the MITSUBISHI CONNECT.

INFO

- MITSUBISHI CONNECT features are dependent upon subscription enrollment and the telematics device being in operative condition, cellular connectivity, navigation map data and GPS satellite signal reception. Terms and conditions of the MITSUBISHI CONNECT subscription agreement apply.
- Enrollment is required in order to use MITSUBISHI CONNECT. The services that can be received vary depending on the plan in which you are enrolled.

- All services are complimentary for the trial period.
- After the trial period, use of the service will no longer be complimentary.
- Laws in some jurisdictions may restrict the use of “Text-to-Speech.” Check local regulations before using this feature.

If equipped, your vehicle may include MITSUBISHI CONNECT features such as emergency SOS calling (if so equipped), Automatic Collision Notification (if so equipped), Remote Services, Navigation, Bluetooth® and more. MITSUBISHI CONNECT may be updated. The latest detailed information is available on the following websites.

MITSUBISHI MOTORS EUROPE

website:

<https://www.mitsubishi-motors-europe.com/>

- **Automatic Collision Notification (if so equipped):**

The TCU (Telematics Control Unit) generates a signal automatically to the public emergency call centre. In the case of an accident severe enough to trigger one of the vehicle's air bags.

- **Emergency Call (if so equipped):**

The Emergency Call feature provides emergency assistance by connecting to the public emergency call centre. In the event of an emergency, push the in vehicle Emergency Call (SOS) button to use this feature. For details of the Emergency Call (SOS) button operation, refer to the vehicle Owner's Manual.

- **Connection to Roadside Assistance (if so equipped):**

Connection to Roadside Assistance allows you to contact a Roadside Response Specialist for a non-emergency incident that requires a towing or third-party response service. The service can be accessed by touching [Call MITSUBISHI Assistance].

 "Connecting to Interactive Voice Menu" (page 7-9)

If you add [] (Connect to Operator) to the Lower Menu Bar in advance, you can

also use the Interactive Voice Menu from the map screen.

 "Using Lower Menu Bar" (page 8-5)

Roadside Assistance may also be used in conjunction with the Emergency Assistance service, if warranted.

For details of the Emergency Call (SOS) button operation, refer to the vehicle Owner's Manual.

Notice to Bluetooth® Hands-Free Phone users

The Bluetooth® Hands-Free Phone System will be disabled and not be able to take phone calls while the vehicle is connected to the emergency support staff at the public emergency call centre.

This is to avoid emergency support staff from being interrupted by incoming calls. Incoming phone calls received while the vehicle is connected to the Service Centre will not be listed in the call history of the Bluetooth® Hands-Free Phone System. However those incoming calls may be listed in the call history of your mobile phone, depending on its capabilities. After disconnecting communication with the emergency support staff, check the incoming call history on your mobile phone when it is safe to do so.

Service application

A separately purchased MITSUBISHI CONNECT subscription is required. For detailed information, contact a Mitsubishi Motors dealer.

7. Applications

INFO

If the vehicle is owned by another person and is resold, the subscription for this service must be canceled and all data stored on the device must be deleted.

Operating tips

WARNING

- Use the MITSUBISHI CONNECT after stopping your vehicle in a safe location. If you have to use the MITSUBISHI CONNECT while driving, exercise extreme caution at all times so full attention may be given to vehicle operation.
- If you are unable to devote full attention to vehicle operation while talking with the MITSUBISHI CONNECT, pull off the road to a safe location and stop your vehicle.
- Do not use the MITSUBISHI CONNECT with the EV system stopped. Doing so may discharge the vehicle battery (12V battery).
- The MITSUBISHI CONNECT cannot be used under the following conditions:
 - The MITSUBISHI CONNECT subscription has expired.
 - The vehicle is outside the area where the cellular network service is receivable.
 - The vehicle is in a location with poor signal reception such as tunnels, underground parking garages, behind buildings or in mountainous areas.
 - The line is busy.
 - The TCU (Telematics Control Unit) or other systems of your vehicle are not working properly.
 - The MITSUBISHI CONNECT network system is disabled.
- Communication with the MITSUBISHI CONNECT Data Centre is related to the data communication mode and may cause occasional difficulty in receiving signals, and the signal receivable area may be limited compared to regular mobile phones.
- You may hear clicks or experience interruptions while speaking with the MITSUBISHI CONNECT Response Specialists. This is due to a shift in the connection zone and is not a malfunction.
- Depending on the line used, the sound volume may decrease. Adjust the volume as necessary.
- Received sounds may be distorted or ambient noise may sound like voices of a crowd. This is due to the use of the digital line and is not a malfunction.
- You may hear your own voice from the speaker when talking with the MITSUBISHI

CONNECT Response Specialists due to a network disturbance. When this occurs, reconnect the line after a few minutes or at a different location.

- This vehicle incorporates a communication device that is called a TCU (Telematics Control Unit). The communication connection between this unit and the MITSUBISHI CONNECT Data Centre allows for various services. When the system connects to the MITSUBISHI CONNECT Data Centre, an antenna icon will appear on the screen. Use the service in a location where the symbol representing good signal reception appears on the screen.



: When the signal reception is good



: When the signal reception is bad

- The MITSUBISHI CONNECT use the TCU (Telematics Control Unit) for communications. Even if the signal strength bar of the in-vehicle data communication module indicates good reception, connection to the MITSUBISHI CONNECT Data Centre may be disabled. This does not indicate a malfunction. Operate the system again after a few minutes.

MITSUBISHI CONNECT menus

Basic information

With MITSUBISHI CONNECT, various information can be received and displayed on the screen. The information can also be announced by the system.

- 1. Touch [] on the Launch Bar.
- 2. Touch [MITSUBISHI CONNECT].
- 3. Select an item from the MITSUBISHI CONNECT menu screens.

Available items may vary depending on models, specifications and software versions. Items displayed on the screen may not function depending on various conditions.

Available items	Content
[Call MITSUBISHI Assistance]	The system connects to the Mitsubishi Motors Assistance for roadside assistance service.  “Connecting to Interactive Voice Menu” (page 7-9)
[History]	Accesses the messagessent to the vehicle from the MITSUBISHI CONNECT Data Centre.  “History” (page 7-10)

Connecting to Interactive Voice Menu

Various services to support your driving are available by using the Interactive Voice Menu. For more details, refer to the MITSUBISHI CONNECT website.

MITSUBISHI MOTORS EUROPE

website:

<https://www.mitsubishi-motors-europe.com/>

- 1. Touch [] on the Launch Bar.
- 2. Touch [MITSUBISHI CONNECT].
- 3. Touch [Call MITSUBISHI Assistance].
- 4. The system connects to the Mitsubishi Motors Assistance for roadside assistane service.

 INFO

- If you add [] (Connect to Operator) to the Lower Menu Bar in advance, you can also use the Interactive Voice Menu from the map screen.
 “Using Lower Menu Bar” (page 8-5)
- After selecting [Call MITSUBISHI Assistance], it may take some time until the system initiates connection, depending on the technical environment and whether the TCU (Telematics Control Unit) is being used by other services.

- To avoid disconnecting the line, do not turn off the EV system.

7. Applications

History

Messages received from the MITSUBISHI CONNECT Data Centre are displayed.

1. Touch [] on the Launch Bar.
2. Touch [MITSUBISHI CONNECT].
3. Touch [History].
4. A message list is displayed. Touch preferred message from the list.



INFO

- Touch [Stop] during communication with the MITSUBISHI CONNECT Data Centre to cancel the connection.
- A message is displayed when the communication is disconnected while downloading information due to a poor communication status. Select [Yes] to restart the download.
- Laws in some jurisdictions may restrict the use of “Text-to-Speech”. Check local regulations before using this feature.
- Some terminology such as personal names, place names, special terms, symbols, etc. may not be announced correctly. This is not a malfunction.
- The system will pause announcements when interrupted by the voice guidance given by the navigation system. When the voice guidance finishes, the system will restart the announcement.

- When the system is making announcements, the volume can be adjusted by turning <  /VOL>.
- The selected content is read out while the vehicle is being driven, or if parked, you can read the content on the display.

MITSUBISHI CONNECT settings

The MITSUBISHI CONNECT setting can be changed. Available menus may vary depending on models, specifications and software versions. Menus displayed on the screen may not function depending on various conditions.

1. Touch [] on the Launch Bar.
2. Touch [MITSUBISHI CONNECT] and then touch [].

Menu		Action
[Charging Messages]	[Saved Locations for Unplugged Messages]	Sets a regularly used charging station to receive unplugged charging connector notification messages.
	[Delay for unplugged messages]	This confirms the charge connector status at the set checking time. If the charge connector is then disconnected, a notification is sent to the preset e-mail address. Checking time can be selected from [5 min], [10 min], [15 min], [30 min] and [1 hour].
	[Charge reminder]	With this item turned on, the system recognises that the charge connector is not connected to the vehicle even though the charge timer function is set, the system transmits this information to the MITSUBISHI CONNECT Data Centre. When the MITSUBISHI CONNECT Data Centre receives the information, it will send an e-mail to the specified address to inform you of the charge connector status.
	[Reset All Notifications to Default]	Saved locations for charging messages will be deleted and charging messages settings will set to the factory default settings.
[Delete All Information Channel History]		All information feed history will be deleted.
[Veh. Info Sharing with MITSUBISHI MOTORS]	[Share Vehicle Information]	Turns the vehicle information sharing function on/off.
	[Delete Shared Vehicle Information]	Deletes the shared vehicle information.
[Unit ID Information]		Displays the Unit ID, TCU (Telematics Control Unit) ID, SIM ID and VIN Information necessary for user registration.
[Reset all MITSUBISHI CONNECT settings]		All MITSUBISHI CONNECT settings are returned to default.
[Privacy Mode Setting]		Turns on/off the data transmission to the MITSUBISHI CONNECT Data Centre.

Apple CarPlay®

Basic information

WARNING

- Stop your vehicle in a safe location and apply the parking brake before connecting your iPhone® to the vehicle or operating your connected iPhone® for setup.
- If you are unable to devote full attention to vehicle operation while using Apple CarPlay®, pull off the road to a safe location and stop your vehicle.

You can use Apple CarPlay® by connecting a compatible iPhone® to your vehicle via a USB cable or Bluetooth®/Wi-Fi network.

With Apple CarPlay®, your in-vehicle system can be used as a display and a controller for some of the iPhone® functions. Apple CarPlay® features Siri® which enables operations via voice controls. Visit apple.com for information about the functions that are available and details about Apple's privacy policy.

Certain vehicle information (e.g. location and speed) may be shared with your device while

Apple CarPlay® is in use. Carrier charges may apply to use Apple CarPlay®.

Compatibility

Refer to the following Apple website for compatible devices.

<https://www.apple.com/ios/carplay/>

INFO

- For best results, always update your device to the latest software version.
- Apple CarPlay® will take the place of your Bluetooth® audio and Bluetooth® hands-free phone functionality.
- Phone menu and access to the connected phone through Voice recognition will be disabled while Apple CarPlay® is connected. To access your phone, use the Siri® function or select the phone icon in the Apple CarPlay® top menu screen.
- If you set a route guidance destination with Apple CarPlay®, the route setting previously set on MITSUBISHI CONNECT navigation system will be canceled.

Connecting iPhone®

Basic information

This system supports wireless Apple CarPlay®. To connect Apple CarPlay® wirelessly, the Bluetooth® and Wi-Fi network must be available with the in-vehicle system before operation.

 “Setting Bluetooth®” (page 3-14)

 “Setting Wi-Fi” (page 3-16)

INFO

Depending on the device and firmware version of the iPhone®, wireless Apple CarPlay® cannot be used. Always update your device to the latest software version.

Connecting iPhone® with USB cable

INFO

To connect your iPhone® with the in-vehicle system, it is recommended to use the Apple Lightning™ cable (Mfi certified) that was provided with your iPhone®.

1. Connect the iPhone® to the USB connection port.

 “USB (Universal Serial Bus) connection ports” (page 3-5)

2. Depending on the setting, a Startup Information screen will appear. Touch [Yes] to use Apple CarPlay®.
3. Apple CarPlay® starts and the Apple CarPlay® screen will appear.
4. If a notification appears on the iPhone®, select whether or not to use the wireless connection. Once you enable wireless Apple CarPlay® on the notification, Apple CarPlay® will automatically start wirelessly from next time.

Connecting iPhone® wirelessly

1. Connect the iPhone® to the in-vehicle system via Bluetooth®.

 “Bluetooth® settings:” (page 3-15)

INFO

If no Bluetooth® device is connected and Apple CarPlay® or Android Auto is not active, pushing and holding <  > on the steering wheel can display the Bluetooth® device connection screen.

 “Connecting Bluetooth® devices:” (page 3-14)

2. Depending on the setting, a Startup Information screen will appear. Touch [Yes] to use Apple CarPlay®.
3. A notification will appear on the iPhone®. Select to use the wireless Apple CarPlay®.

INFO

If you select not to use the wireless connection, the iPhone® will be connected as a Bluetooth® device.

4. Wireless Apple CarPlay® will start and the Apple CarPlay® screen will appear.

INFO

Notifications may appear while connecting the iPhone®. Follow the message and operate accordingly.

Operating tips

- If [Don't Ask Any More] is turned on on the Startup Information screen, the Startup Information screen will not be displayed from the next Apple CarPlay® activation. The Startup Information screen can be set to appear again on the Connections screen.

 “Setting Apple CarPlay®” (page 3-15)

- The map update will be stopped while using wireless Apple CarPlay®.
- The connection with the other Bluetooth® device may be disconnected when wireless Apple CarPlay® is activated.
- Once the wireless connection has been established, Apple CarPlay® will be automatically connected wirelessly next time.
- Wireless Apple CarPlay® uses the Wi-Fi network. After connecting the in-vehicle system to the Wi-Fi network, the Bluetooth® connection with wireless Apple CarPlay® connected device will be disconnected.
- If you connect the iPhone® that is using wireless Apple CarPlay® via USB cable, the in-vehicle system provides power to the iPhone®.
- If wireless Apple CarPlay® does not start automatically, touch [] on the Connections screen.
-  “Connections settings” (page 3-13)
- If you are using Apple CarPlay® or Android Auto, you cannot start Apple CarPlay® with the other iPhone®. To use Apple CarPlay® with the other iPhone®, disconnect the

7. Applications

current device, or deactivate Apple CarPlay® or Android Auto on the Connections settings.

 “Connections settings” (page 3-13)

Apple CarPlay® operation

Basic information

After starting Apple CarPlay®, the iPhone® functions displayed on the screen can be operated using the in-vehicle system.

INFO

- After exiting the Apple CarPlay® screen, return to the Apple CarPlay® screen by taking one of the following actions.
 - Touch [] on the Launch Bar.
 - Touch [Smartphone Projection] on the apps menu, and then touch [Apple CarPlay].
-  “Apps/Info menu” (page 7-2)
- When your iPhone® is locked, Apple CarPlay® can still be activated by operating the iPhone® and allowing Apple CarPlay® activation.

Siri® operation

With Siri®, some of the functions in your iPhone® can be voice controlled.

Make sure that Siri® on your iPhone® is turned on.

Activation:

Push and hold <  > on the steering wheel to start a Siri® session.

INFO

- Push <  > to end Siri® operation.
- Keep the interior of the vehicle as quiet as possible. Close the windows to eliminate the surrounding noises (traffic noises, vibration sounds, etc.), which may prevent the system from recognizing the voice commands correctly.
- For functions that can be used with Siri®, please refer to the Apple website.

Apple CarPlay® settings

Apple CarPlay® can be turned on/off or registration information can be deleted.

 “Setting Apple CarPlay®” (page 3-15)

INFO

Access to songs on your iPod® via invehicle Voice recognition will not be available when Apple CarPlay® is active. To access your iPod®

music, use the Siri® function or select the music icon in the Apple CarPlay® top menu screen.

Apple CarPlay® system limitations

For all features of Apple CarPlay® to operate correctly, it is necessary to have a compatible iPhone®, a cellular connection and a data plan.

When Apple CarPlay® is operating, system performance is affected by the strength of the cellular connection or performance of the phone itself. If performance of the system decreases:

- Disconnect and reconnect your phone
- Cycle phone power off/on to restart

Changing government regulations may also affect operation of Apple CarPlay®.

Android Auto™

Basic information

WARNING

- Stop your vehicle in a safe location and apply the parking brake before connecting your Android™ phone to the vehicle or operating your connected Android phone for setup.
- If you are unable to devote full attention to vehicle operation while using Android Auto, pull off the road to a safe location and stop your vehicle.

You can use Android Auto by connecting a compatible Android phone to your vehicle via a USB cable. It is also recommended to use the Android phone OEM cable that was provided with your phone.

With Android Auto, your in-vehicle system can be used as a display and a controller for some of the Android phone functions. Voice control of some of the Android phone functions is also possible with Android Auto. Visit www.android.com/auto for information about the functions that are available and details about Google's privacy policy.

Certain vehicle information (e.g. location and speed) may be shared with your device while Android Auto is in use. Carrier charges may apply to use Android Auto.

Compatibility

Refer to the following Android Auto website for compatible devices.

<https://www.android.com/auto/>

INFO

- Download the Android Auto App from Google Play™ to Android phone in advance.
- For best results, always update your device to the latest Android software and Android Auto App version. When you connect the Android phone to the in-vehicle system, it will automatically update the Android software and Android Auto App version.
- Android Auto will take the place of your Bluetooth® audio and Bluetooth® hands-free phone functionality.
- When setting a route with the navigation system, if you set a destination with Android Auto, the route setting of the navigation system will be cancelled.
- The Phone menu and access to the connected phone through the Voice recognition will be disabled while Android Auto is connected.

To access your phone, talk to your Google Assistant or select the phone icon in the Android Auto top menu screen.

Initial Android Auto settings

Before using Android Auto, the Android Auto App must be downloaded on your Android phone.

Download the Android Auto App from the Google Play store on your Android phone.

It may be necessary to operate the Android phone when connected first.

Depending on the selection, such as approval, some of the features of Android Auto are not available.

Android Auto operation

Basic information

Unlock your phone's screen before connecting your Android phone.

1. Connect your Android phone to USB connection port.

 "USB (Universal Serial Bus) connection ports" (page 3-5)

2. Depending on the setting, a Startup Information screen will appear. Touch [Yes] to use Android Auto.

7. Applications

INFO

- Your phone's Bluetooth® will be turned on automatically when Android Auto is activated. Keep the Bluetooth® turned on to use the phone functions.
 - Some functions of Android Auto are not available if the Bluetooth® is not connected.
3. The Android Auto top menu screen will appear. The Android phone functions displayed on the screen should now be operable using the in-vehicle system.

INFO

- While Android Auto is activated on the Android phone, the phone operations, such as making or receiving calls, can only be done with Android Auto.
 - Depending on the device, an Android phone requires MTP mode to be selected in the USB transfer setting.
 - After exiting the Android Auto screen, return to the Android Auto screen by taking one of the following actions.
 - Touch [] on the Launch Bar.
 - Touch [Smartphone Projection] on the apps menu, and then touch [Android Auto].
-  “Apps/Info menu” (page 7-2)

Google Assistant™ operation

Some of the functions on your Android phone can be voice controlled when Android Auto is active.

Activation:

Push and hold <  > on the steering wheel to start a Google Assistant session.

INFO

- Push <  > to end voice operation.
- Keep the interior of the vehicle as quiet as possible. Close the windows to eliminate the surrounding noises (traffic noises, vibration sounds, etc.), which may prevent the system from recognizing the voice commands correctly.
- For functions that can be used with the voice operation, refer to www.android.com/auto.

Android Auto settings

Android Auto can be turned on/off or registration information can be deleted.

 “Setting Android Auto” (page 3-16)

Android Auto system limitations

For all features of Android Auto to operate correctly, it is necessary to have a compatible Android phone, a cellular connection and a data plan.

When Android Auto is operating, system performance is affected by the strength of the cellular connection or performance of the phone itself. If performance of the system decreases:

- Disconnect and reconnect your phone
- Close all apps and restart them
- Cycle phone power off/on to restart

It should also be confirmed that the latest version of both Android OS and the Android Auto App are installed on the cellular phone.

Functionality of Android Auto may decrease or be lost if there are changes to operating systems, hardware, software or other technologies central to supporting the system that are outside of Mitsubishi Motors control. Changing government regulations may also affect the operation of Android Auto.

Siri® eyes free

General information

Apple Siri® Eyes Free personal assistant can be accessed from the vehicle. Siri® Eyes Free can be accessed in Siri® Eyes Free mode to reduce user distraction. In this mode, Siri® Eyes Free is available for interaction by voice control. After connecting a compatible Apple device via Bluetooth®, Siri® Eyes Free can be activated by pushing and holding <  > on the steering wheel.

Siri® is a trademark of Apple Inc., registered in the U.S. and other countries.

INFO

- Some Siri® Eyes Free functions, such as opening apps, may not be available during driving.
- For best results, always update your device to the latest software version.
- Keep the interior of the vehicle as quiet as possible. Close the windows to eliminate the surrounding noises (traffic noises, vibration sounds, etc.), which may prevent the system from recognizing the voice commands correctly.

- For functions that can be used in Siri® Eyes Free, please refer to the Apple website.

Requirements

Visit Apple's website for details about device compatibility. Siri® must be enabled on the iPhone®. Please check phone settings. If the device has a lock screen, Siri® must be accessible from the lock screen. Please check phone settings.

Siri® eyes free activation

Siri® Eyes Free function can be activated using <  > on the steering wheel.

1. Connect a Siri® Eyes Free enabled iPhone® to the vehicle.

 "Setting Bluetooth®" (page 3-14)

2. After the Bluetooth® connection is established, push and hold <  > on the steering wheel to activate the Siri® Eyes Free function.

Operating Siri® eyes free

1. Push and hold <  > on the steering wheel.

2. Speak your command and then listen to the Siri® Eyes Free reply.

Touch [Exit] to end a Siri® Eyes Free.

7.Applications

MEMO

8. Navigation

Safety information.....	8-2	Storing route.....	8-23
Navigation settings.....	8-2	Storing areas to avoid.....	8-23
Displaying navigation screen.....	8-2	Editing stored information.....	8-24
Map operation.....	8-3	Deleting stored item.....	8-27
Map types.....	8-3	Navigation settings.....	8-30
Building graphics.....	8-5	General information for navigation system.....	8-31
Using Lower Menu Bar.....	8-5	Current vehicle location.....	8-31
Road colour.....	8-6	Route calculation.....	8-34
Moving map.....	8-6	Route guidance.....	8-36
Changing scale of map.....	8-7	How to update map data.....	8-37
Traffic information on map.....	8-7		
Map Menu screen.....	8-7		
Map settings.....	8-8		
Setting destination.....	8-10		
Basic information.....	8-10		
Displaying destination setting menu.....	8-10		
Route guidance.....	8-13		
About route guidance.....	8-13		
Route options.....	8-14		
Routing preferences.....	8-17		
Editing route.....	8-18		
Voice guidance settings.....	8-19		
Viewing traffic information.....	8-20		
Basic information.....	8-20		
Premium traffic information.....	8-20		
Viewing available traffic information.....	8-20		
Traffic information settings.....	8-21		
Storing a location/route.....	8-22		
Storing location.....	8-22		

8. Navigation

Safety information

The navigation system is primarily designed to help you reach your destination. However, you, the driver, must use the system safely and properly. Information concerning road conditions, traffic signs and the availability of services may not always be up to date. The system is not a substitute for safe, proper, and legal driving.

WARNING

Do not rely on route guidance alone. Always be sure that all driving manoeuvres are legal and safe in order to avoid accidents.

Navigation settings

Displaying navigation screen

To display the current location map which can be operated, touch [] on the Launch Bar.


Map operation

Map types

Two types of map views are available: 2D and 3D.

2D map:

The 2D map displays the map in a two-dimensional environment similar to a road map.



Screen information:

- ① [] Arrow and distance: Indicates the distance to the next guide point and the turning direction at that guide point.

If the current vehicle position is off the road, an arrow indicating the direction to the nearest road may be displayed instead of displaying the next turn arrow/distance.

Touch and hold to repeat the route guidance.

- ② Recommended lane indicator:
When a route is set, the arrow and the recommended driving lane may be displayed depending on the road.

- ③ [] Search POI or Address:
Touch to search for a destination by entering the address or POI names.

The icon changes to [] when Online Search is available. To use Online Search, you must be connected to a Wi-Fi network or TCU (Telematics Control Unit) must be activated.

“Displaying destination setting menu” (page 8-10)


- ④ Suggested route:
Appears in bold blue during route guidance.

8. Navigation

- ⑤ **Scale indicator:**
Indicates the scale of the map. Touching [] or [] can change the map scale. Touch the scale indicator to show and hide [] and [].
- ⑥  **Vehicle icon:**
Indicates the current vehicle location and the direction that the vehicle is heading.
- ⑦ [] **Route options**/[] **Destination menu:**
Displays the route options or destination menu screen.
 “Route options” (page 8-14)
 “Displaying destination setting menu” (page 8-10)
- ⑧ **Next street name:**
Displays the next street name during the route guidance.
- ⑨  **Waypoint:**
Displays the location of the waypoint that the vehicle will stop by before heading to the final destination.
- ⑩  **Destination:**
Indicates the location of the final destination.
- ⑪ **Stored location:**
Displays the locations that are stored in the address book.
 “Storing location” (page 8-22)
The icons can be changed according to your preferences.
- ⑫ **Remaining time/Time of arrival:**
Indicates the remaining time/estimated arrival time to the destination/ waypoint. This indicator will appear when a destination is set and the route guidance is started.
Touch to switch the indicator between the distance to the destination and the distance to the waypoint.
The remaining time or arrival time display can be selected according to your preference.
 “Map settings” (page 8-8)
- ⑬ **Remaining distance to the destination:**
Indicates the approximate remaining distance to the destination or the waypoint. This indicator will appear when a destination is set and route guidance is started.
- ⑭  **Safety camera warning indicator** (if so equipped):
The indicator and distance to the camera will be displayed when the vehicle approaches safety cameras.
The safety camera warning indicator setting can be changed.
 “Navigation settings” (page 8-30)
- ⑮ [] **Compass:**
Indicates the directional setting of the map. Touch to change the map view and the map orientation.
- ⑯ **Street name:**
Displays the name of the street that the vehicle is currently driving on.
- ⑰ **Lower Menu Bar:**
Navigation system related shortcuts are displayed.
Touch [<]/[>] to show or hide the Lower Menu Bar items.
 “Using Lower Menu Bar” (page 8-5)

3D map:

The 3D map displays the map from an elevated perspective. In 3D map, it is easy to recognise an image of the route because it provides a panoramic view over a long distance.




INFO


The 3D map always appears with the current forward direction facing up.

Building graphics

Building graphics are stored in the map data for certain areas, and can be displayed when the map is zoomed in.



2D building graphics



3D building graphics

INFO

In an area where the building graphics are not stored in the map data, the normal map is displayed even when the map is zoomed in.

Using Lower Menu Bar

Various navigation system related functions can be accessed from the Lower Menu Bar.

The items displayed on the Lower Menu Bar can be customised with the following procedures.

1. Touch [] on the Launch Bar.
2. Touch [].
3. Touch [Map Settings] and then touch [Customise Lower Menu Bar]. Lower Menu Bar customization screen will be displayed.
4. Customise the Lower Menu Bar.
 - Touch [X] to delete the item.
 - Touch and hold the Lower Menu Bar item and then drag to change the order.
 - Touch [Add] or [+] to add an item.

INFO

If a maximum number of items are already selected, a new item can not be added until one of the selected items is deleted.

8. Navigation

Available Lower Menu Bar items

Item	Action
[]* (Go home)	Sets the home location as a destination when the home location is stored. When the home location is not stored, a home location can be stored.  “Storing home or work location” (page 8-22)
[]* (Cancel)	Deletes one or all destinations. When all destinations are deleted, the navigation route will be canceled.
[] (Work Location)	Sets the work location as a destination when the work location is stored. When the work location is not stored, a work location can be stored.  “Storing home or work location” (page 8-22)
[] (Traffic Info)	Displays the traffic event list.  “Viewing traffic events from list” (page 8-20)
[] (Traffic Info Settings)	Displays the traffic information settings screen.  “Traffic information settings” (page 8-21)
[] (Map Icons)	Selects the categories of POI icons to display on the map screen.

Item	Action
[] (Save Location)	The current location or the location where the cross pointer is placed on the map is stored in the address book.  “Storing location by moving map” (page 8-22)
[] (Connect to Operator)	Touch to use to the Interactive Voice Menu.  “Connecting to Interactive Voice Menu” (page 7-9)
Items from POI Category	A destination can be searched from the selected Point of Interest category.
[] (Charging Stations)	Searches for charging stations including availability information.

*: Cannot be removed from the Lower Menu Bar.


Road colour

The road types are differentiated by colour.

Colour	Road type
Dark red	Motorway
Light brown	Major road
Light green	Secondary road
White	Local road

Moving map

The map can be scrolled by the touch screen operations. Map scrolling operations may be limited while driving.



When a point on the map is touched, the cross pointer is displayed and the position touched is moved to the centre of the screen.

After moving the map, touch [] on the map screen or touch [] on the Launch Bar to display the current location map screen.

Changing scale of map

To change the map scale, touch [] or [].

INFO

- The map scale can also be changed by pinch-in or pinch-out operation.
- Depending on the map scale, traffic information icons cannot be displayed on the map screen.

 “Traffic information on map” (page 8-21)

Traffic information on map

Traffic information can be displayed on the map.

 “Traffic information on map” (page 8-21)

Map Menu screen

Touching [] or [] on the scrolled map screen can display the corresponding menu screen which allows quick access to the functions such as setting a destination or searching for points of interest nearby.

INFO

- Touching [] on the map can display Google Street View. The view can be shifted to left and right by touching [] and [].
- Touching [] on the map can display the Google Map Satellite View. Touch [] or [] on the satellite view screen to change the map scale.

8. Navigation

Map settings

The setup for the map view is performed from the map settings screen.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Map Settings].

Available setting items may vary depending on models, specifications and software versions.

Menu item		Action
[Map Orientation]		The map orientation can be selected from [3D Map], [Heading Up] or [North Up].
[Centre Vehicle on Map]		The vehicle icon is located in the centre of the screen which shows the surroundings of the vehicle. This function is available only when the map view is in [Heading Up] mode.
[Fuel Price]		Turn the fuel price display on the map screen on/off.
[Point Of Interest Icons]		Select the categories of POI icons to display on the map screen.
[Traffic Info Settings]		Displays the traffic information settings screen.  “Traffic information settings” (page 8-21)
[Split Screen]		Turns the split screen mode on/off.
[Left Side's Split Map Options]		When [Split screen] is turned on, driver's side map screen settings ([Map Orientation] and [Centre Vehicle on Map]) can be changed.
[Split Screen during a Route]		Selects the split screen to be displayed during route guidance from [Full Map], [Turn List] or [Intersection].
[Displayed Route Guidance Options]	[Always Show Turn List on Freeways]	The turn list can be displayed automatically while driving on a freeway.
	[Show all M-way Exits on Route]	Turns on/off the freeway exit information display.
	[Show Estimated Time of Arrival]	When this item is turned on, the estimated time of arrival is displayed. When turned off, the remaining time to arrival is displayed.
	[Estimate Time for Waypoint]	When this item is turned on, the estimated time of arrival or remaining time to the waypoint is displayed. When turned off, the estimated time of arrival or remaining time to the destination is displayed.
	[Predictable Destination Information]	Predictable destination settings can be changed.

Menu item	Action
[Show Audio Info]	Turns the audio information display on the map screen on/off. Touching the audio information display will show the audio screen.  “Audio operations” (page 5-8)
[Show Current Street]	Turns the current street name display on/off.
[Customise Lower Menu Bar]	Displays the Lower Menu Bar customization screen.  “Using Lower Menu Bar” (page 8-5)
[Daytime Map Colour]	Sets the map colour to [Black] or [White].
[Show Place Names]	Turns the place name display on/off.
[Show Facility Names]	Turns the facility name display on/off.
[Show Road Names]	Turns the road name display on/off.
[Map Text Size]	Sets the font size of the text displayed on the map screen.
[Record & Show Tracking Dots]	Turns the route tracking dots display on/off.
[Tracking Dots Distance]	Select the interval between tracking dots.
[North Up if Zoomed Out]	When this setting is turned on, the orientation of the map automatically changes to North Up when the widest map scale is selected.
[Map Scrolling Information]	Turns on/off the display of the information for the location which the cross pointer is located.
[Adjust Current Location]	The current vehicle location icon on the map screen can be adjusted.

Setting destination

Basic information

The system can provide route guidance once a destination is set.

Displaying destination setting menu

Basic information

There are several methods that can be used to set a destination. Select a preferred method for finding and setting a destination.

To display the destination setting menu, touch [] on the Launch Bar and then touch []. The destination setting menu is displayed.

If the destination has already been set, touch [] and then touch [New Dest.] to display the destination menu.

The destination can also be set from the Lower Menu Bar.

 “Using Lower Menu Bar” (page 8-5)

Available destination setting methods:

Availability of the destination setting methods varies depending on the models, specifications and software versions. Items displayed on the screen may not function depending on various conditions.

Setting item		Action
[Destinations by Google]*		Sets a place searched by Google via TCU (Telematics Control Unit) or Wi-Fi network as a destination when the online communication is available.
[Search POI or Address]*		Searches for a destination from entered POI names or addresses when the online communication is not available.
[Go Home (Save Location)]*		Searches for a route to the stored home location.  “Storing home or work location” (page 8-22)
[Previous Destinations]*		Searches for the destination from the previous destinations and a previous start point.
[Other Destination]*	[Street Address]	Searches for a destination from entered address.
	[Points of Interest]	Searches for a destination from various categories.
	[Favourite]	Searches for a destination from the vehicle address book.
	[Go to Work]	Searches for a route from the current location to the previously stored work location.
	[Charging Stations]	Searches for charging stations including availability information by connecting to the MITSUBISHI CONNECT Data Centre via TCU (Telematics Control Unit) or Wi-Fi network.
	[City Centre]	Sets the centre of a city as the destination.
	[Intersection]	Sets an intersection as a destination.
	[Phone Number]	Searches for a point of interest by a phone number.
	[Saved Routes]	Sets a route from the saved route data.
	[By Map]	Sets the location pointed on the map as a destination.
	[Latitude/Longitude]	Sets a destination from entered latitude and longitude.
[Charging Stations]		Searches for a charging station considering availability information by connecting to the MITSUBISHI CONNECT Data Centre via TCU (Telematics Control Unit) or Wi-Fi network.
[Petrol Station]		Searches for a petrol station considering availability information by connecting to the MITSUBISHI CONNECT via TCU (Telematics Control Unit) or Wi-Fi network.
[Parking]		Searches for a parking lot.

8. Navigation

Setting item	Action
[Restaurant]	Searches for a restaurant.
[Coffee Shop]	Searches for a coffee shop.
[Tranceport]	Searches for a tranceport.
[Hospital]	Searches for a hospital.
[ATM]	Searches for a ATM.
[Fast Food]	Searches for a fast food.
[MITSUBISHI MOTORS Dealer]	Searches for a MITSUBISHI MOTORS Authorised Service Point.
[Electric Vehicle Charging Station]	Searches for a charging station from the in-vehicle map data.

Destination setting menu can be customised.

The items with the mark “*” are the basic search methods and cannot be edited.

 “Customizing destination setting menu” (page 8-13)

NOTE

Notice for Point of Interest search:

Locations and business hours of facilities are subject to change, which may not be reflected in the map data. Double-check this information before you go to an emergency facility to ensure that you can receive the proper support. Otherwise, you may not receive emergency help when you arrive at the destination. A confirmation message also appears on the navigation screen. Follow the displayed instructions and check the items required.

INFO

- Touching [+] on the destination setting menu can add your preferred search method.

 “Customizing destination setting menu” (page 8-13)

- After setting a destination, the location of the destination can be adjusted and the location can be stored in the address book, etc.
- The destinations can be canceled and edited/added.

 “Route options” (page 8-14)

- After starting to drive, refer to the driving range on the vehicle information display and perform Li-ion battery charging allowing for some leeway.

Customizing destination setting menu

The items displayed on the destination setting menu can be customised.

1. Display the destination setting menu.
2. Touch and hold any of the destination setting menu items which can be customised. The customise screen will be displayed.
3. Customise the destination setting menu screen.
 - Touch [Add] to add an item.
 - Touch [X] to delete the item.
 - Touch and hold a destination setting menu item and then drag the item to change the order.

Route guidance

About route guidance

Basic information

During route guidance, the system navigates you through the guide points using visual and voice guidance.

WARNING

- The navigation system's visual and voice guidance is for reference purposes only. The contents of the guidance may be inappropriate depending on the situation.
- Follow all traffic regulations when driving along the suggested route (e.g., one-way traffic).



“Route guidance” (page 8-36)

When the vehicle deviates from the suggested route, the route from the current location to the destination is automatically searched again by the Auto Reroute function.

Voice guidance during route guidance

Basics of voice guidance:

Voice guidance announces which direction to turn when approaching an intersection for which a turn is necessary.

INFO

- There may be some cases in which voice guidance and actual road conditions do not correspond. This may occur because of discrepancies between the actual road and the information on the map data, or may also be due to the vehicle speed.
- In case voice guidance does not correspond to the actual road conditions, follow the information obtained from traffic signs or notices on the road.
- Route guidance provided by the navigation system does not take carpool lane driving into consideration, especially when carpool lanes are separated from other road lanes.
- The system will announce street names when the system language is set to English. Street names are not announced when the system is set to French or Spanish.
- When approaching a guide point (intersection or corner) or destination/ waypoint during route guidance, voice guidance

8. Navigation

announces the remaining distance and/or turning direction. Touch and hold [] on the map screen to repeat voice guidance.

 “Map types” (page 8-3)

Route options

WARNING

Always stop the vehicle in a safe location before modifying the route conditions. Modifying the route conditions while driving may cause an accident.

During route guidance, the route conditions can be modified and the route information can be confirmed. Set route conditions according to your personal preference.

Touch [] on the Launch Bar when a destination is set, and then touch [].

The route options screen is displayed.

Available items may vary depending on models, specifications and software versions.

Menu item		Result
[New Dest.]		Searches for a new destination.
[Cancel Route]		Deletes one or all destinations. When all destinations are deleted, the route will be canceled.
[Turn List]		Displays a detailed turn list. The map can be displayed and the turn can be avoided by touching a turning point.
[Route Preference]		Sets the route search conditions.  "Routing preferences" (page 8-17)
[Recalculate]		Manually recalculates the route after changing the search conditions, etc. When a waypoint has been set on the route, the system will search for only one route, even if route recalculation is performed.
[Show Destination]	[Move Location]	Displays a map screen and allows the location of the destination to be adjusted.
	[Nearby POIs]	Searches for points of interest near the destination, such as restaurants and charging stations, etc. The location can be set as a destination or a waypoint.
	[Save Location]	Saves the destination in the address book.
[Edit/Add to Route]		A destination or waypoint can be edited/added to a route that has already been set.  "Editing route" (page 8-18)
[Detour]		A detour of a specified distance can be calculated.
[Guidance Settings]		Various guidance settings can be customised.  "Voice guidance settings" (page 8-19)
[Save Route]		The current route (a destination and waypoints) can be saved. The saved routes can easily be recalled for future use. Saved route includes only the location information, not the route itself. Route may vary depending on the traffic information or other conditions.
[Map Scroll]		Displays the current map screen which can be scrolled to confirm the location of the destination, waypoints, route, etc.

8. Navigation

Menu item	Result
[Simulation]	Simulates the route guidance. This function provides a detailed image of the route with voice guidance. The following operations are available: [■]: Pauses the simulation. [►]: Resumes the simulation. [►►]: Increases the play speed. [◄◄]: Decrease the play speed. [■■]: Ends the simulation. Touching [Exit Simulation] can also end the simulation.

Routing preferences

It is possible to set the conditions of the route search.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Routing Preferences].
3. Touch the item you would like to set.

Available items may vary depending on models, specifications and software versions.

Setting Item		Action
[Basic Route Type]	[Energy-Saving]	Prioritizes a route which uses less energy.
	[Fastest Route]	Prioritises the use of fastest route.
	[Shortest Distance]	Prioritizes the shortest route. The route may not be the shortest because the system prioritizes roads that are easy to drive on for safety reasons.
[Minimize Toll Roads]		Minimizes the use of toll roads.
[Minimise Motorways]		Minimizes the use of motorways.
[Use HOV Lanes]		Includes the use of HOV lanes.
[Use Unpaved Roads]		Includes the use of unpaved roads.
[Use Ferries]		Includes the use of ferries.
[Use Learned Routes]		Uses the roads that are most frequently travelled with the help of selflearning technology.
[Use Time Restricted Roads]		Selects from [Avoid], [Use Restriction Info] or [Do Not Use Restriction Info] for calculating the route which includes time restricted road.
[Seasonal Restricted Roads]		Selects from [Avoid], [Use Restriction Info] or [Do Not Use Restriction Info] for calculating the route which includes seasonal restricted road.
[Use Traffic Information]		Selects from [Auto], [Always Ask] or [OFF] to calculate route with/without taking traffic information into consideration.
[Use Avoid Area Settings]		When enabled, the system avoids the previously defined avoid areas.

8. Navigation

INFO


- If the vehicle greatly deviates from the suggested route, the system calculates a new route.
- Traffic jam information displayed on the map screen is not statistical traffic information.
- If [Do Not Use Restriction Info] is selected for [Use Time Restricted Roads] setting, the system calculates a route without any consideration of the regulations concerning the time or day of the week. Therefore, the suggested route may include a road subject to traffic regulations concerning the time or day of the week. When driving along the route, always follow all traffic regulations regardless of whether [Use Time Restricted Roads] is set to be considered or not.
- The system calculates to reduce the time required for the entire route from the start to the destination. If there are no appropriate routes, the system may lead to a route where a traffic jam occurs instead of leading to a detour.
- The system may not lead to a detour if the traffic closure or a traffic jam occurs far from the present location.

Editing route

Basic information

The route can be edited after starting the route guidance.

1. Touch [] on the Launch Bar when a destination is set, and then touch [].
2. Touch [Edit/Add to Route].
3. Edit the settings and touch [Recalculate].



- ① [Recalculate]:
After editing the route, touch to recalculate a route with new conditions.
- ② Current destination:
Touch to edit or delete the destination.
- ③ Criteria for calculating a route to the destination/waypoint:
Touch to change the conditions for route calculation.
- ④ Current waypoint:
Touch to edit or delete the waypoint.

- ⑤ [Add Waypoint]:

Touch to add a waypoint.

The current destination changes to a waypoint.

- ⑥ [Add Destination]:

Touch to add a new destination.

The current destination changes to a waypoint.

INFO

Touching [] can delete the waypoint.

Voice guidance settings

The voice guidance provided by the system can be customised.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Voice Guidance].
3. Touch an item you would like to set.

Available items may vary depending on models, specifications and software versions.

Setting item	Action
[Voice Guidance]	Activates or deactivates voice guidance.
[Volume]	Adjusts the volume of voice guidance.
[Traffic Announcement]	Activates or deactivates the traffic announcement. When this item is activated, the system provides an announcement of traffic information or events on the route.
[Toll Booth Guidance]	Activates or deactivates the function to notify that the vehicle is approaching a toll booth.

INFO

- Even when [Traffic Announcement] is set to off on the voice guidance settings, the route guidance will not be affected. Also, the announcement of emergency information will not be turned off.
- Even when [Traffic Announcement] is turned on, the traffic information is not announced in the area where traffic information is not broadcast.
- The guidance volume can also be adjusted by turning <  /VOL> or pushing <  > on the steering wheel while voice guidance is being announced.

Viewing traffic information

Basic information

Premium Traffic Information is available on this system.

To Activate Premium Traffic Information, set [Use Premium Traffic] on.

 “Traffic information settings” (page 8-21)

Premium traffic information

Real-time traffic information can also be obtained from Premium Traffic information with more street coverage.

Premium Traffic information is available by turning [Use Premium Traffic] on and connecting to a Wi-Fi network or using the TCU (Telematics Control Unit).

 “Traffic information settings” (page 8-21)

Viewing available traffic information

Viewing traffic events from list

1. Touch [] on the Launch Bar to display the applications screen.
2. Touch [Premium Traffic]. A list of available types of information is displayed.
3. Touch [Show the Traffic on the Route] or [Nearby Traffic Info].

4. Touch an event from the list to check the detailed information and the map. Touch [Avoid] to search for an alternate route.

Displaying urgent traffic information

When an urgent event is found around the current vehicle location, a message pops up automatically on the touch screen display with a voice announcement.


The message includes the icon, event type, event information and the direct distance from the current location to the event.

INFO

- When there are multiple urgent events, the event with the shortest direct distance from the current location is displayed.
- If the urgent event is on the recommended route, and if a detour is found, the detour route notification screen is displayed when the vehicle approaches the detour point.

Traffic information on map

Traffic information is displayed on both 2D and 3D map screens.



① Traffic information icon:

If a route is not already set, all of the traffic information icons on the map screen are displayed in grey. When a route is already set, the icons on the route are displayed in colour, and the icons outside the route are displayed in grey.

-  : Traffic jam
-  : Slow traffic
-  : Traffic flowing freely
-  : Road closed
-  : Accident
-  : Road work
-  : Narrow lanes
-  : All other events

② Road conditions:

Free Flow	Green
Slow traffic	Yellow
Heavy traffic	Red
Road closed and section affected by serious traffic event	Orange and white stripes
Queuing traffic	Orange (Premium Traffic information only)

③ Traffic indicator:

Displayed when there is available traffic information received.

INFO

Depending on the map scale, the traffic icon may not be displayed.

Traffic information settings

Settings for traffic information related functions can be changed.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Map Settings].
3. Touch [Traffic Info Settings].
4. Touch the preferred setting.

Available setting items may vary depending on models, specifications and software versions.

8. Navigation

Available setting items

- [Use Premium Traffic]:
Turns Premium Traffic information on/ off.
- [Filter Traffic Icons]:
Selects which types of traffic incidents (e.g., accident) will be displayed on the map screen.

Storing a location/route

Storing location

Basic information

Often visited locations can be stored in the address book. The stored addresses can be easily retrieved to set them as a destination or way-point.

Storing home or work location

A home or work location can be stored in the system.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Edit User Info].
3. Touch [Add Home Location] or [Add Work Location].
4. Touch an appropriate method to set a location. Refer to the search methods used for destination setting.

 “Setting destination” (page 8-10)

5. Touch [OK].
6. A message is displayed, and the address of the location is stored in the address book.
7. Adjust and edit the contents of the stored item as necessary. Touch [OK] to confirm.

 “Editing user information” (page 8-24)


INFO

If you touch [Go Home (Save Location)] or [Go to Work (Save Location)] on the destination screen while the home or work location is not stored yet, the system will display a message asking if you wish to store a home or work location. Touch [Yes] to store the home or work location.

Storing location by searching

It is possible to store a location by searching in various ways.

The location stored in the address book can be used to search for a destination.



1. Touch [] on the Launch Bar.

2. Touch [] and then touch [Edit User Info].
3. Touch [Favourite].
4. Touch [Add New].
5. Touch an appropriate method to set a location. Refer to the search methods used for destination setting.

 “Setting destination” (page 8-10)

6. Touch [OK].
7. A message is displayed, and the address of the location is stored in the address book.
8. Adjust and edit the contents of the stored item as necessary. Touch [OK] to confirm.

 “Editing user information” (page 8-24)

INFO

If a maximum number of locations are already stored, a new location cannot be stored until a stored location is deleted.

Storing location by moving map

If you add [] (Save Location) to the Lower Menu Bar in advance, you can register the current location or the location where the cross pointer is placed on the map in the address book.

 “Using Lower Menu Bar” (page 8-5)

1. Move to the preferred location on the map and touch [] on the Lower Menu Bar. A message is displayed.
2. The icon representing the stored location is displayed on the map. Touch [] on the Launch Bar to return to the current location map screen.

Storing route

Stored routes can be easily retrieved and set as the suggested route. A route requires at least one waypoint in order to be stored.

1. Touch [] on the Launch Bar, and then touch [].
2. Touch [Save Route]. A confirmation message is displayed. If asked, touch [Yes] to store the current route.

INFO

- A stored route includes only locations (destination and waypoints) and route calculation conditions, not the route itself.
- If a maximum number of routes are already stored, a new route cannot be stored until a route is deleted.

 “Deleting stored item” (page 8-27)

Storing areas to avoid

Areas to avoid which should be excluded from a route, such as a road that is always congested, can be stored. Once avoid areas are stored, the system avoids those areas when calculating a route.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Edit User Info].
3. Touch [Areas to Avoid].
4. Touch [Add New]. Touch an appropriate method to search for a location.

 “Setting destination” (page 8-10)

5. Touch [OK].
6. Adjust the information of the area as necessary.

 “Editing areas to avoid” (page 8-27)

7. Touch [OK] to store the avoid area information.

INFO

If a maximum number of areas to avoid are already stored, a new area cannot be stored until a stored area is deleted.

 “Deleting stored item” (page 8-27)

8. Navigation

Editing stored information

Editing user information

You can edit user information such as stored location, etc.

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Edit User Info].

Available items may vary depending on models, specifications and software versions.

Setting item			Action
[Sync with Door-to-Door Navi]			Turns Door to Door Navigation on/off.
[Home Location]	[Edit]	[Show Icon on Map]	Displays the home icon on the map.
		[Icon]	Selects a home icon of a preferred design.
		[Sound]	Selects the type of the alarm that sounds when the vehicle approaches home.
		[Direction]	Sets the direction for sounding the alarm when approaching the home location.
		[Distance]	Sets the alarm to sound when reaching a specific distance to home.
		[Phone Number]	Stores the phone number of the home.
	[Move Location]		Adjusts the stored home location.
	[Delete]		Deletes the stored home location.
	[OK]		Confirms and saves the edited home information.
[Work Location]	[Edit]	[Show Icon on Map]	Displays the work location icon on the map.
		[Icon]	Selects a work icon of a preferred design.
		[Sound]	Selects the type of the alarm that sounds when the vehicle approaches work location.
		[Direction]	Sets the direction for sounding the alarm when approaching the work location.
		[Distance]	Sets the alarm to sound when reaching a specific distance to work.
		[Phone Number]	Stores the phone number of the work location.
	[Move Location]		Adjusts the stored work location.
	[Delete]		Deletes the stored work location.
	[OK]		Confirms and saves the edited work information.

Setting item			Action	
[Favourite]	[Sort by Number]		Touch [] to select a sorting condition.	
	[Sort by Name]			
	[Sort by Icon]			
	[Sort by Group]			
	[Add New]		Adds a new location.  “Storing location by searching” (page 8-22)	
	Stored Location List	[Edit]	[Show Icon on Map]	Displays the icon of a stored location on the map.
			[Name]	Registers a name of the entry.
			[Voice Tag]	Registers a voice tag for the entry which allows the entry to be used with the Voice recognition.
			[Icon]	Selects an icon for the entry.
			[Sound]	Selects the type of the alarm that sounds when the vehicle approaches the location.
			[Direction]	Sets the direction for sounding the alarm when approaching the stored location.
			[Distance]	Sets the alarm to sound when reaching a specific distance to the location.
			[Phone Number]	Registers a phone number for the location.
			[Group]	Registers a group of the entry.
		[Entry Numbers]	Registers an entry number for the location.	
[Move Location]		Adjusts the stored location information.		
[Delete]		Deletes the stored location information.		
[OK]		Confirms and saves the edited stored location information.		
[Saved Routes]			Edits the stored routes.  “Editing saved route” (page 8-27)	
[Areas to Avoid]			Edits the areas to avoid.  “Editing areas to avoid” (page 8-27)	
[Delete User Info]			Deletes the user information.  “Deleting stored item” (page 8-27)	

8. Navigation



INFO

When home or work location has not been stored, [Add Home Location] or [Add Work Location] is displayed and a home or work location can be stored from the menu.

Editing saved route

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Edit User Info].
3. Touch [Saved Routes].
4. Touch the preferred saved route from the list. The saved route editing screen will be displayed.



INFO

Touch [Save Current Route] to save the currently set route.

5. Edit the following settings.

Setting item	Action
[Rename]	Changes the saved route name.
[Replace]	Overwrites the saved route with the current route.
[Delete]	Deletes the saved route.
[List Way-points/ Destination]	Displays the currently set destination and waypoints.

Editing areas to avoid

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Edit User Info].
3. Touch [Areas to Avoid].

4. Touch a preferred area from the list.
Areas to avoid settings screen will be displayed.



INFO

Touch [Add New] to store the new area.

5. Edit the following settings.

Setting item	Action
[Rename]	Changes the name of the area.
[Move Location]	Adjusts the area location.
[Resize Area]	Adjusts the size of the avoid area.
[Motorway]	Sets to include or not include motorways in the area to avoid. The colour of the area changes depending on the setting. Motorway ON: Green Motorway OFF: Blue
[Delete]	Deletes the area.
[OK]	Applies the edited setting.



INFO

Deleted items cannot be restored. Before deleting an item, always make sure that the item is no longer needed.

Deleting stored item

Basic information

The locations and routes in the address book can be deleted. Deleting an individual item and deleting all stored items are available.

8. Navigation

Deleting stored item individually

1. Touch [] on the Launch Bar.
2. Touch [] and then touch [Edit User Info].
3. Touch [Delete User Info]. Select the preferred item and touch [Yes] to confirm deletion.

Step 1	Step 2	Action
[Delete Home Location]		Deletes home location.
[Delete Work Location]		Deletes work location.
[Delete Address Book]	[Delete]	Deletes the selected stored location(s).
	[Select All]	Selects all or clears all stored locations.
	[Clear All]	
	[Sort]	Sorts the stored locations.
[Delete Saved Routes]	[Delete]	Deletes the selected stored route(s).
	[Select All]	Selects all or clears all saved routes.
	[Clear All]	
[Delete Areas to Avoid]	[Delete]	Deletes the selected stored area(s) to avoid.
	[Select All]	Selects all or clears all areas to avoid.
	[Clear All]	
[Delete Previous Destinations]	[Delete]	Deletes the selected stored previous destination(s).
	[Select All]	Selects all or clears all previous destinations.
	[Clear All]	
[Delete Learned Routes]		Deletes the learned routes.
[Delete Tracking]		Deletes the route tracking dots.

Deleting individual item on map

1. Align the cross pointer over the stored location to be deleted by moving on the map, and then touch [] or [].
2. Touch [Delete].
3. A confirmation message is displayed.
Confirm the contents of the message and touch [Yes].
The stored item is deleted from the address book.

Navigation settings

The navigation system can be customised according to the user’s preference.

- 1. Touch [] on the Launch Bar and then touch [].
- 2. Touch the item you would like to set.

Available setting items may vary depending on models, specifications and software versions.

Available items:

- **[Map Settings]**
Sets the display method and direction of the map.
 “Map settings” (page 8-8)
- **[Routing Preferences]**
Changes the routing preferences.
 “Routing preferences” (page 8-17)
- **[Voice Guidance]**
Sets the various functions for voice guidance.
 “Voice guidance settings” (page 8-19)
- **[Edit user info]**
Edits the user information.
 “Editing user information” (page 8-24)
- **[Safety Guide Settings]**

Setting item	Action
[Safety Camera Icon on Map]	When this item is turned on, safety camera icons will appear on the map.
[Safety Camera Warning]	When this item is turned on, safety camera warning indicator will appear on the map screen when the vehicle is approaching the safety cameras.

- **[Reset All Navigation Settings to Default]**
This resets various settings (display, volume level, etc.) to the default.

General information for navigation system

Current vehicle location

Display of current vehicle location

This navigation system combines the data obtained from the vehicle (by gyro sensor) and from GNSS (Global Navigation Satellite System) to calculate the current location of the vehicle. This position is then displayed through-out route guidance to a destination.

What is GNSS (Global Navigation Satellite System)?


GNSS is a general term for positioning systems that use signals from satellites. This navigation system receives radio signals from three or more different satellites that orbit 21,000 km above the earth in space, and detect the position of the vehicle by utilizing the principle of triangulation.

Positioning adjustment:


When the system judges that the vehicle position is not accurate based on vehicle speed and gyro sensor data calculations, the system will automatically adjust the position of the vehicle icon using GNSS signals.

Receiving signals from GNSS satellites:


The reception of GNSS signals can be weak, depending on the environment. Vehicles in the following areas/environments may not receive GNSS signals.




- Inside tunnels or parking garages



- In areas with numerous tall buildings




- Under multi-layered highways



- Areas with numerous tall trees

8. Navigation




- In canyons

INFO


The GNSS antenna is located on the instrument panel inside the vehicle. Do not place any objects, especially cellular phones or transceivers, on the instrument panel. Because the strength of the GNSS signal is approximately one billionth of that of TV waves, phones and transceivers will affect or may totally disrupt the signal.

Incorrect display of vehicle position


The following cases may affect the display accuracy of the vehicle's position or travelling direction. The accuracy will return to normal if the driving conditions return to normal.




- When there is a similar road nearby.




- When the vehicle is travelling in an area with a grid pattern road system.




- When the vehicle is passing through a large Y-shaped intersection/junction.



- When the vehicle is travelling on a continuous, slowly curving road.




- When the vehicle is travelling on a road with repeating S-shaped curves.




- When the vehicle is on a loop bridge.



- When the vehicle is on a snow-covered or unpaved road.




- When repeatedly turning left or right, or driving in zigzags.




- When the vehicle is rotated on a parking lot turntable while the electric motor switch placed in the OFF position.

8. Navigation



- When driving on a road not displayed on the map screen or a road that has been changed due to additional construction or other reasons.



- When the GNSS positioning accuracy is low.

INFO

- The vehicle icon may be misaligned when starting the vehicle just after the READY to drive indicator lamp is turned on.
- The vehicle icon may also be misaligned if different sized tyres or tyre chains are installed.
- The system has a function that automatically corrects the vehicle icon position when it is misaligned from the actual position.
- Vehicle position correction by GNSS may not function when the vehicle is stopped.
- If the vehicle icon position does not return to normal even after driving for a while, correct the vehicle icon position manually.

Detailed Map Coverage Areas (MCA) for navigation system

This system is designed to help guiding to the destination, and it also performs other functions as outlined in this manual. However, the system must be used safely and properly. Information concerning road conditions, traffic signs and the availability of services may not always be up-to-date. The system is not a substitute for safe, proper and legal driving.

Map data covers select metropolitan areas.

Map data includes two types of areas:

“Detailed coverage areas” providing all detailed road data and other areas showing “Main roads only”.

INFO

Detailed map data is not available in many areas and is generally limited to select major metropolitan areas.

Route calculation

- There may be cases where carpool lanes are included on a suggested route when the automatic rerouting function is activated, even if the [Use Time Restricted Roads] is set to [Avoid] or [Use Restriction Info].



“Routing preferences” (page 8-17)

- The suggested route may not be the shortest, nor are other circumstances such as traffic jams considered.
- Because of the inevitable difference in road conditions and circumstances between the time you use this system and the time the information was produced for the map data, there may be discrepancies in roads and regulations. In such cases, actual road conditions and regulations take precedence over map data information.
- During route calculation, the map will not scroll, however the vehicle icon will move according to the actual vehicle’s movement.

- Button operations may be disabled during route calculation.
- In some cases, after the calculation is complete, the calculated route may not be immediately displayed.
- Waypoints that have been passed will be disregarded by rerouting calculation.
- If you scroll the map while the suggested route is being drawn, it may take more time to finish drawing.
- Route calculation may not be completed in the following cases.
 - If there is no main road within a range of 1.5 miles (2.5 km) from the vehicle, a message saying so will appear on the screen. Try recalculating when the vehicle is closer to a main road.
 - If there is no main road within a range of 1.5 miles (2.5 km) from the destination or waypoint, a message saying so will appear on the screen. Try setting the location closer to a main road.
 - If the vehicle is too close to the destination or if there are no roads to the destination, a message saying so will appear on the screen.
 - If it is impossible to reach the destination or waypoints because of traffic regulations, etc.
 - If the only route to reach the destination or waypoints is extremely complicated.
- The following may occur when the route is displayed.
 - If you calculate a route on a main road, the starting point of the route may not exactly match the current vehicle location.
 - The endpoint of the route may not exactly match the destination.
 - If you calculate a route on a main road, the system may display a route from another main road. This may be because the position of the vehicle icon is not accurate. In this case, park the vehicle in a safe location and reset the vehicle icon, or continue driving to see if the position of the vehicle icon is automatically adjusted before recalculating the route.
 - There are cases in which the system shows an indirect route to reach the destination or waypoints, if you set them from stored or facility information. In order to correct this, you must be careful about the traffic direction, especially when lanes with different travel directions are shown separately, such as interchanges and service areas.
 - This system makes no distinction between limited traffic control and total control (blockage). It may show an indirect route even if the road is usable.
- Even if the ferry preference is set to OFF, a route that uses a ferry line may be suggested.

8. Navigation

Route guidance

Basic information



INFO

The system will announce street names when the system language is set to English. Street names are not announced when the system is set to French or Spanish.

Repeating voice guidance

This function is available throughout route guidance, from the time after the route calculation is completed until the vehicle arrives at the destination. Touch and hold [] on the map screen. Voice guidance will be repeated.



“Map types” (page 8-3)

Notes on voice guidance

- Voice guidance in this system should be regarded as a supplementary function. When driving the vehicle, check the route on the map and follow the actual roads and traffic regulations.
- Voice guidance is activated only for intersections with certain conditions. There may be cases where the vehicle has to turn, but voice guidance is not provided.

- Voice guidance contents may vary, depending on the direction of the turn and the type of intersection.
- The voice guidance timing will vary depending on the situation.
- When the vehicle has deviated from the suggested route, voice guidance is not available. The system will not announce this. Refer to the map and recalculate the route.



“Route options” (page 8-14)

- Voice guidance may not accurately correspond with road numbers and directions at motorway junctions.
- Voice guidance may not accurately correspond to street names at motorway exits.
- The displayed street names may sometimes differ from the actual names.
- Voice guidance is not available when [Voice Guidance] is turned off.



“Voice guidance settings” (page 8-19)

- Voice guidance will start when the vehicle enters the suggested route. Refer to the map for directions to the starting point of the route.
- When approaching a waypoint, the voice guidance will announce and inform the driver that the vehicle has reached a waypoint. Voice guidance will switch to the next

section of the route. When voice guidance is not available, refer to the map for directions.

- In some cases, voice guidance ends before arrival at the destination. Refer to the destination icon on the map to reach the destination.
- If the system recognises on which side the destination (waypoint) is located, voice guidance will announce “on the right/left” after announcing the arrival at the destination.
- Voice guidance may be partially operational or inoperative due to the angle of roads at an intersection.
- Because motorway lane information is available only for major motorways, it is not possible to display information for all junctions and exits.
- Motorway exit information may differ from the information on the actual exit signs.
- Because it is not possible to consider data concerning roads that are seasonally available or unavailable, a route may be displayed that does not match the actual traffic restrictions. Be sure to follow the actual traffic restrictions while driving.

How to update map data

Basic information

WARNING

TO AVOID RISK OF DEATH OR SERIOUS PERSONAL INJURY WHEN UPDATING THE MAP SOFTWARE:

If you choose to park the vehicle within range of a Wi-Fi connection or a TCU (Telematics Control Unit), park the vehicle in a secure and safe location.

1. Apply the parking brake.
2. Remain with the vehicle while the update is in process.
3. Do not allow children, pets or people who may need assistance to remain in the vehicle while the software is updating.

NOTE

The vehicle is not required to be parked during the map update process.

Updating with USB memory (if so equipped)

The navigation map data can be updated with the latest information by downloading a new map

database to a USB memory device and installing it in the vehicle.

For map update, use the USB memory with the following specifications:

Supported media: USB2.0

Supported file system: FAT32

1. Touch [] on the Launch Bar.
2. Touch [].
3. Touch [System Update].
4. Touch [Map Update].
5. Touch [Update via USB Device].
6. Touch [Save Map Information to USB Device].
7. Insert blank USB memory device into the USB connection port.

 “USB (Universal Serial Bus) connection ports” (page 3-5)

INFO

If data is in the USB memory, it may be deleted.

8. Touch [Start].
9. Touch [OK] after saving the map information to USB.
10. Access to the designated website with your personal computer. Download and install the map update tool in your personal computer. (Consult a MITSUBISHI MOTORS Authorised Service Point for details.)

11. Download the updated data and store it in the USB memory with the map update tool.
12. Touch [] on the Launch Bar.
13. Touch [].
14. Touch [System Update].
15. Touch [Map Update].
16. Touch [Update via USB Device].
17. Touch [Install Map Update from USB Device].
18. Insert the USB memory into the USB connection port.
A confirmation message is displayed. Confirm the contents of the message and touch [Yes].
19. Touch [OK] after completing the update.

INFO

- The navigation system cannot be operated while the map updates.
- Map data should be updated while the Plug-in Hybrid EV System is activating to prevent discharge of the vehicle battery (12V battery).

Automotive products End User Licence Provisions

This End-User Licence Agreement (“**EULA**”) is an agreement between you and TomTom International B.V. (“**TomTom**”). You agree that this EULA is enforceable. This EULA applies to your use of the TomTom Map data, software, Traffic and Travel services or any other TomTom products (together with the “**Services**”). Please read this EULA carefully. By using the Services you agree to all the terms and conditions of this EULA.

1. **GRANT OF LICENCE:** In consideration of you agreeing to abide by the terms of this EULA, TomTom hereby grants to you a non-exclusive, licence to use the Services solely in connection with the vehicle. If upgrades, updates or supplements to the Services are provided the use of such upgrades or updates is governed by this EULA.
2. **RESTRICTIONS:** You are prohibited from renting, lending, public presentation, performance or broadcasting or any other kind of distribution of the Services. Other than as permitted by applicable legislation, you will not, and you will not allow any person to, copy or modify the Services or any part

thereof or to reverse engineer, decompile or disassemble the Services.

3. **OWNERSHIP:** Copyright and other intellectual, industrial and/or proprietary rights to the Services are owned by TomTom and/or its suppliers. TomTom permits you to use the Services only in accordance with the terms of this EULA. All rights not specifically granted in this EULA are reserved by TomTom. To the extent applicable, you acknowledge that you have no right to have access to the Services in source code or in unlocked coding.
4. **THIRD PARTY SOFTWARE LICENCES:** The Services may make use of third party software. Notwithstanding Clauses 2 and 3, use of some third party materials included in the Software may be subject to other terms and conditions. The official copyright notices and specific licence conditions of these third party software codes and algorithms are to be found via <https://www.tomtom.com>. You hereby agree to the terms and conditions for such third party software.
5. **LIMITED WARRANTY:**
 - YOU ACKNOWLEDGE THAT THE SERVICES HAVE NOT BEEN DEVEL-

OPED TO MEET YOUR INDIVIDUAL REQUIREMENTS AND THAT IT IS THEREFORE YOUR RESPONSIBILITY TO ENSURE THAT THE FACILITIES AND FUNCTIONS OF THE SERVICES MEET YOUR REQUIREMENTS. TOMTOM DOES NOT AND CANNOT WARRANT THAT THE SERVICES OPERATE UNINTERRUPTED OR ERROR-FREE. YOU SHOULD BE PARTICULARLY AWARE OF THE FACT THAT CALCULATION ERRORS MAY OCCUR WHEN USING SOFTWARE IN A NAVIGATION SYSTEM FOR INSTANCE CAUSED BY LOCAL ENVIRONMENTAL CONDITIONS AND/OR INCOMPLETE DATA.

- TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, TOMTOM AND ITS SUPPLIERS PROVIDE THE SERVICES “AS IS”, AND HEREBY DISCLAIM ALL OTHER WARRANTIES AND CONDITIONS, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY (IF ANY) IMPLIED WARRANTIES, DUTIES OR CONDITIONS OF SATISFACTORY

QUALITY, OF FITNESS FOR A PARTICULAR PURPOSE, OF RELIABILITY OR AVAILABILITY, OF ACCURACY OR COMPLETENESS OF RESPONSES, OF RESULTS, WITH REGARD TO THE SERVICES, AND THE PROVISION OF OR FAILURE TO PROVIDE SUPPORT OR OTHER SERVICES, INFORMATION, SOFTWARE, AND RELATED CONTENT THROUGH THE SERVICES OR OTHERWISE ARISING OUT OF THE USE OF THE SERVICES.

SAFETY: THE SERVICES ARE INTENDED TO BE USED FOR PROVIDING INFORMATION AND NAVIGATION SERVICES RELATED TO YOUR JOURNEY ONLY AND ARE NOT INTENDED TO BE USED AS A SAFETY RELATED TOOL AND CANNOT WARN YOU ABOUT ALL DANGERS AND HAZARDS WITH RESPECT TO THE ROAD YOU ARE DRIVING. THEREFORE, IT REMAINS YOUR DUTY TO DRIVE IN A CAREFUL AND SAFE MANNER (PAYING ALL DUE CARE AND ATTENTION TO THE ROAD) AS

WELL AS OBSERVING ALL APPLICABLE TRAFFIC REGULATIONS AND RULES. IT IS YOUR RESPONSIBILITY NOT TO USE THE SERVICES IN A MANNER THAT WOULD DISTRACT YOU FROM DRIVING SAFELY.

6. LIMITATION OF LIABILITY:

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, NEITHER TOMTOM NOR ITS LICENSORS AND SUPPLIERS, OFFICERS, DIRECTORS OR EMPLOYEES SHALL BE LIABLE TO YOU OR TO ANY THIRD PARTY FOR ANY DAMAGES, WHETHER DIRECT, SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL (INCLUDING BUT NOT LIMITED TO, DAMAGES FOR THE INABILITY TO USE OR ACCESS THE SERVICES, LOSS OF DATA, LOSS OF BUSINESS, LOSS OF PROFITS, BUSINESS INTERRUPTION OR THE LIKE) ARISING OUT OF OR RELATED TO THE USE OF, THE INABILITY TO USE OR ACCESS, OR OTHERWISE THE PERFORMANCE OF THE SERVICES, EVEN IF MITSUBISHI MOTORS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TO THE EXTENT TOMTOM IS NOT PERMITTED UNDER APPLICABLE LAW TO EXCLUDE ITS LIABILITY PURSUANT TO CLAUSE 6.1 ABOVE, TOMTOM'S TOTAL AGGREGATE LIABILITY TO YOU SHALL BE LIMITED TO THE AMOUNT OF US \$100.00.

THE ABOVE LIMITATIONS OF LIABILITY UNDER THIS CLAUSE 6 DO NOT: (I) AFFECT YOUR RIGHTS UNDER ANY APPLICABLE MANDATORY NATIONAL LEGISLATION; (II) EXCLUDE OR LIMIT ANY LIABILITY THAT CANNOT BE EXCLUDED OR LIMITED UNDER APPLICABLE LAW.

7. TERMINATION: Without prejudice to any other rights, TomTom may immediately terminate this EULA if you fail to comply with any of its terms and conditions. The provisions of this Agreement, which by their nature are intended to survive termination, will remain in effect after termination of this EULA.

8. Navigation

8. LINKS TO THIRD PARTY SITES: TomTom and other third parties involved in making the Services available to you (“Third Parties”) are not responsible for the contents of any third-party sites or services, any links contained in thirdparty sites or services, or any changes or updates to third-party sites or services which are delivered by the Services or otherwise. TomTom (and, as applicable, each of the Third Parties) is providing these links and access to third-party sites and services to you only as a convenience, and the inclusion of any link or access does not imply an endorsement by TomTom or any Third Parties of the third-party site or service. Any use by you of such links or third party sites and the manner in which you use such third party sites and links shall be your responsibility and at your risk and you shall not use them in any illegal or fraudulent manner.

Should you have any questions concerning this EULA, or if you desire to contact TomTom for any reason, please visit TomTom’s website below.

<https://www.tomtom.com>

9. Voice recognition

Voice recognition	9-2
Using Voice recognition	9-2
Before starting	9-2
Giving voice commands	9-2
System Voice settings	9-4

Voice recognition

Using Voice recognition

Initialization

When the electric motor switch is in the ON or Auto ACC position, voice recognition is initialized. When the initialization is complete, the system is ready to accept voice commands. If <  > on the steering wheel is operated before the initialization completes, the display will show a message to wait until the system is ready.

Before starting

To get the best recognition performance from voice recognition, observe the following items.

- The interior of the vehicle should be as quiet as possible. Close the windows to eliminate the surrounding noises (traffic noise, vibration sounds, etc.) and turn down the fan speed level of the heater/air conditioner to lower the noise which may prevent the system from correctly recognizing the voice commands.
- Wait until the tone sounds before speaking a command.
- Speak in a natural conversational voice without pausing between words.

- The system cannot recognise voice commands spoken from passenger seats.

Giving voice commands

Basic operation

1. To activate Voice recognition, take one of the following actions.
 - Push <  > on the steering wheel.
 - Say “Hello Mitsubishi”.

INFO

- Set [Short press of SPEECH starts:] to [Mitsubishi Motors] in order to use <  > on the steering wheel to activate the Voice recognition.
 “System Voice settings” (page 9-4)
 - Turn on [Allow “Hello Mitsubishi”] to enable “Hello Mitsubishi”.
 “System Voice settings” (page 9-4)
2. After the tone sounds, speak a command (such as “Play FM”).
If the command is not recognised for a few seconds, the menu screen will be displayed. You can use the Voice recognition following the screen and voice guidance.

INFO

- On the voice recognition menu screen, you can also select a command by touching the screen or using <OK> (Scroll dial) on the steering wheel.
- The Voice recognition will pause its operation when no command is given after a few prompts. To resume the operation, push <  > on the steering wheel.
- To exit the Voice recognition, push and hold <  > on the steering wheel or <  > on the control panel. Pushing and holding the left side of <  /  /  > on the steering wheel can also be used to exit.
- Voice recognition can also be operated by following the instructions on the touch screen display.
- The Voice recognition can also be started by touching [] displayed on various screens.

Operating tips

- If the command is not recognised, the system will prompt you to speak the command again. Repeat the command in a clear voice.
- Touch [] on the touch screen display to return to the previous screen. Pushing <   > on the steering wheel can also return to the previous screen.
- To adjust the volume of the system feedback, push <  > on the steering wheel or turn <  /VOL> while the system is making an announcement.

Voice Prompt Interrupt:

In most cases, you can interrupt the voice feedback to speak the next command by pushing <  > on the steering wheel. After interrupting the system, wait for a tone before speaking your command.

9. Voice recognition

System Voice settings

The system voice settings can be changed.

- 1. Touch [] on the Launch Bar.
- 2. Touch [].
- 3. Touch [Sound and Tones] and then touch [System Voice].
- 4. Touch the item you would like to set.

Available setting items may vary depending on models, specifications and software versions.

Available item		Action
[Initial Voice Prompt]		When this item is turned on, initial voice prompts are announced.
[Short Voice Prompts]		When this item is turned on, short and minimized voice feedback will be provided.
[Best Match Lists]	[Phonebook]	When these items are turned on, the voice recognition results are displayed on the list in the order of reliable recognition.
	[Music Commands]	
[Voice Preference]		Guidance voice setting can be selected from a male or female voice. Depending on the language setting, the guidance voice setting cannot be changed.
[Speech Rate]		Adjusts the speech rate of prompt.
[Voice Prompt Vol.]		Adjusts the volume level of the voice prompt.
[Allow “Hello Mitsubishi”]		Turns the “Hello Mitsubishi” activation setting on/off.

10. Troubleshooting guide

System unit.....	10-2
Liquid crystal display	10-2
Unique Plug-in Hybrid EV functions	10-3
Driving range.....	10-3
Charging stations.....	10-4
Energy information display	10-5
Timer function.....	10-6
Wi-Fi connection.....	10-8
Basic information	10-8
Vehicle hotspot	10-9
Audio system.....	10-10
DAB RADIO	10-10
iPod® player.....	10-11
USB memory device.....	10-13
Bluetooth® audio	10-14
Bluetooth® Hands-Free Phone System.....	10-16
MITSUBISHI CONNECT	10-19
Apple CarPlay®	10-21
Android Auto.....	10-23
Siri® Eyes Free	10-24
Navigation.....	10-25
Basic operations	10-25
Map screen	10-26
Route calculation and visual guidance.....	10-28
Voice guidance	10-30
Traffic information	10-31
Voice recognition	10-32

System unit

Liquid crystal display

Symptom	Possible cause	Possible solution
The screen is too dark.	The cabin temperature is too low.	Wait until the cabin temperature becomes moderate.
	The cabin temperature is too hot.	
	Screen brightness is set to the maximum darkness.	Adjust the brightness setting of the screen.
The screen is too bright.	Screen brightness is set to the maximum brightness.	Adjust the brightness setting of the screen.
A small black spot or a small bright spot appears on the screen.	This is a typical phenomenon for liquid crystal displays.	This is not a malfunction.
A dot or stripe pattern appears on the screen.	Electromagnetic waves that are generated from neon billboards, high voltage electric power cables, ham radios or other radio devices equipped to other vehicles may adversely affect the screen.	This is not a malfunction.
Image lag appears on the screen.	This is a typical phenomenon for liquid crystal displays.	This is not a malfunction.
Image motion displayed on the screen is slow.	The cabin temperature is less than 10°C.	Wait until the cabin temperature rises to within 10°C and 50°C.
When looking at the screen from an angle, the screen lightens or darkens.	This is a typical phenomenon for liquid crystal displays.	Adjust the brightness setting of the screen.
The screen turns blue or an error message is displayed on the touch screen display.	A system malfunction has occurred.	It is recommended that you contact a MITSUBISHI MOTORS Authorised Service Point for an inspection.

Unique Plug-in Hybrid EV functions

Driving range

Symptom	Possible cause	Possible solution
The driving range cannot be displayed.	The electric motor switch is in the Auto ACC position.	The driving range can be displayed when the electric motor switch is in the ON position or when the READY to drive indicator lamp is ON.
	The estimated driving range is too short.	Charge the Li-ion battery. Once the distance estimated driving range increases, the driving range will be displayed.

10. Troubleshooting guide

Charging stations

Symptom	Possible cause	Possible solution
The charging station icon display setting is off but icons are still displayed on the map.	The charging station displayed has been set as a stored location.	This is not a malfunction.
Searched for charging stations because the Li-ion battery information guidance was displayed, but could not find any.	In an area where the number of charging stations is low, it may not be possible to find a charging station located near the vehicle.	This is not a malfunction.
Charging station information is not displayed.	Information is not provided for all charging stations, so there may be cases when information is not displayed.	This is not a malfunction. Contact charging stations beforehand by phone to confirm whether they can be used.
The charging station information displayed is incorrect.	The map data is old.	Update the map data.  “How to update map data” (page 8-37) Charging station information on the map automatically updates periodically.
The charging station information provided by the system was incorrect and could not charge the Li-ion battery.	The map data is old.	Update the map data.  “How to update map data” (page 8-37) Charging station information on the map automatically updates periodically.
	Charging station facilities have changed, or the charge cable equipped cannot be used.	Contact the charging station by phone beforehand to check whether facilities can be used.

Energy information display

Symptom	Possible cause	Possible solution
The driving range fluctuation value based on the climate control system activation condition displayed in the energy usage information screen is displayed as +0 km or -0 km.	The power used for the climate control system will decrease in response to the power used by the traction motor and the increase/decrease difference of the driving range will be under ± 1 km. Also, when the Liion battery available charge is low, the increase/decrease of the driving range will also become smaller.	This is not a malfunction.

10. Troubleshooting guide

Timer function

Symptom	Possible cause	Possible solution
Charging does not start at the time set.	Timer charge has not been set to ON.	Check on the timer charge screen whether the indicator for the timer charge is turned on.
	The charging cable is not connected correctly.	Check that the charging cable is connected correctly.
	The immediate charge switch is in the ON position.	Check the immediate charge switch setting.
	The electric motor switch is in the ON position.	Place the electric motor switch in the OFF position when setting timer charge.
	The shift lever is out of the P (Park) position.	Make sure the shift position is in P (Park) position.
The air conditioner or heater does not operate at the time set.	The Climate Control Timer is not set to ON.	On the Climate Control Timer screen, check whether the Climate Control Timer indicator is on.
	The Climate Control Timer operates only when remaining drive battery power displayed in the metre is more than 1 segment.	Charge the drive battery so that the remaining drive battery power displayed in the metre is more than 1 segment and then, operate the Climate Control Timer. When in the remote climate control, the timer may operate even if the remaining drive battery power displayed in the meter is 0 segment.
	The electric motor switch is in the ON position.	Place the electric motor switch in the OFF position when setting timer charge.
	The shift lever is out of the P (Park) position.	Make sure the shift position is in P (Park) position.
The temperature inside the vehicle is not warmed even if the air conditioner start operating with the Climate Control Timer or remote climate control.	Outside temperature is low.	This is not a malfunction. When the outside temperature is low or when snowing, heating may not work well and the temperature inside the vehicle may not reach the set temperature.

Symptom	Possible cause	Possible solution
The Climate Control Timer does not operate immediately.	The timer has not reached the activation time set for the Climate Control system.	This is not a malfunction. When the timer is set, the Climate Control system will be activated so that the vehicle compartment will be cooled/heated to the set temperature by the scheduled departure time and then be deactivated. The time the Climate Control system starts activating varies depending on the ambient temperature.
	The scheduled departure time has already passed.	
The timer charge or Climate Control Timer screen cannot be displayed.	The system is turned off.	This screen can be displayed when the electric motor switch is placed in the ON position and when the READY indicator is on.
A prompting message to update the time setting is displayed.	The system clock has not been set correctly.	Set the time setting correctly.
Days when you do not want the timer function to operate cannot be set.	All timer functions are set to ON.	Turn off the setting for days where the timer function is not required.



INFO

If you have any problems, please refer to the vehicle Owner's Manual.

Wi-Fi connection

Basic information

Symptom	Possible cause	Possible solution
The name of the device which you wish to connect is not displayed on the Connections screen.	The device is turned off.	Check that the device is turned on.
	The device does not support a WPA2 security network.	Check that the security network is supported by the device.
The in-vehicle system cannot connect to the Wi-Fi network.	The device is turned off.	Check that the device is turned on.
	The network password is incorrect.	Check that the network password is correct.
		Check the entered password is correct.

Vehicle hotspot

Symptom	Possible cause	Possible solution
The device cannot connect to the vehicle hotspot.	A maximum number of devices are already connected.	Delete a connected device.
	The password is incorrect.	Check that the network password is correct.
		Check the entered password is correct.
The device cannot access the Internet.	The service provider's subscription is not active.	Check the service provider's subscription.
	The vehicle is out of the service area of the provider.	Move to a service supported area.
Slow connectivity to the network.	Another wireless connection interferes.	Turn off the other wireless devices.

10. Troubleshooting guide

Audio system

DAB RADIO

Symptom	Possible cause	Possible solution
The sound skips, stutters or echoes.	The radio station has not properly aligned digital and analog audio.	Verify correct operation on another station. Report the station with poor performance.
The volume level is unstable.	Level alignment is inappropriate.	Verify correct operation on another station and check the station availability in the area. Report the station with poor alignment.
The sound fades in/out.	DAB-FM is taking place.	Verify transition performance on several stations in the area. Report stations with poor alignment.
Excessive DAB-FM takes place.	The vehicle is located near the edge of the DAB coverage area.	Verify the radio station coverage in your area.
The sound quality of DAB is no better than that of FM/AM.	Audio processing on the digital audio by the station can potentially decrease digital audio sound quality.	Verify correct operation on another station. Report the station with poor performance.
Local stations keep being lost.	Digital coverage is slightly smaller than analog signal coverage.	Verify correct operation on another station.
	Shadowing (Urban/Terrain) can cause reduced digital coverage.	Verify correct operation on another station.
Some data fields are blank.	Text information is sent at the broadcaster's discretion.	Verify correct operation on another station. Report the station issue.
Text information is truncated.	The display is limited to a fixed number of characters and more data is being sent than can be displayed.	This is not a malfunction.
The DAB-FM setting is turned on but an alternative station does not play and the signal does not appear on the display.	The tuner is waiting for the original signal to recover and is seeking an available alternative signal.	Wait for the signal to return or for the tuner to pick up an alternative signal.
A message indicating that service is not available is displayed on the screen.	The selected service or ensemble is not in service.	Select a different service or ensemble.

iPod® player

Symptom	Possible cause	Possible solution
The system does not recognise an iPod®.	A connector cable is not correctly connected, or the iPod® does not correctly operate.	Connect the connector cable again. If the system does not recognise the iPod® after performing this procedure above, reset the iPod®.
	The iPod® that is to be connected is not compatible with the system.	Check the iPod® model and firmware versions available for the system.
	The connected USB extension cable is not compatible with the system.	Replace the USB extension cable if the system still does not recognise the iPod® after reconnecting the cable properly a number of times.
	The cable is rapidly connected to or disconnected from the USB connection port.	Slowly connect or disconnect the USB cable.
An iPod® cannot be operated.	The iPod® is connected to the in-vehicle audio system while headsets, etc. are connected to the iPod®.	Remove all equipment from the iPod® after disconnecting the iPod® from the system, and then connect it to the system again.
	The iPod® is not operating normally.	Disconnect the iPod® from the in-vehicle audio system, and then connect it to the system again.
	The system plays back an album/file that includes a particular album art.	Disconnect the iPod® from the in-vehicle audio system, and then reset the iPod®. Disable the album art, and then connect the iPod® to the system.
An iPod® does not respond.	There are too many files in a category.	Decrease the number of files in a category (less than 65500 files).
	The shuffle function is turned on.	Turn off the shuffle function if many files are stored on the iPod®.
Music cannot be played back.	A connector is not connected to the iPod®.	Firmly connect the connector to the iPod®.

10. Troubleshooting guide

Symptom	Possible cause	Possible solution
Playback cuts out.	The sound cuts due to vibration resulting from an unstable location of the iPod®.	Place the iPod® on a stable location where it does not roll over.
Battery charge of an iPod® takes longer.	Battery charge of the iPod® may take longer while an iPod® is playing back.	If the iPod® needs to be charged, it is recommended to stop playing the music.
Battery charge of an iPod® is unavailable.	The cable that is connected to the iPod® may be damaged or improperly connected.	Check the cable currently in use.
Functions cannot be operated using an iPod® that is connected to the in-vehicle audio system.	-	The operation of an iPod® must be performed using the in-vehicle audio system after the iPod® is connected to the system.
Sound skips.	Surrounding circumstances (noise, etc.) may cause the sound to skip.	This does not indicate a malfunction.
	A USB extension cable is used.	Do not use a USB extension cable.

USB memory device

Symptom	Possible cause	Possible solution
The system does not recognise a USB device.	A USB extension cable is used.	Do not use a USB extension cable.
	A USB hub is used.	Do not use a USB hub.
	A USB device is rapidly connected to or disconnected from the USB connection port.	Slowly connect or disconnect the USB device.

10. Troubleshooting guide

Bluetooth® audio

Symptom	Possible cause	Possible solution
Registration cannot be performed.	The Bluetooth® audio device is not compatible with the in-vehicle audio system.	Check the Bluetooth® audio device Owner's Manual.
	Bluetooth® is disabled on device.	Check that the Bluetooth® function is enabled on device.
	The PIN code is incorrect.	Check the PIN code for the Bluetooth® audio device that is to be registered.
		Check that the PIN code for the Bluetooth® audio device is consistent with that for the invehicle audio system.
	Another Bluetooth® device is used in the vehicle.	Turn off the other Bluetooth® device until the registration is completed.
Music cannot be played back.	The Bluetooth® audio device is not compatible with the in-vehicle audio system.	Check the Bluetooth® audio device Owner's Manual.
	The system is not set to the Bluetooth® audio mode.	Touch [] and select the Bluetooth® audio mode.  "Selecting audio source" (page 5-8)
	A Bluetooth® adapter is turned off.	Turn on a Bluetooth® adapter when it is used for a Bluetooth® audio device.

Symptom	Possible cause	Possible solution
Playback stops.	The Bluetooth® audio device is not compatible with the in-vehicle audio system.	Visit https://www.mitsubishi-motors.com/en/products/SDA/ to check Bluetooth® audio device compatibility.
	A cellular call is active.	This is not a malfunction.
	Sound may cut out when a Bluetooth® audio device is operated.	Touch [] and select the Bluetooth® audio mode, and then operate a function on the touch screen display of the in-vehicle system instead of conducting the operation on the Bluetooth® audio device.
Audio operation cannot be performed.	A Bluetooth® audio device that does not support audio operations is in use.	Visit https://www.mitsubishi-motors.com/en/products/SDA/ to check Bluetooth® audio device compatibility.
	An error occurs when connecting to a Bluetooth® audio profile.	Turn the power source of the Bluetooth® audio player off and on, and then resume connection with the system.

Bluetooth® Hands-Free Phone System

Symptom	Possible cause	Possible solution
A cellular phone cannot be registered.	The cellular phone is not compatible with the in-vehicle hands-free phone system.	Use a cellular phone compatible with the system. Visit https://www.mitsubishi-motors.com/en/products/SDA/ to check compatibility.
	Registration of the cellular phone has been performed incorrectly.	Check the registration procedure, and then register the cellular phone again.
A cellular phone cannot be connected or is disconnected after the registration is completed.	The Bluetooth® setting of the in-vehicle hands-free phone system is turned off.	Turn on the Bluetooth® setting of the system.
	The Bluetooth® setting of the cellular phone is turned off.	Turn on the Bluetooth® setting of the cellular phone.
	The remaining battery level of the cellular phone is low.	Charge the battery of the cellular phone.
	The wireless Bluetooth® connection may be disrupted depending on the location of the cellular phone.	Do not place the cellular phone in an area surrounded by metal or far away from the invehicle hands-free phone system. Do not place the cellular phone close to the seats or your body.
	Registration of the cellular phone is not completed.	Perform registration of the cellular phone.
A call to a particular phone number fails.	If the system tries to make a call several times to the same phone number (for example: the party does not respond to the call, the party is out of the service area, or the call is abandoned before the party responds), the system may reject a request to make a call to the phone number.	Turn off the cellular phone and turn it on again to reset the connection.

Symptom	Possible cause	Possible solution
The system does not recognise the connection of a cellular phone. The system does not receive or make a call.	The cellular phone is not compatible with the in-vehicle hands-free phone system.	Use a cellular phone compatible with the system. Visit https://www.mitsubishi-motors.com/en/products/SDA/ to check compatibility.
	The cellular phone is not connected.	Check the registration procedure, and then register the cellular phone again.
	The phone operation is limited by the functions (such as dial lock, etc.) of the registered cellular phone.	Remove any settings that are limiting use of the cellular phone, and then perform registration again.
The other party cannot hear your voice. The other party can hear your voice, but it cracks or cuts out.	Mute function is enabled.	Verify mute function is disabled.
	The cellular phone is not connected.	Check the registration procedure, and then register the cellular phone again.
	The fan speed of the heater/air conditioner is too fast.	Decrease the fan speed of the heater/air conditioner.
	The ambient noise level is excessive. (For example: heavy rain, construction sites, inside a tunnel, oncoming vehicles, etc.)	Close the windows to shut out ambient noise.
	The noise generated by driving the vehicle is too loud.	Reduce the vehicle speed.
	The incoming voice volume is too loud/soft.	Adjust the volume using <  /VOL> or <  > on the steering wheel.
	The outgoing voice volume is too loud/soft.	Adjust the volume from volume adjustment screen.
The voice is cut out or noise is heard during a call.	The wireless Bluetooth® connection may be disrupted depending on the location of the cellular phone.	Do not place the cellular phone in an area surrounded by metal or far away from the invehicle hands-free phone system. Do not place a cellular phone close to the seats or your body.
When a cellular phone is operated to make a call, the hands-free function becomes unavailable.	Some models of a cellular phone do not switch to the hands-free mode when they are operated to make a call.	This is not a malfunction. Make another call using the hands-free function.
The other party's voice cannot be heard. There is no ringtone.	The volume level is set to the minimum.	Adjust the volume level.
	A cellular phone is not connected.	Check the registration procedure, and then register the cellular phone again.

10. Troubleshooting guide

Symptom	Possible cause	Possible solution
Each volume level (ringtone, incoming voice or outgoing voice) is different.	Each volume level is not adjusted properly.	Adjust each volume level properly.
The antenna display is different between the touch screen display and a cellular phone screen. Making or receiving a call is unavailable even though the antenna display shows that it is possible to do so.	The antenna display varies depending on the model of cellular phone.	This does not indicate a malfunction. The antenna display and remaining battery level shown on the touch screen display may be different from those shown on the cellular phone screen. Use them as a reference.
A voice cannot be heard clearly when using a cellular phone behind tall buildings.	Some structures such as tall buildings, etc. may cause irregular reflection of radio waves or completely shut out radio waves that are used for cellular phones.	Move to a place without tall buildings.
Noise is heard when using a cellular phone under/near areas of elevated railroads, high voltage electric power cables, traffic signals, neon billboards, etc.	Electromagnetic waves that are generated from radio devices may adversely affect the cellular phone.	This is not a malfunction.
Noise is heard in the sound from the audio system while using a cellular phone.	Radio waves that are generated from a cellular phone may adversely affect the sound from the audio system.	This is not a malfunction.
Sound skips or stutters.	The cellular phone may have turned on the wireless LAN (Wi-Fi).	Turn off the wireless LAN (Wi-Fi).
Phonebook cannot be downloaded.	An error occurred during the phone pairing process.	Please delete the Bluetooth® pairing information from both the cellular phone and vehicle system before registering it again.
	Phone does not support phonebook download function.	Visit https://www.mitsubishi-motors.com/en/products/SDA/ to check compatibility.

MITSUBISHI CONNECT

Symptom	Possible cause	Possible solution
The system cannot connect to the MITSUBISHI CONNECT Data Centre.	A subscription for the MITSUBISHI CONNECT has not been established.	Sign up for a subscription to the MITSUBISHI CONNECT. For details about subscriptions, visit the website.  “MITSUBISHI CONNECT features” (page 7-5)
	The communication line is busy.	Try again after a short period of time.
	The vehicle is in a location where it is difficult to receive radio waves.	When the vehicle moves to an area where radio waves can be transmitted sufficiently, communication will be restored. When the icon on the display shows that the vehicle is inside the communication area, the system can be used.
	TCU (Telematics Control Unit) is not turned on.	If the icon does not show that the vehicle is inside the communication area despite the fact that the vehicle is in that location, visit the website.  “MITSUBISHI CONNECT features” (page 7-5)
	Radio wave reception is not sufficient for TCU (Telematics Control Unit) operation.	When the vehicle moves to an area where radio waves can be transmitted sufficiently, communication will be restored. When the icon on the display shows that the vehicle is inside the communication area, the system can be used.
Some of the items that are displayed on the menu screen cannot be selected.	The vehicle is being driven and some menu items are disabled.	Stop the vehicle in a safe location and apply the parking brake before operating the menu screen items.
Some parts of the screen are not displayed.	The vehicle is being driven and some menu items are disabled.	Operate the system after stopping the vehicle in a safe location and applying the parking brake.
The system does not announce information.	The volume level is set to the minimum.	Adjust the volume level by operating <  /VOL> or <  > on the steering wheel switch while the system is announcing information.

10. Troubleshooting guide

Symptom	Possible cause	Possible solution
Remote operation does not work correctly.	Remote operation is performed immediately after disembarkation.	If you operate the remote immediately after disembarking the vehicle, it may not work correctly. In this case, wait 1-2 minutes and try again.

Apple CarPlay®

Symptom	Cause and Countermeasure
Cannot start Apple CarPlay® though it is tethered to the vehicle.	The USB cable is not connected to the USB connection port. Properly connect the USB cable to the USB connection port.  “USB (Universal Serial Bus) connection ports” (page 3-5)
	[Start-up Options] is in a setting where Apple CarPlay® does not start. Change the setting.  “Setting Apple CarPlay®” (page 3-15)
	Use an Apple Lightning™ cable (Mfi certified) to connect your phone to the USB connection port and check that the cable is not broken.
	Apple CarPlay® setting is not active on your iPhone®. Turn on “CarPlay” on your iPhone®.
	The device is not compatible with Apple CarPlay®. Check the compatibility requirements.
Cannot use wireless Apple CarPlay®.	The wireless connection is not completed properly. To activate wireless Apple CarPlay®, touch [] on the Connections settings screen.  “Connections settings” (page 3-13)
	The wireless connection is not completed properly.  “Connecting iPhone®” (page 7-12)
	Delete iPhone® on the devices list and reconnect it to the in-vehicle system.
	 “Setting Bluetooth®” (page 3-14)
Apple CarPlay® performance decreases. For example, slow connectivity or slow application functionality. or An error message appears when trying to access features of Apple CarPlay®. A blank screen appears when trying to access maps.	Confirm you have a compatible iPhone®, a cellular connection and an active data plan.
	Use an Apple Lightning™ cable (Mfi certified) to connect your phone to the USB connection port.
	Phone’s performance or cellular connection. Disconnect and reconnect your phone.
	Phone’s performance or cellular connection. Cycle phone power off/on to restart.

10. Troubleshooting guide

Symptom	Cause and Countermeasure
Cannot access Siri® using <  > on the steering wheel.	The USB cable may not be properly connected. Disconnect and reconnect the USB cable.
	Siri® setting is not enabled on the phone. Turn on Siri® on your phone.
	Check that you are pushing and holding <  > instead of just pushing the switch to initiate Siri® operation.

Android Auto

Symptom	Cause and Countermeasure
Cannot start Android Auto though it is connected to the vehicle.	The USB cable is not connected to the USB connection port. Properly connect the USB cable to the USB connection port.  “USB (Universal Serial Bus) connection ports” (page 3-5)
	[Start-up Options] is in a setting where Android Auto does not start. Change the setting.  “Setting Android Auto” (page 3-16)
	To activate Android Auto, touch [] on the Launch Bar or touch [Smartphone Projection] on the apps menu and then touch [Android Auto].  “Apps/Info menu” (page 7-2)
	Delete Android phone on the devices list and reconnect it to the in-vehicle system.  “Setting Bluetooth [®] ” (page 3-14)
	The connected device is not compatible with Android Auto. Check the compatibility requirements.
	Your Android phone may not be recognised if its battery is low. Charge your Android phone then try again.
Android Auto performance decreases. For example, slow connectivity or slow application functionality, or An error message appears when trying to access features of Android Auto. A blank screen appears when trying to access maps.	Confirm you have a compatible Android phone, a cellular connection and an active data plan.
	Use the Android phone OEM cable to connect your phone to the USB connection port.
	Phone's performance or cellular connection. Disconnect and reconnect your phone.
	Phone's performance or cellular connection. Close all apps and restart them.
	Phone's performance or cellular connection. Cycle phone power off/on to restart.
Cannot start voice operation using <  > on the steering wheel.	The USB cable may not be properly connected. Disconnect and reconnect the USB cable.
	Voice operation cannot be performed while driving. Turn on appropriate settings on your Android phone.
	Check that you are pushing and holding <  > instead of just pushing the switch to initiate voice operation.

Siri® Eyes Free

Symptom	Cause and Countermeasure
Cannot access Siri® Eyes Free using <  > on the steering wheel.	Check if a Bluetooth® connection is established between the iPhone® and the system.
	Check if Siri® is enabled on the device. On your phone, go to Siri® setting.
	Check that Siri® can be accessed from the device lock screen. This can be set in the settings menu of your phone.
Audio source does not change automatically to iPod® or Bluetooth® Audio mode.	For best results, use the native music app. Performance of music control function while using Podcasts, Audiobook or other third party music apps may vary.
	For best results, play media already stored on your device. Streaming music or playback from cloud storage may degrade performance.
	Switch the source manually.  “Selecting audio source” (page 5-8)
Play, pause, next track, previous track or play timer does not work.	For best results, use the native music app. Performance of music control function while using Podcasts, Audiobook or other third party music apps may vary and is controlled by the device.
Cannot hear any music/audio being played back from a connected iPhone®.	Check that the audio source is set to Bluetooth® Audio or iPod® mode. A USB connection is required for iPod® mode.
Cannot hear map turn-by-turn direction guidance from a connected iPhone®.	Check that the audio source is set to Bluetooth® Audio or iPod® mode. A USB connection is required for iPod® mode.
Cannot receive text message notifications on the vehicle audio system.	Check if notification setting is enabled on your phone.
Cannot reply to text message notifications using Siri® Eyes Free.	After receiving an incoming text message, follow the on-screen guidance. Push and hold <  > on the steering wheel for Siri® Eyes Free operation. After Siri® Eyes Free starts, speak an appropriate command to reply to the message using Siri® Eyes Free.

Navigation

Basic operations

Symptom	Possible cause	Possible solution
No image is displayed.	The brightness is at the lowest setting.	Adjust the brightness of the display.
	The display is turned off.	Push <☀/🌙> to turn on the display.
The volume of the voice guidance is too high or too low.	The volume is not set correctly, or the voice guidance setting is turned off.	Adjust the volume of the voice guidance or turn on the voice guidance setting.
No map is displayed on the screen.	A screen other than a map screen is displayed.	Touch [] on the Launch Bar.
The screen is too dim. The movement is slow.	The temperature in the interior of the vehicle is low.	Wait until the interior of the vehicle has warmed up.
Some pixels in the display are darker or brighter than others.	This condition is an inherent characteristic of liquid crystal displays.	This is not a malfunction.
Some menu items cannot be selected.	Some menu items become unavailable while the vehicle is driven.	Park the vehicle in a safe location, and then operate the navigation system.

10. Troubleshooting guide

Map screen

Symptom	Possible cause	Possible solution
Names of roads and locations differ between 2D and 3D view.	This is because the quantity of the displayed information is reduced so that the screen does not become too cluttered. There is also a chance that names of the roads or locations may be displayed multiple times, and the names appearing on the screen may be different because of a processing procedure.	This is not a malfunction.
The location of the vehicle icon is misaligned from the actual position.	The vehicle was transported after the electric motor switch was placed in the OFF position, for example, by a ferry or car transporter.	Drive the vehicle for a period of time on a road where GPS (Global Positioning System) signals can be received.
	The position and direction of the vehicle icon may be incorrect depending on the driving environments and the levels of positioning accuracy of the navigation system.	This is not a malfunction. Drive the vehicle for a period of time to automatically correct the position and direction of the vehicle icon.  “Current vehicle location” (page 8-31)
	Driving with tyre chains or tyres that have been replaced may result in an incorrect vehicle location display due to miscalculation by the speed sensor.	Drive the vehicle for a period of time (at approximately 30 km/h for about 30 minutes) to automatically correct the vehicle icon position. If this does not correct the vehicle icon position, it is recommended you contact a MITSUBISHI MOTORS Authorised Service Point.
	The map data has a mistake or is incomplete (the vehicle icon position is always misaligned in the same area).	Updated road information will be included in the next version of the map data.  “How to update map data” (page 8-37)
When the vehicle is travelling on a new road, the vehicle icon is located on another road nearby.	Because the new road is not stored in the map data, the system automatically places the vehicle icon on the nearest road available.	Updated road information will be included in the next version of the map data.  “How to update map data” (page 8-37)

Symptom	Possible cause	Possible solution
The screen does not switch to the night screen even after turning on the headlamps.	The daytime screen was set the last time the headlamps were turned on.	Set the screen to the night screen mode using <  /D> when turning on the headlamps.
The map does not scroll even when the vehicle is moving.	The current location map screen is not displayed.	Touch [] on the Launch Bar.
The vehicle icon is not displayed.	The current location map screen is not displayed.	Touch [] on the Launch Bar.

10. Troubleshooting guide

Route calculation and visual guidance

Symptom	Possible cause	Possible solution
Waypoints are not included in the auto reroute calculation.	Waypoints that have been already passed are not included in the auto reroute calculation.	To go to that waypoint again, edit the route.
Route information is not displayed.	Route calculation has not yet been performed.	Set the destination and perform route calculation.
	The vehicle is not on the suggested route.	Drive on the suggested route.
	Route guidance is turned off.	Turn on route guidance.
	Route information is not provided for certain types of roads.	This is not a malfunction.
The auto reroute calculation (or detour calculation) suggests the same route as the one previously suggested.	Route calculations took priority conditions into consideration, but the same route was calculated.	This is not a malfunction.
A waypoint cannot be added.	A maximum number of waypoints are already set on the route, including ones that the vehicle has already passed.	To go to more than a maximum number of waypoints, perform route calculations multiple times as necessary.
The suggested route is not displayed.	Roads near the destination cannot be calculated.	Reset the destination to a main or ordinary road, and recalculate the route.
	The starting point and destination are too close.	Set a more distant destination.
	The starting point and destination are too far away.	Divide the trip by selecting one or two intermediate destinations, and perform route calculations multiple times.
	There are time restricted roads (by the day of the week, by time) near the current vehicle location or destination.	Select [Do Not Use Restriction Info] in the [Use Time Restricted Roads] setting.  “Routing preferences” (page 8-17)
A part of the route is not displayed.	The suggested route includes narrow streets.	This is not a malfunction.

Symptom	Possible cause	Possible solution
The part of the route that the vehicle has already passed is deleted.	A route is managed by sections between waypoints. If the vehicle passed the first waypoint, the section between the starting point and the waypoint is deleted (it may not be deleted depending on the area).	This is not a malfunction.
An indirect route is suggested.	If there are restrictions (such as one-way streets) on roads close to the starting point or destination, the system may suggest an indirect route.	Adjust the location of the starting point or destination.
	The system may suggest an indirect route because route calculation does not take into consideration some areas such as narrow streets.	Reset the destination to a main or ordinary road, and recalculate the route.
The landmark information does not correspond to the actual information.	This may be caused by insufficient or incorrect map data.	Updated information will be included in the next version of the map data.  “How to update map data” (page 8-37)
The suggested route does not exactly connect to the starting point, waypoints or destination.	There is no data for route calculation closer to these locations.	Set the starting point, waypoints and destination on a main road, and perform route calculation.

10. Troubleshooting guide

Voice guidance

Symptom	Possible cause	Possible solution
Voice guidance is not available.	The vehicle has deviated from the suggested route.	Go back to the suggested route or request route calculation again.
	Voice guidance is turned off.	Turn on voice guidance.
	Route guidance is turned off.	Turn on route guidance.
The guidance content does not correspond to the actual road conditions.	The content of voice guidance may vary, depending on the types of intersections at which turns are made.	Follow all traffic rules and regulations.

Traffic information

Symptom	Possible cause	Possible solution
Traffic information is not displayed.	The Premium Traffic setting is turned off.	Turn on the Premium Traffic setting.  “Traffic information settings” (page 8-21)
	The vehicle is in an area where traffic information is not available.	Scroll to an area where traffic information is available.
	The map scale is set at a level where the display of icons is impossible.	Check that the map scale is set at a level in which the display of icons is possible.
The suggested detour route does not avoid congested areas.	A faster route was not found, based on the road network and available traffic information.	The automatic detour search is not intended for avoiding traffic jams. It searches for the fastest route taking conditions such as traffic jams into consideration. Follow the suggested route.
The route does not avoid a road section with traffic information stating that it is closed due to road construction.	The navigation system does not avoid roads under construction if the day and time of the actual roadwork differs from the one that was declared.	Observe the actual road conditions and follow the instructions on the road to make a detour when necessary. If the road is closed, use the detour function and set the detour distance to avoid the road section that is closed.

Voice recognition

Symptom	Possible cause	Possible solution
The system does not operate or fails to interpret the command correctly.	The interior of the vehicle is too noisy.	Close the windows or have the other occupants be quiet.
	The fan speed of the heater/air conditioner is too fast.	Decrease the fan speed of the heater/air conditioner.
	The noise generated by driving the vehicle is too loud.	Reduce the vehicle speed.
	The voice command is spoken in a low voice.	Speak the command in a louder voice.
	The timing of speaking a command is too early.	Speak the command after confirming the following: a voice guidance is announced, a tone sounds, and a wave animation is displayed on the screen.
	The command is spoken too slowly.	Speak in a natural voice without pausing between words.
The system prompts to repeat a command.	Pronunciation is unclear.	Speak clearly.
	The command is spoken too late after the tone.	Speak the command within several seconds after confirming the following: a voice guidance is announced, a tone sounds, and a wave animation is displayed on the screen.
	An improper command is spoken.	Speak the command or a number that is displayed on the screen.
		Speak a command that is shown in the command list.
The system does not correctly recognise a number spoken.	Too many numbers are spoken at once.	Place a pause between the appropriate digits for correct recognition by the system. When speaking a phone number, place a pause between area codes, dial codes, etc.
USB memory device cannot be operated with voice commands.	Depending on the device, iPhone® or iPod® may be recognised as a USB memory device.	This is not a malfunction.
The USB/iPod® operation screen is greyed out.	The audio device is not connected.	Connect an audio device to the system.

Symptom	Possible cause	Possible solution
An error message is displayed when trying to select a file and operate USB/iPod®.	The file information is being processed for registration by the system.	Song information will be loaded into the system when a new audio device is registered for the first time or when the song information in the pre-registered device has been changed. Please wait for the loading to complete which may take a few minutes to up to an hour.
	A number of songs exceeding the amount the device can contain are stored in the connected audio device.	Decrease the number of songs stored in the audio device.
	No song is stored in the audio device.	Store songs in the connected audio device. Storing songs with information such as artist name, album name, song name, playlist, etc., will make voice recognition song search available.

10. Troubleshooting guide

MEMO

A

About route guidance.....	8-13
Android Auto.....	7-15
Apple CarPlay®.....	7-12
Apps/Info menu	7-2
Audio operation precautions.....	5-2
Audio operations.....	5-8

B

Bluetooth® audio.....	5-8
Bluetooth® Hands-Free Phone system.....	6-2
Building graphics	8-5

C

Changing scale of map	8-7
Charging station icons.....	4-3
Charging station information	2-2
Climate Control Timer setting screen.....	4-7
Connecting Bluetooth® Hands-Free Phone	6-4
Connecting to Interactive Voice Menu	7-9
Connections settings	3-13

Control buttons and touch screen display.....	3-2
Current vehicle location	8-31

D

Deleting stored item.....	8-27
Destination setting menu.....	8-10
Displaying charging station icons on map	4-2
Displaying navigation screen	8-2
During a call	6-5

E

Editing route.....	8-18
Editing stored information.....	8-24
Energy usage information display	2-2, 4-4
EV menu screen	4-2

F

Favourite.....	6-11
Functions disabled while driving.....	3-8

G

Giving voice commands.....	9-2
----------------------------	-----

H

Hands-free text messaging assistant.....	6-6
--	-----

L

Legal disclaimer.....	1-5
Licences.....	1-6
Liquid crystal display.....	3-2
Log-in screen.....	3-6

M

Making a call	6-4
Map menu screen	8-7
Map types.....	8-3
Map update.....	8-37
Map view settings.....	8-8
MITSUBISHI CONNECT	7-4
Moving map	8-6

N

Navigation screen.....	8-2
Navigation settings.....	8-30

11. Index

O

Operating tips for timer charge..... 4-5

P

Phone..... 6-4

Phone selection 6-4

Phone settings 6-9

Q

Quick settings 3-13

R

Radio 5-2, 5-9

Receiving a call..... 6-5

Route calculation 8-34

Route guidance 8-13, 8-36

S

Safety information..... 1-3, 8-2

Setting Bluetooth®..... 3-14

Setting Climate Control Timer 4-6

Setting timer charge..... 4-4

Settings menu 3-10

Siri® eyes free 7-17

Starting 3-6

Starting system 3-6

Storing a location/route..... 8-22

Storing areas to avoid..... 8-23

Storing home location 8-22

Storing location..... 8-22

Storing route..... 8-23

Subscription to MITSUBISHI
CONNECT 7-4

System features 2-2

System settings 3-10

System update..... 3-18

System voice settings..... 9-4

T

Text message settings..... 6-9

Timer charge setting screen 4-5

Timer function operation..... 4-4

Timer functions..... 2-3

Touch screen display..... 3-2

Trademarks 1-4

Traffic information settings 8-21

U

Unique Plug-in Hybrid EV functions 2-2

USB (Universal Serial Bus) connection
ports..... 3-5

USB memory device care and
cleaning..... 5-22

V

Viewing energy usage information 4-4

Viewing traffic information 8-20

Voice guidance settings 8-19

Voice Prompt Interrupt..... 9-3

Voice recognition 9-2

A) Generic information:

Manufacturer Postal Address

Robert Bosch GmbH
Robert-Bosch-Platz 1, 70839 GERLINGEN, GERMANY

B) Language Text:

01_RED_BG_Bulgarian	
ОПРОСТЕНА ЕС ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ	С настоящия документ [Robert Bosch GmbH], декларира, че [the radio equipment type MMCSBXEUR] съответстват с Директива 2014/53/ЕС. За подробности посетете следния адрес: https://www.mitsubishimotors.com/en/hwc/eu/
	Честотни ленти, на които работи радиооборудването: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
	Максималната радиочестотна енергия, предавана по честотната лента (честотните ленти) на която/които работи радиооборудването: [WLAN ≤ 100 mW, BT ≤ 10 mW]
02_RED_ES_Spanish	
DECLARACIÓN UE DE CONFORMIDAD SIMPLIFICADA	Por la presente, [Robert Bosch GmbH], declara que [the radio equipment type MMCSBXEUR] cumple con la Directiva 2014/53/UE. Para más información, acceda a la siguiente URL: https://www.mitsubishimotors.com/en/hwc/eu/
	Banda(s) de frecuencia en que opera el equipo radioeléctrico: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
	Máxima potencia radioeléctrica transmitida en la(s) banda(s) de frecuencia en las que opera el equipo radioeléctrico: [WLAN ≤ 100 mW, BT ≤ 10 mW]
03_RED_CS_Czech	
ZJEDNODUŠENÉ EU PROHLÁŠENÍ O SHODĚ	Společnost [Robert Bosch GmbH], tímto prohlašuje, že [the radio equipment type MMCSBXEUR] dodržuje Nařízení 2014/53/EU. Podrobné informace naleznete na následující URL: https://www.mitsubishimotors.com/en/hwc/eu/
	Frekvenční pásmo (pásma), ve kterých rádiové zařízení funguje: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
	Maximální radiofrekvenční energie, přenášené v rámci frekvenčních pásem, ve kterých rádiové zařízení funguje: [WLAN ≤ 100 mW, BT ≤ 10 mW]

04_RED_DA_Dansih	
FORENKLET EU-OVERENSSTEMME LSESERKLÆRING	[Robert Bosch GmbH], erklærer herved, at [the radio equipment type MMCSBXEUR] er i overensstemmelse med Direktiv 2014/53/EU. For detaljer, bedes du adgang til følgende webadresse: https://www.mitsubishi-motors.com/en/rwc/eu/ Frekvensbåndet (er), hvor radiostyret driver: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maksimal radiofrekvens effekt transmitteret i frekvensbåndet (er), hvor radiostyret driver: [WLAN ≤ 100 mW, BT ≤ 10 mW]
05_RED_DE_German	
VEREINFACHTE EU-KONFORMITÄT SER KLARUNG	Hiermit erklärt [Robert Bosch GmbH], dass [the radio equipment type MMCSBXEUR] in Übereinstimmung mit der Richtlinie 2014/53/EU steht. Für Einzelheiten greifen Sie auf folgende URL zu: https://www.mitsubishi-motors.com/en/rwc/eu/ Frequenzband/Frequenzbänder, in dem das Funkgerät betrieben wird: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maximal übertragene Hochfrequenzleistung im Frequenzband/Frequenzbänder, in dem das Funkgerät betrieben wird: [WLAN ≤ 100 mW, BT ≤ 10 mW]
06_RED_ET_Estonian	
LIHTSUSTATUD ELI VASTAVUSDEKLARATSIOON	Käesolevaga teatab [Robert Bosch GmbH], et [the radio equipment type MMCSBXEUR] on kooskõlas Direktiiviga 2014/53/EL. Üksikasjade nägemiseks külastage võrguadressi: https://www.mitsubishi-motors.com/en/rwc/eu/ Sagedusala(d), milles raadioseade töötab: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maksimaalne saatetõhusus/võimsustihedus sagedusala(de)s, milles raadioseade töötab: [WLAN ≤ 100 mW, BT ≤ 10 mW]
07_RED_EL_Greek	
ΑΠΛΟΥΣΤΕΥΜΕΝΗ ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ	Με το παρόν, η[Robert Bosch GmbH], δηλώνει ότι τα[the radio equipment type MMCSBXEUR] συμμορφώνονται με την Οδηγία 2014/53/ΕΕ. Για λεπτομέρειες, επισκεφτείτε την εξής ιστοσελίδα: https://www.mitsubishi-motors.com/en/rwc/eu/ Ζώνες συχνοτήτων στις οποίες λειτουργεί ο ραδιοεξοπλισμός: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Μέγιστη εκπέμπόμενη ισχύς/ ραδιοσυχνότητες στις ζώνες συχνοτήτων στις οποίες λειτουργεί ο ραδιοεξοπλισμός: [WLAN ≤ 100 mW, BT ≤ 10 mW]
08_RED_EN_English	
SIMPLIFIED EU DECLARATION OF CONFORMITY	Hereby, [Robert Bosch GmbH], declares that [the radio equipment type MMCSBXEUR] are in compliance with Directive 2014/53/EU. For details, please access the following URL: https://www.mitsubishi-motors.com/en/rwc/eu/ Frequency band(s) in which the radio equipment operates: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maximum radio-frequency power transmitted in the frequency band(s) in which the radio equipment operates: [WLAN ≤ 100 mW, BT ≤ 10 mW]

09_RED_FR_French	
DECLARATION UE DE CONFORMITE SIMPLIFIEE	Par le présent document [Robert Bosch GmbH], déclare que [the radio equipment type MMCSBxEUR] sont conformes à la Directive 2014/53/UE. Pour plus d'informations visitez la page suivante: https://www.mitsubishi-motors.com/en/rwc/eu/ Bandes de fréquence dans lesquelles fonctionne l'appareil à radiofréquence: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Puissance radiofréquence maximale transmise dans la (les) bande(s) de fréquence dans laquelle/lesquelles l'appareil à radiofréquence fonctionne: [WLAN ≤ 100 mW, BT ≤ 10 mW]
10_RED_IS_Icelandic	
EINFÖLDUÐ ESB- SAMRÆMISYFIRL ÝSING	Hér, [Robert Bosch GmbH], segir að [the radio equipment type MMCSBxEUR] þeir eru í samræmi við Úrskurð 2014/53/ESB. Fyrir frekari upplýsingar, vinsamlegast aðganga að eftirfarandi URL: https://www.mitsubishi-motors.com/en/rwc/eu/ Tíðnisviði (s) sem þráðlausan búnað undirrita burt: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Mámarks útvarp-tíðni máttur miðlað á tíðnisviðinu (s) sem þráðlausan búnað undirrita burt: [WLAN ≤ 100 mW, BT ≤ 10 mW]
11_RED_HR_Croatian	
POJEDNOSTAVLJ ENA EU IZJAVA O SUKLADNOSTI	Ovim putem tvrtka [Robert Bosch GmbH], objavljuje da je [the radio equipment type MMCSBxEUR] sukladna s Direktivom 2014/53/EU. Za pojedinosti posjetite sljedeći URL: https://www.mitsubishi-motors.com/en/rwc/eu/ Frekvencijski pojas (pojasevi) u kojima radi radio oprema: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maksimalna snaga radio frekvencije prenesena u frekvencijske pojaseve u kojima radi radio oprema: [WLAN ≤ 100 mW, BT ≤ 10 mW]
12_RED_IT_Italian	
DICHIARAZIONE DI CONFORMITÀ UE SEMPLIFICATA	Con la presente, [Robert Bosch GmbH], dichiara che [the radio equipment type MMCSBxEUR] sono conformi alla Direttiva 2014/53/UE. Per ulteriori dettagli, accedere al seguente URL: https://www.mitsubishi-motors.com/en/rwc/eu/ Bande di frequenza su cui operano le apparecchiature radio: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Massima alimentazione a radiofrequenza trasmessa sulla/e banda/e di frequenza su cui operano le apparecchiature radio: [WLAN ≤ 100 mW, BT ≤ 10 mW]

13_RED_LV_Latvian	
VIENKÁRŠOTA ES ATBILSTĪBAS DEKLARĀCIJA	Ar šo uzņēmums [Robert Bosch GmbH], apstiprina, ka [the radio equipment type MMCSEXEUR] atbilst Direktīvas 2014/53/ES prasībām. Detalizētu informāciju, lūdzu, skatiet šajā vietnē URL: https://www.mitsubishi-motors.com/en/rwc/eur/
	Frekvences josla(-s), kurās darbojas radio aprīkojums: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
	Radio aprīkojuma darbības frekvenču josla(-s) raidītā maksimālā radiofrekvences jauda: [WLAN ≤ 100 mW, BT ≤ 10 mW]
14_RED_LT_Lithuanian	
SUPAPRASTINTA ES ATITIKTIES DEKLARACIJA	Šiu dokumentu [Robert Bosch GmbH], pareiškia, kad [the radio equipment type MMCSEXEUR] atitinka Direktivą 2014/53/ES. Norėdami išsamesnės informacijos, apsilankykite šiuo URL adresu: https://www.mitsubishi-motors.com/en/rwc/eur/
	Dažnio juosta (-os), kurią veikia radijo įranga: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
	Didžiausia radijo dažnio galia, perduodama dažnio juosta (-os), kurią veikia radijo įranga: [WLAN ≤ 100 mW, BT ≤ 10 mW]
15_RED_HU_Hungarian	
EGYSZERŰSÍTETT EU- MEGFELELŐSÉGI NYILATKOZAT	Alulírott, [Robert Bosch GmbH], kijelenti, hogy [the radio equipment type MMCSEXEUR] megfelel a 2014/53/EU irányelvnek. A részletekért nyissa meg a következő URL címet: https://www.mitsubishi-motors.com/en/rwc/eur/
	A rádióberendezés működéséhez szükséges frekvenciasáv(ok): [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
	A rádióberendezés működéséhez szükséges frekvenciasáv(ok) maximális rádiófrekvenciás teljesítménye: [WLAN ≤ 100 mW, BT ≤ 10 mW]
16_RED_MT_Maltese	
DIKJARAZZJONI SSIMPLIFIKATA TA' KONFORMITA' TAL-UE	[Robert Bosch GmbH], iddikjara li [the radio equipment type MMCSEXEUR] huma f'konformita' mad-Direttiva 2014/53/UE. Għal dettalji, jekk jogħġbok aċċessa l-URL li ġejja: https://www.mitsubishi-motors.com/en/rwc/eur/
	Medda/(meded) ta' frekwenza li fiha jopera l-tagħmir tar-radiju: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
	Qawwa massima tal-medda ta' frekwenza tar-radiju trażmessa fil-medda/(meded) tal-frekwenza li fiha jopera l-tagħmir tar-radiju: [WLAN ≤ 100 mW, BT ≤ 10 mW]

17_RED_NL_Dutch	Hiermee verklaart [Robert Bosch GmbH], dat [the radio equipment type MMCSSXEUR] in overeenstemming zijn met Richtlijn 2014/53/EU. Klik voor meer informatie op de onderstaande link: https://www.mitsubishi-motors.com/en/rwc/eu/ Frequentieband(en) waarop de radioapparatuur werkt: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maximum radiofrequentie-vermogen doorgegeven in de frequentieband(en) waarop de radioapparatuur werkt: [WLAN ≤ 100 mW, BT ≤ 10 mW]
18_RED_PL_Polish	
UPROSZCZONA DEKLARACJA ZGODNOŚCI UE	[Robert Bosch GmbH], niniejszym oświadcza, że produkty [the radio equipment type MMCSSXEUR] spełniają wymogi Dyrektywy 2014/53/UE. Szczegółowe informacje są dostępne pod następującym adresem URL: https://www.mitsubishi-motors.com/en/rwc/eu/ Pasmo(-a) częstotliwości obsługiwane przez sprzęt radiowy: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maksymalna przesyłana moc o częstotliwości radiowej w paśmie (pasmach) częstotliwości obsługiwanych przez sprzęt radiowy: [WLAN ≤ 100 mW, BT ≤ 10 mW]
19_RED_PT_Portuguese	
DECLARAÇÃO UE DE CONFORMIDADE SIMPLIFICADA	Por isto, [Robert Bosch GmbH], declara que [the radio equipment type MMCSSXEUR] estão em conformidade com a Directiva 2014/53/UE. Para mais detalhes, favor aceder acessar ao seguinte URL: https://www.mitsubishi-motors.com/en/rwc/eu/ Banda (s) de frequência em que o equipamento de rádio opera: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Potência máxima de radiofrequência transmitida na (s) faixa (s) de frequência em que o equipamento de rádio opera: [WLAN ≤ 100 mW, BT ≤ 10 mW]
20_RED_RO_Romanian	
DECLARAȚIA UE DE CONFORMITATE SIMPLIFICATĂ	Prin prezenta, [Robert Bosch GmbH], declară că [the radio equipment type MMCSSXEUR] sunt în conformitate cu Directiva 2014/53/UE. Pentru detalii, accesați următorul URL: https://www.mitsubishi-motors.com/en/rwc/eu/ Banda/benzi de frecvență în care funcționează echipamentul radio: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Puterea maximă a frecvenței radio transmisă în banda/benzile de frecvență în care funcționează echipamentul radio: [WLAN ≤ 100 mW, BT ≤ 10 mW]

21_RED_SK_Slovak	
ZJEDNODUŠENÉ EÚ VYHLÁSENIE O ZHODE	Spoločnosť [Robert Bosch GmbH], týmto vyhlasuje, že [the radio equipment type MMCSBxEUR] dodržiava Smernicu 2014/53/EU. Podrobné informácie nájdete na nasledujúcej URL: https://www.mitsubishimotors.com/en/nw/c/eu/ Frekvénčné pásma, v ktorých toto rádiové zariadenie funguje: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maximálna rádiovofrekvenčná energia prenášaná v týchto rádiových pásmach: [WLAN ≤ 100 mW, BT ≤ 10 mW]
22_RED_SL_Slovenian	
POENOSTAVLJEN A IZJAVA EU O SKLADNOSTI	S tem podjetje [Robert Bosch GmbH], izjavlja, da so [the radio equipment type MMCSBxEUR] v skladu z Direktivo 2014/53/EU. Za podrobnosti odprite naslednji URL: https://www.mitsubishimotors.com/en/nw/c/eu/ Frekvenčni pas(ovi) v katerih deluje radijska oprema: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Največja radio-frekvenčna moč oddajana v frekvenčnem(ih) pasu(ovih), v katerem radijska oprema deluje: [WLAN ≤ 100 mW, BT ≤ 10 mW]
23_RED_FL_Finnish	
YKSINKERTAISTETTU EU- VAATIMUSTENMUKAIS UUSVAKUUTUS	[Robert Bosch GmbH], ilmoittaa täten, että [the radio equipment type MMCSBxEUR] noudattaa Direktiivin 2014/53/EU vaatimuksia. Saadaksesi lisätietoja, käytä seuraavaa URL-osoitetta: https://www.mitsubishimotors.com/en/nw/c/eu/ Taajuusalue(et), jolla radiolaitte toimii: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Suurin radiolaitteen lähetettävä tehon taajuusalueella/-alueilla, jolla radiolaitte toimii: [WLAN ≤ 100 mW, BT ≤ 10 mW]
24_RED_SV_Swedish	
FÖRENKLAD EU- FÖRSÄKRAN OM ÖVERENSSTÄMMELSE	[Robert Bosch GmbH] förklarar jag härmed att [the radio equipment type MMCSBxEUR] är i enlighet med Direktiv 2014/53/EU. För detaljer vänligen använd följande webbläsare: https://www.mitsubishimotors.com/en/nw/c/eu/ Frekvensband (er) i vilken radio utrustning en arbetar: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maximala radiofrekvens makt överförs i frekvens mottagningsläger som driver radioutrustning: [WLAN ≤ 100 mW, BT ≤ 10 mW]
25_RED_NO_Norwegian	
FORENKLET EU KONFORMITETSE RKLÆRING	Herved [Robert Bosch GmbH], erklærer at [the radio equipment type MMCSBxEUR] samsvarer med Resolusjon 2014/53/EU. For ytterligere informasjon, vennligst sjekk følgende URL: https://www.mitsubishimotors.com/en/nw/c/eu/ Frekvens bånd (s) der radioutstyret fungerer: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver] Maksimal radiofrekvensen strøm ble sendt i frekvensbånd(s) som radioutstyret fungerer: [WLAN ≤ 100 mW, BT ≤ 10 mW]

26_RED_TR_Turkish	AB UYGUNLUK BASITLEŞTİRLİMİ Ş BEYAN	[Robert Bosch GmbH], şirketi [the radio equipment type MMCSBXEUR] ürünlerinin 2014/53/EU Direktifi ile uyumlu olduğunu beyan eder. Ayrıntılar için lütfen aşağıdaki URL'ye erişin: https://www.mitsubishimotors.com/en/rwc/eu/
		Radio ekipmanının çalıştığı frekans bantları: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
		Radio ekipmanının çalıştığı frekans bantlarında iletilen maksimum radyofrekans gücü: [WLAN ≤ 100 mW, BT ≤ 10 mW]
27_RED_MK_Macedonian	ПОЕДНОСТАВЕН А ДЕКЛАРАЦИЈА ЗА СОГЛАСНОСТ НА ЕУ	Со оттука, [Robert Bosch GmbH] изјавува дека [the radio equipment type MMCSBXEUR] е во согласност со Директивата 2014/53/ ЕУ. За подготвени информации, отворете ја следнава УРЛ: https://www.mitsubishimotors.com/en/rwc/eu/
		Радио опремата работи на следниот радиофреквенциски спектар: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
		Радио опремата функционира на следната максимална моќност на радио фреквенции емитирана во радиофреквенцискиот спектар: [WLAN ≤ 100 mW, BT ≤ 10 mW]
28_RED_SQ_Albanian	DEKLARATË THJESHTUAR SË KONFORMITETIT TË BE-SË	Këtu, [Robert Bosch GmbH], deklaron se [the radio equipment type MMCSBXEUR] janë në përputhje me Direktivën 2014/53/EU. Për hollësi, ju lutem hapni URL-në e mëposhtme: https://www.mitsubishimotors.com/en/rwc/eu/
		Bandat(e) e frekuencës me të cilat punojnë pajisjet radio: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
		Fuqia maksimale radio-frekuencë e transmetuar në bandën(at) e frekuencave në të cilën punojnë pajisjet radio: [WLAN ≤ 100 mW, BT ≤ 10 mW]
29_RED_XX_Montenegrin	POJEDNOSTAVLJ ENA EU IZJAVA O USAGLAŠENOSTI	Ovim putem [Robert Bosch GmbH], izjavljuje da su [the radio equipment type MMCSBXEUR] u skladu sa Odbrebom 2014/53/EU. Za više detalja, pristupite sljedećoj URL adresi: https://www.mitsubishimotors.com/en/rwc/eu/
		Frekventni opseg u kojem funkcioniše radio oprema: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
		Maksimalna prenesena snaga radio frekvencije u frekventnom opsegu u kojem funkcioniše radio oprema: [WLAN ≤ 100 mW, BT ≤ 10 mW]
30_RED_KA_Georgian	EU გამართებული შესაბამისობის განცხადება	კომპანია [Robert Bosch GmbH] აცხადებს, რომ [the radio equipment type MMCSBXEUR] არის 2014/53/EU დირექტივის სრულ შესაბამისობაში. დანერგვითი ინფორმაციისთვის იხილეთ შემდეგი ბმული: https://www.mitsubishimotors.com/en/rwc/eu/
		სიხშირის ტალღები, რომლებზეც მუშაობს რადიო: [2400-2480 MHz/WLAN, 2400-2480 MHz/BT, 5745-5825 MHz/WLAN, 87.5-108.0 MHz/FM Receiver, 522.0-1611.0 kHz/AM receiver, 174-240 MHz/DAB Receiver, 1559-1610 MHz/GNSS Receiver]
		რადიო მიწოდების რადიო-სიხშირის მაქსიმალური სიმძლავრე: [WLAN ≤ 100 mW, BT ≤ 10 mW]

- used frequencies and Antennas.

Frequency band	Radiated Power [EIRP]	Hints/Restrictions
2400 MHz - 2480 MHz	WLAN $\leq$ 100 mW	External Antenna Only Channel 1 to 11
2400 MHz - 2480 MHz	BT $\leq$ 10 mW	internal Antenna
5745 MHz – 5825 MHz	WLAN $\leq$ 25 mW	external Antenna
87.5 MHz – 108.0 MHz	FM Receiver	External Antenna
522.0 – 1611.0 kHz	AM Receiver	External Antenna
174 MHz – 240 MHz	DAB Receiver	External Antenna
1559 – 1610 MHz	GNSS Receiver	External Antenna

List of Importers

For a list of importers, refer to the vehicle Owner's Manual.

MEMO

